

Technical Data Sheet

Hostanox®* O 3

CLARIANT 

Primary antioxidant for plastic materials

GENERAL

Hostanox O 3 is a highly efficient phenolic antioxidant for plastics with high resistance against hydrolysis, providing long term heat stabilization to polyolefins and polyamide especially for applications where the final article comes in contact with extractive media such as water, fat etc.

CHEMICAL COMPOSITION

Bis[3,3-bis-(4'-hydroxy-3'-tert-butylphenyl)butanoic acid]-glycol ester

Molecular weight 794 g/mol

PHYSICAL PROPERTIES

Melting Range	167 – 171 °C (333 – 340 °F)
Commercial Forms	Pills, Powder
Solubility	Soluble in acetone, ethyl acetate, iso-propanol, methanol. Insoluble in water

APPLICATIONS

Hostanox O 3 is recommended for the stabilization of polyolefins (PP, HDPE, LLDPE), Polyamides, ABS, styrenic polymers, polyesters, synthetic elastomers, adhesives, and many other organic substrates. In combination with sulphur containing co-stabilizers, such as **Hostanox SE 10** and **Hostanox SE 4**, it leads to a pronounced synergistic effect concerning long term thermal stability respectively oven life.

FOOD STATUS

Hostanox O 3 is broadly approved in plastics for food contact applications.

STORAGE STABILITY

Minimum shelf life is 3 years from date of shipping when properly stored.

CLARIANT INTERNATIONAL LTD

Rothausstrasse 61
4132 Muttensz
Switzerland

BUSINESS LINE POLYMER ADDITIVES

Fon +800-66-969-699
Fax +41-61-469-7540

www.additives.clariant.com
www.clariant.com

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. * Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

For sales to customers located within the United States and Canada the following applies in addition:

NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE.

© Trademark of Clariant registered in many countries
© 2012 Clariant International Ltd



CLARIANT INTERNATIONAL LTD

®* Trademark licensed to Clariant in numerous countries