



## Product Information

---

### BAEROLUB L-MS 90

<b>Description</b>	Glycerol Ester	
<b>Properties</b>	<b>Property</b>	<b>Specification</b>
	Free glycerol, %	1 max
	Saponification Value, mg KOH/g	165 – 180
	Iodine Value, cgl2/g	1 max
	Color, Gardner	4 max
	Acid Value, mg KOH/g	3 max
	Melt Range C	65 - 70
<b>Features</b>	BAEROLUB L-MS 90 is a highly effective internal lubricant for the processing of rigid PVC and food film. It can be used to promote fusion of rigid PVC and to control melt viscosity.	
<b>Performance</b>	BAEROLUB L-MS 90 is very compatible with PVC and its micro additives.  Dosages recommendations fall between 0.5-1.0 PHR but it can depend on the application and formulation. BAEROLUB L-MS 90 is used with a balance of other internal and external lubricants to complete the formulation.	
<b>Quality Control</b>	A modern, state-of-the-art plant process with strict control ensures consistent quality in chemical and mechanical properties.	
<b>Packaging</b>	Standard semi-bulk packaging in supersacks and 40 x 50 lb. multiwall bags on stretch wrapped pallet is available.	
<b>Storage</b>	Storage in dry areas at normal ambient temperatures is recommended. Open containers of unused product should be firmly closed for storage.	

**NOTICE:** Although the information and recommendations contained in this document (hereinafter "Information") are presented in good faith and believed to be correct at the date of their publication, BAERLOCHER makes no representations or warranties as to the completeness or accuracy of Information.

Information is supplied upon the condition that the persons or entities receiving same will make their own determination as to its suitability for their purposes prior to their use. In no event, will BAERLOCHER be responsible or liable for any loss of profits, lost goodwill, direct, special, indirect, incidental, or consequential damages of any nature whatsoever, including without limitation lost revenue, resulting from the use of or reliance upon Information or the product to which Information refers.

Nothing contained in this disclaimer is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any patent or intellectual property right, and BAERLOCHER makes no representation or warranty, express or implied, that the use thereof will not infringe any patent or intellectual property rights.

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to Information or the product to which Information refers.

**Baerlocher U.S.A.**  
Tel: toll-free 1-866-482-1700

**5890 Highland Ridge Drive**  
Fax: toll-free 1-866-482-6344

**Cincinnati, OH 45232**  
Internet: <http://www.baerlocher-usa.com>