



Product Information

BAEROLUB PE Powder/2

Description Powder hydrocarbon wax

Properties	Test	Specification	Method
	Softening Point (°F)	230-245	ASTM D6090-99
	Viscosity (cP @ 300°F)	<50	ASTM D1986-91
	Penetration (dmm @ 77°F)	3 Max.	ASTM D1321-02a
	Flash Point (°F)	>400	ASTM D93-02a CC
	Color Klett	<200	QST078

Features BAEROLUB PE Powder/2 is a highly effective external lubricant for the processing of rigid PVC. It is considered to be more effective than traditional paraffin wax, and is therefore used in lower dosages.

Performance BAEROLUB PE Powder/2 is not very compatible with PVC, as it is a non-polar molecule. It shows hydrophobic properties and provides good surface gloss.

Dosages over 0.2 PHR can bring haze to clear applications.

BAEROLUB PE Powder/2 is used with a balance of other internal and external lubricants in the formulation.

Quality Control A modern, state-of-the-art plant process with strict control ensures consistent quality in chemical and mechanical properties.

Regulatory BAEROLUB PE Powder/2 meets the following requirements for Indirect Food Contact under FDA Regulations 21 CFR Parts 175.105, 175.125, 175.300, 175.320, 176.170, 176.180, 177.1210 and 177.2600

Packaging Standard semi-bulk packaging in supersacks and 40 x 50 lb. multiwall bags on stretch wrapped pallet is available.

Storage Storage in dry areas at normal ambient temperatures is recommended. Open containers of unused product should be firmly closed for storage.

NOTICE: Although the information and recommendations contained in this document (hereinafter "Information") are presented in good faith and believed to be correct at the date of their publication, BAERLOCHER makes no representations or warranties as to the completeness or accuracy of Information.

Information is supplied upon the condition that the persons or entities receiving same will make their own determination as to its suitability for their purposes prior to their use. In no event, will BAERLOCHER be responsible or liable for any loss of profits, lost goodwill, direct, special, indirect, incidental, or consequential damages of any nature whatsoever, including without limitation lost revenue, resulting from the use of or reliance upon Information or the product to which Information refers.

Nothing contained in this disclaimer is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any patent or intellectual property right, and BAERLOCHER makes no representation or warranty, express or implied, that the use thereof will not infringe any patent or intellectual property rights.

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to Information or the product to which Information refers.

Baerlocher U.S.A.
Tel: toll-free 1-866-482-1700

5890 Highland Ridge Drive
Fax: toll-free 1-866-482-6344

Cincinnati, OH 45232
Internet: <http://www.baerlocher-usa.com>