



Natriumstearat SW

(Sodium Stearate)

Description Medium bulk density, white powder.

Properties	<u>Test</u>	<u>Specification</u>	<u>Typical Property</u>
	Sulfated Ash (%)	22.0 – 24.0%	23.1%
	Free Fatty Acid (%)	1.5% max.	<1.0%
	Moisture (%)	2.0% max.	<1.0%
	Melting Point (°C)	Report °C	213°C
	Sieve US Std. 200 Mesh	1.0% max. retained	< 0.5%
	Bulk Density (g/l)	250 – 370 g/l	300 g/l

Features Natriumstearat SW is a high quality grade of sodium stearate produced for applications requiring a relatively fine, medium density gellant, thickening agent, lubricant or processing aid with good handling and blending characteristics

Performance Consistent physical properties and medium density provide excellent blending and dispersion properties with a large variety of materials.

Provides good high temperature lubrication and mold release properties in thermoplastic applications.

Quality Control A modern, state-of-the-art plant process with strict control ensures consistent quality in chemical and mechanical properties.

Regulatory Meets requirements of 21 CFR and the Directive 2002/72/EEC (including amendments) for use in plastic materials and articles intended to come into contact with foodstuffs.

Packaging Standard 40 x 50 lb. multiwall bags and 1600 lb supersacks on stretch wrapped pallets. Other packaging options are available upon request.

Storage Storage in dry areas at normal ambient temperatures is recommended. Open containers of unused product should be firmly closed for storage.

TDS-Nastearat SW 111003

NOTICE: Although the information and recommendations contained in this document (hereinafter "Information") are presented in good faith and believed to be correct at the date of their publication, BAERLOCHER makes no representations or warranties as to the completeness or accuracy of Information.

Information is supplied upon the condition that the persons or entities receiving same will make their own determination as to its suitability for their purposes prior to their use. In no event, will BAERLOCHER be responsible or liable for any loss of profits, lost goodwill, direct, special, indirect, incidental, or consequential damages of any nature whatsoever, including without limitation lost revenue, resulting from the use of or reliance upon Information or the product to which Information refers.

Nothing contained in this disclaimer is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any patent or intellectual property right, and BAERLOCHER makes no representation or warranty, express or implied, that the use thereof will not infringe any patent or intellectual property rights.

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to Information or the product to which Information refers.

Baerlocher U.S.A.
Tel: toll-free 1-866-482-1700

5890 Highland Ridge Drive
Fax: toll-free 1-866-482-6344

Cincinnati, OH 45232
Internet: <http://www.baerlocher.de>