



Product Information

27.02.2018

MARLOWET 4539 LF

Composition

Oxoalcohol polyethylene glycol polypropylene glycol ether acetic acid

Product data (specification)

Property	Value	Unit	Test method
Appearance at 20 °C	liquid, slightly turbid	-	visual
Iodine colour number	≤ 4	mg l/100 ml	DIN EN 1557
Acid number	107 - 114	mg KOH/g	DIN EN ISO 2114
Water content	≤ 10	% by mass	DIN EN 13267
NaCl content	≤ 0.5	% by mass	ISO 4323

General product description

Property	Value	Unit	Test method
Molar mass	about 400	g/mol	calculated
Density at 20 °C	about 1.02	g/ml	DIN 51757
Refractive index n _{20/D}	about 1.447	-	DGF C - IV 5
Setting point	about - 20	°C	DIN ISO 3841
Ignition temperature	about 365	°C	DIN 51794
pH (2 % in fully demin. water)	about 3	-	DIN EN 1262
Viscosity at 20 °C (Brookfield)	about 135	mPa s	DGF H - II 4

Transport and packaging

Road tankers, about 210 kg plastic drums

Storage

Stainless steel vessels (Steel No.: 1.4541 or 1.4571)

Sasol Germany GmbH

Anckelmannsplatz 1, 20537 Hamburg Postanschrift: Postfach 26 18 05, 20508 Hamburg
Telefon: +49 40 63 684-1000 Telefax: +49 40 63 684-3700 info@de.sasol.com www.sasol.com
Geschäftsführung: Norbert Behrens Vorsitzender des Aufsichtsrats: Christian Schindler
Sitz der Gesellschaft: Hamburg Registergericht: Amtsgericht Hamburg HRB 78475



Product Information

27.02.2018

MARLOWET 4539 LF

Data on material safety, as well as transport classes and data on toxicology and biodegradability, can be obtained from the material safety data sheet.

This information is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party patent rights. In particular, no guarantee of properties in the legal sense is implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Reference to trade names used by other companies is neither a recommendation, nor is it intended to suggest that similar products could not be used. All our business transactions shall exclusively be governed by our General Sales Conditions.

Sasol Germany GmbH

Anckelmannsplatz 1, 20537 Hamburg Postanschrift: Postfach 26 18 05, 20508 Hamburg
Telefon: +49 40 63 684-1000 Telefax: +49 40 63 684-3700 info@de.sasol.com www.sasol.com
Geschäftsführung: Norbert Behrens Vorsitzender des Aufsichtsrats: Christian Schindler
Sitz der Gesellschaft: Hamburg Registergericht: Amtsgericht Hamburg HRB 78475