

ISOFOL 2426S Alcohol



SASOL

Technical Data Sheet

Description

Sasol Chemicals ISOFOL alcohols are primary, saturated alcohols with defined branching of the carbon chain. Such alcohols are chemically described as 2-alkyl-1-alkanols and are also referred to as Guerbet alcohols. ISOFOL alcohols are high purity alcohols which offer excellent oxidative and color stability. Additionally, the twin 100% linear alkyl branches of the ISOFOL alcohols give a lower viscosity and better biodegradability than dimer alcohols derived from oxo-alcohols. The unique chemical structure of the ISOFOL alcohols also provides good solubility and solvency.

Applications

ISOFOL alcohols and their derivatives may be used in a wide array of applications including:

- Cosmetics
- Textile Industry
- Metal Processing and Lubricants
- Surfactants
- Paints, Inks, Coatings and Adhesives
- Oilfield

Properties

Typical physical properties are listed in the table to the right. Actual properties may vary in differing conditions.

Contact information

For technical information:

Product Steward

2201 Old Spanish Trail

Westlake, Louisiana 70669

Telephone: +1(337)494-4133

TDS.ProductSteward@us.sasol.com

For sales, pricing or samples,

contact a sales representative at:

Telephone: +1(281)588-3000

info@us.sasol.com

Typical Properties	ISOFOL 2426S
Dimer iC 24 OH – iC 26 OH, wt. %	96 min.
Water, wt. %	0.1 max.
Color, APHA	10 max.
Ester value, mg KOH/g	0.5 max.
Acid number, mg KOH/g	0.05 max.
Iodine value, mg I/100 mg	0.5 max.
Density, g/mL @ 20°C	0.85
Pour point, °C	-36
Flash point, °C	220
Viscosity, mPas @ 20°C	129
Viscosity, cSt @ 40°C	51
Molecular weight, g/mol	368
Hydroxyl value, mg KOH/g	145 – 157
Appearance	Clear, colorless, oily liquid

Don't see what you are looking for?

Sasol Chemicals offers a wide range of alcohols and surfactants. Please contact us for information about creating your own personalized product.

The preceding data is based on tests and experience, which Sasol Chemicals believes reliable, and is supplied for informational purposes only. Sasol Chemicals expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained therein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Sasol Chemicals with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Sasol Chemicals. For detailed safety and handling information regarding these products, please refer to the respective Sasol Chemicals Safety Data Sheet. 07/08/2020

Sasol Chemicals North America LLC

12120 Wickchester Lane, Houston, TX 77079-2990

Phone +1 (281)588-3000, info@us.sasol.com

www.sasolnorthamerica.com