



## Baeropan TX 93100 P/1

**Description** Low-dusting pastille shaped co-stabilized lubricant blend.

<b>Properties</b>	<u>Test</u>	<u>Typical Property</u>
	Total Ash	20%
	Melting range	100-103°C
	Loss on Drying	3% max.

**Applications** Baeropan TX 93100 P/1 is a solid lubricant for use in rigid PVC applications. Baeropan TX 93100 P/1 is generally available in pastille form with excellent handling and feeding characteristics and is especially suited for ease of blending and compounding with resin, filler and other additive components of thermoplastic formulations.

Baeropan TX 93100 P/1 is considered a balanced internal/external lubricant in PVC that provides excellent metal release. In rigid extruded sheets and extruded rigid profiles, it reduced tackiness and controls plate-out while ensuring a smooth semi-glossy surface. When compared to Baeropan R 93100 P, Baeropan TX 93100 P/1 is less externally lubricating to combat low molecular weight waxes from creating die lip build-up. It is compatible with PVC and all relating additives in the formulation.

**Dosage** General dosage is recommended to start from 2.1-2.3 PHR depending on application

**Quality control** A state-of-the-art plant process with strict control ensures consistent quality in chemical and physical properties.

**Packaging** Standard bulk packaging in supersacks and palletized multi-wall paper and poly bags are available.

**Storage** Store in dry areas at normal ambient temperatures is recommended. Open containers of unused product should be firmly closed for storage.

**NOTICE:** Although the information and recommendations contained in this document (hereinafter "Information") are presented in good faith and believed to be correct at the date of their publication, BAERLOCHER makes no representations or warranties as to the completeness or accuracy of Information.

Information is supplied upon the condition that the persons or entities receiving same will make their own determination as to its suitability for their purposes prior to their use. In no event, will BAERLOCHER be responsible or liable for any loss of profits, lost goodwill, direct, special, indirect, incidental, or consequential damages of any nature whatsoever, including without limitation lost revenue, resulting from the use of or reliance upon Information or the product to which Information refers.

Nothing contained in this disclaimer is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any patent or intellectual property right, and BAERLOCHER makes no representation or warranty, express or implied, that the use thereof will not infringe any patent or intellectual property rights.

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to Information or the product to which Information refers.