

LIOCENE PP MA 1332 TP

Page 1

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Plastics & Coatings (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000
Information of the substance/preparation:	Product Stewardship, +1-704-331-7710
Emergency tel. number:	+1 800-424-9300 CHEMTREC

Trade name:	LIOCENE PP MA 1332 TP
Material number:	211951
CAS number:	31069-12-2
Primary product use:	Additive
Chemical family:	PP Copolymer Wax grafted with Maleic Anhydride

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

No additional hazards are known except those derived from the labelling.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Substance
Substance name	: PP Copolymer Wax grafted with Maleic Anhydride
CAS-No.	: 31069-12-2

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

General advice	: Get medical advice/ attention if you feel unwell.
If inhaled	: Move the victim to fresh air.

LICOENE PP MA 1332 TP

Page 2

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

- Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin irritation occurs, seek medical attention.
- Cool skin rapidly with cold water after contact with molten material.
Do not peel solidified product off the skin.
Get medical attention.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : Get medical attention immediately.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide (CO₂)
Dry powder
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : None known.
- Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
- Special protective equipment for firefighters : Wear personal protective equipment.
In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Small spills may be flushed to the sewer or swept up. Larger spills should be collected by shovelling into appropriate waste collection containers. Clean-up by flushing with water if desired or removal of contaminated soil. Utilize recommended clothing and equipment.

LICOENE PP MA 1332 TP

Page 3

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Take up mechanically and dispose of

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take precautionary measures against build-up of electrostatic charges, e.g earthing during loading and off-loading operations.
Keep away sources of ignition.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.
Wash thoroughly after handling.
- Further information on storage conditions : Store in original container.
Keep container tightly closed.
Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

- Engineering measures** : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

Personal protective equipment

- Respiratory protection : Wear NIOSH approved particulate filtering respirator rated N, R, or P95 or 100 or equivalent in the absence of proper environmental control. Type of respirator depends on level of exposure.
- Hand protection
Remarks : Butyl Rubber, PVC Or Neoprene.
- Eye protection : Safety glasses or chemical splash goggles.
- Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

LICOENE PP MA 1332 TP

Page 4

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

- Protective measures : Wear suitable protective equipment.
- Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid
- Colour : light yellow, transparent
- Odour : not specified
- Odour Threshold : not determined
- pH : Not applicable
- Drop point : approximately 190 °F / 88 °C
Method: ASTM D 3954-94
- Boiling point : Decomposition: Decomposes below the boiling point.
Method: DSC
- Flash point : 478 °F / 248 °C
Method: Setafash (closed cup)
- Burning number : 2
Short flaring up without spreading
- Upper explosion limit / upper flammability limit : not tested.
- Lower explosion limit / Lower flammability limit : not tested.
- Vapour pressure : Not applicable
- Relative vapour density : not tested.
- Density : approx. 0.88 g/cm³ (73 °F / 23 °C)
Method: ISO 1183
- Solubility(ies)
- Water solubility : not tested.
- Solubility in other solvents : not tested.

LICOENE PP MA 1332 TP

Page 5

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

Partition coefficient: n-octanol/water	:	not determinable (polymer)
Decomposition temperature	:	not tested.
Viscosity		
Viscosity, dynamic	:	approximately 240 mPa.s (338 °F / 170 °C) Method: DIN 53019
Viscosity, kinematic	:	no data available
Oxidizing properties	:	not tested.
Surface tension	:	Not applicable
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	The substance or mixture does not emit flammable gases in contact with water. Not corrosive to metals
Conditions to avoid	:	None
Incompatible materials	:	none
Hazardous decomposition products	:	When handled and stored appropriately, no dangerous decomposition products are known The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye contact
Skin contact
Inhalation

Acute toxicity**Product:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Remarks: By analogy with a product of similar composition
---------------------	---	---

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

Skin corrosion/irritation**Product:**

Species: Rabbit

Assessment: non-irritant

Method: OECD Test Guideline 404

Result: No skin irritation

Remarks: By analogy with a product of similar composition

Serious eye damage/eye irritation**Product:**

Species: rabbit eye

Result: No eye irritation

Assessment: non-irritant

Method: OECD Test Guideline 405

Remarks: By analogy with a product of similar composition

Respiratory or skin sensitisation**Product:**

Test Type: Buehler Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

GLP: yes

Carcinogenicity**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Product:**

Remarks: According to experience, the product is considered to be harmless to health if used in the correct manner

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 8,330 mg/l
aquatic invertebrates : Exposure time: 24 h
Method: OECD Test Guideline 202

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects**Product:**

Additional ecological : Product is insoluble in water
information : May be separated mechanically in waste water plants.
Harmful effects to fish and bacteria: not harmful
The ecotoxicity of the product has not been tested. The
information given is based on products of similar structure or
composition.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

RCRA - Resource : This product, if discarded as sold, is not a Federal RCRA
Conservation and Recovery hazardous waste.
Authorization Act

Waste Code : NONE

Waste from residues : Dispose of spilled or waste product, contaminated soil and
other contaminated materials in licensed landfill or treatment
facility in accordance with all local, state, and federal
regulations.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as
product waste

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

SECTION 14. TRANSPORT INFORMATION

DOT	not restricted
IATA	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act


This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the following inventories:

TSCA : All components are compliant with the TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations

Substance key: 000000225780

Revision Date: 02/11/2021

Version : 1 - 16 / USA

Date of printing :01/10/2022

Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/11/2021

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN