

**SDS**: 0061270

**Date Prepared:** 12/05/2022

## SAFETY DATA SHEET

## 1. IDENTIFICATION

Product Name: EBECRYL® LED 03 RADIATION CURING RESINS

Synonyms: None

**Product Description:** Amine modified polyetheracrylate

Molecular Weight: Mixture

Intended/Recommended Use: Coatings and Inks

Allnex USA Inc., 9005 Westside Parkway, Alpharetta, Georgia 30009, USA

**For Product and all Non-Emergency Information call** your local Allnex contact point or contact us at http://www.allnex.com/contact

EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:

+1-866-928-0789 (toll free) or +1-215-207-0061 (Carechem 24 - Allnex29003-NCEC)

See Section 16 for Emergency phone numbers for other regions.

Trademarks indicated with ®, TM or \* as well as the allnex name and logo are registered, unregistered or pending trademarks of Allnex Netherlands BV or its directly or indirectly affiliated allnex Group companies.

## 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Skin Corrosion / Irritation Hazard Category 2 Serious Eye Damage / Eye Irritation Hazard Category 2A

## LABEL ELEMENTS



## Signal Word WARNING

## **Hazard Statements**

Causes skin irritation
Causes serious eye irritation

## **Precautionary Statements**

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

## Hazards Not Otherwise Classified (HNOC), Other Hazards

Contact with skin may cause a cross-allergic reaction in persons already sensitized to acrylates. Polymerization may occur from excessive heat, contamination or exposure to direct sunlight.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### HAZARDOUS INGREDIENTS

Component / CAS No.	%	GHS Classification
Amine modified polyetheracrylate	> 99	Skin Irrit. 2 (H315)
		Eye Irrit. 2A (H319)

The specific chemical identity and/or exact percentage of composition for one or more ingredients has been withheld as a trade secret.

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

### 4. FIRST AID MEASURES

## **First-aid Measures**

#### Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms.

## **Skin Contact:**

Remove contaminated clothing and shoes without delay. Wash immediately with plenty of water. Do not reuse contaminated clothing without laundering. Get medical attention if pain or irritation persists after washing or if signs and symptoms of overexposure appear.

## **Eye Contact:**

Rinse immediately with plenty of water for at least 15 minutes. Obtain medical advice if there are persistent symptoms.

#### Ingestion:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

## Most Important Symptoms and Effects, Acute and Delayed

None known.

#### **Immediate Medical Attention and Special Treatment**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

## **Notes To Physician:**

No specific measures have been identified.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media:

Use water spray or fog, carbon dioxide or dry chemical.

## **Unsuitable Extinguishing Media:**

full water jet.

## **Protective Equipment:**

Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

SDS: 0061270

#### **Special Hazards:**

Keep containers cool by spraying with water if exposed to fire.

\_\_\_\_\_

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions:

Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. In addition to the protective clothing/equipment in Section 8 (Exposure Controls/Personal Protection), wear impermeable boots.

## **Methods For Cleaning Up:**

Cover spills with some inert absorbent material; sweep up and place in a waste disposal container. Flush spill area with water.

#### **Environmental Precautions:**

None known.

#### References to other sections:

See Sections 7, 8 and 13 for additional information.

\_\_\_\_\_

## 7. HANDLING AND STORAGE

#### **HANDLING**

Precautions: Wash hands thoroughly after handling. Wear protective gloves and eye/face protection.

**Special Handling Statements:** Avoid excessive heat, contamination or exposure to direct sunlight to prevent polymerization. Provide good ventilation of working area (local exhaust ventilation if necessary).

## **STORAGE**

Store in a cool, dry, well ventilated place and keep container tightly closed. Keep away from heat sources and direct sunlight.

Storage Temperature: Store at 4 - 40 °C 39 - 104 °F

Reason: Quality.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Engineering Measures:**

Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure.

## **Respiratory Protection:**

For operations where inhalation exposure can occur use an approved respirator. Recommendations are listed below. Other protective respiratory equipment may be used based on user's own risk assessment. Recommended respirators include those certified by NIOSH (U.S.) or CEN (EU).

Recommended respirators include those certified by NIOSH.

## Recommended:

Where inhalation exposure is reasonably likely, use a NIOSH-Certified respirator with an APF of 1000.

## **Eye Protection:**

Wear eye/face protection such as chemical splash proof goggles or face shield. Eyewash equipment and safety shower should be provided in areas of potential exposure.

SDS: 0061270

#### **Skin Protection:**

Avoid skin contact. Wear impermeable gloves and suitable protective clothing.

#### **Hand Protection:**

Wear protective gloves. Recommendations are listed below. Other protective materials may be used based on user's own risk assessment. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility etc.) is noticed.

Gloves for repeated or prolonged exposure - non exhaustive list:

Nitrile rubber (NBR), thickness: > 0.56 mm, break through time: up to 480 min

Gloves for short term exposure/splash protection - non exhaustive list: Nitrile rubber (NBR), thickness: 0.1 mm, break through time: up to 30 min

The chemical resistance depends on the type of product and amount of product on the glove. Therefore gloves need to be changed when in contact with chemicals.

Not suitable gloves - non exhaustive list:

Latex gloves

Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing.

#### **Additional Advice:**

Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

## **Exposure Limit(s)**

No values have been established.

## **Biological Exposure Limit(s)**

No values have been established.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Color:** greenish-brown-clear

Appearance: clear liquid odor: clear liquid

**Boiling Point:** > 100 °C 212 °F

Melting Point: Not available

Vapor Pressure: < 0.1 hPa @ 20 °C

Specific Gravity/Density: 1.13 g/cm³ Vapor Density: Not available Percent Volatile (% by wt.): < 0.3

pH: Not available Saturation In Air (% By Vol.): Not available Evaporation Rate: Not available

Solubility In Water: Immiscible with water

Volatile Organic Content: Not available

SDS: 0061270 Date Prepared: 12/05/2022

Page 5 of 10

Flash Point: > 100 °C 212 °F Cleveland Open Cup

Flammable Limits (% By Vol): Not available Autoignition Temperature: Not available Partition coefficient Not available

(n-octanol/water):

Odor Threshold:

Viscosity (Kinematic):

Viscosity (Dynamic):

Flammability:

Not available

Not available

Normal combustion

Oxidizing Properties: Not available

## \_\_\_\_\_

## 10. STABILITY AND REACTIVITY

Reactivity: No information available

Stability: Stable.

Conditions To Avoid: Avoid friction with temperature increase as result. Avoid exposure to strong UV

sources. Avoid direct contact with heat sources. Avoid temperature higher than

40°C. Protect from direct sunlight.

Polymerization: May occur

**Conditions To Avoid:** Uncontrolled polymerization may cause rapid evolution of heat and increase in

pressure that could result in violent rupture of sealed storage vessels or containers Hazardous polymerization can occur when exposed to direct sunlight. Hazardous

exothermic polymerization can occur when heated.

Materials To Avoid: Avoid contact with peroxides.

Avoid free radical producing initiators. Avoid contact with reactive metals.

Contact with alkalis.

They give an exothermic reaction with the product. Unintentional contact with them should be avoided.

**Hazardous Decomposition** 

oxides of carbon

**Products:** 

smoke

hydrocarbons

soot

## 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin, Eyes, Oral.

Acute toxicity - oral: Not Classified - Based on available data and/or professional judgment, the classification

criteria are not met.

Acute toxicity - dermal: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Acute toxicity - inhalation: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Skin corrosion / irritation: Causes skin irritation

Serious eye damage / eye irritation: Causes serious eye irritation

Respiratory sensitization: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Skin sensitization: Not Classified - Based on available data and/or professional judgment, the classification

criteria are not met.

**Carcinogenicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Germ cell mutagenicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

SDS: 0061270

**Reproductive toxicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure:** Not Classified. **-** Based on available data and/or professional judgment, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure:** Not Classified. **-** Based on available data and/or professional judgment, the classification criteria are not met.

**Aspiration hazard:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

## PRODUCT TOXICITY INFORMATION

## **ACUTE TOXICITY DATA**

oral	rat	Acute LD50	>	2000 mg/kg
dermal	rabbit	Acute LD50	>	2000 mg/kg
Inhalation	rat	Acute LC50 4 hr	>	5 mg/l (Dust/Mist)

#### **LOCAL EFFECTS ON SKIN AND EYE**

Acute Irritation	Skin	rabbit	Irritating
Acute Irritation	eye	rabbit	Irritating

#### **ALLERGIC SENSITIZATION**

Sensitization	Skin		
Sensitization	respiratory	No data	

## **GENOTOXICITY**

## **Assays for Gene Mutations**

Ames Salmonella Assay No data

## OTHER INFORMATION

The product toxicity information above has been estimated.

Contact with skin may cause a cross-allergic reaction in persons already sensitized to acrylates.

Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms such as redness, blistering, dermatitis, etc.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

## HAZARDOUS INGREDIENT TOXICITY DATA

The toxicological properties of acrylated resin have not been fully investigated. Direct contact may cause moderate eye and skin irritation. Prolonged or repeated contact may cause allergic skin reaction in individuals previously sensitized to acrylates.



**▲ WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov

## 12. ECOLOGICAL INFORMATION

# TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, OTHER ADVERSE EFFECTS

The ecological properties of this material have not been fully investigated.

The ecological assessment for this material is based on an evaluation of its components.

This material is not classified as dangerous for the environment.

## **RESULTS OF PBT AND VPVB ASSESSMENT**

Not determined

## HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Fish
Amine modified polyetheracrylate (-)	Not available

Component / CAS No.	Toxicity to Water Flea
Amine modified polyetheracrylate (-)	Not available

Component / CAS No.	Toxicity to Algae
Amine modified polyetheracrylate (-)	Not available

Component / CAS No.	Partition coefficient
Amine modified polyetheracrylate (-)	Not available

## 13. DISPOSAL CONSIDERATIONS

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seg) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste"; information contained in Section 15 of this SDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.

## 14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

Dangerous Goods? Not applicable/Not regulated

#### TRANSPORT CANADA

Dangerous Goods? Not applicable/Not regulated

#### ICAO / IATA

Dangerous Goods? Not applicable/Not regulated

### IMO

Dangerous Goods? Not applicable/Not regulated

#### SPECIAL PRECAUTIONS FOR USER

Protect against external heat sources higher than +40°C/104°F.

## 15. REGULATORY INFORMATION

## **Inventory Information**

**United States (USA):** All components of this product are designated as "Active" on the TSCA Inventory or are not required to be listed.

This substance may cause: (i) Respiratory complications; (ii) Skin irritation and sensitization; (iii) Eye irritation. When using this substance: (i) Avoid skin contact; (ii) Avoid breathing the substance; (iii) Avoid ingestion; (iv) Use respiratory protection, or maintain workplace airborne concentrations at or below an 8-hour time-weighted average of 0.039 mg/m³ where inhalation in a work area is reasonably likely; (v) Use skin protection. This substance may be: (i) Hazardous to the aquatic environment; (ii) Toxic to aquatic organisms.

This product contains a substance subject to Significant New Use Rule (SNUR) 40 CFR Section 721.11422. This product is subject to TSCA 12(b) Export Notification (P17-0393; Heteromonocycle, homopolymer, alkyl substituted carbamate, alkyl ester).

**Canada:** One or more components of this product are NOT included on the Canadian Domestic Substances List (DSL).

**European Economic Area (including EU):** When purchased and shipped from an Allnex legal entity based in the EEA (EU or Norway), this product is compliant with the registration of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt and/or registered.

**United Kingdom:** When purchased from allnex UK this product is compliant with the UK-REACH Regulation as all its components are either notified, excluded, exempt and/or registered. If the material has been purchased by your legal entity based in GB from an allnex legal entity based in the EEA (EU or Norway) in 2019 or 2020, you can continue to import the material into GB as it is covered by allnex DUIN.

**Australia:** One or more components of this product have NOT yet been included in the Australian Inventory of Industrial Chemicals (AIIC) or assessed by AICIS.

**New Zealand:** This product is NOT approved under the Hazardous Substances and New Organisms (HSNO) Act.

**China:** One or more components of this product are NOT included on the Chinese (IECSC) inventory. The company has obtained the required notification approvals from the Ministry of Environmental Protection (MEP) as per the "Environmental Administrative Measures for New Chemical Substance" for the component(s) not listed in the Chinese Inventory (IECSC). The product can be imported/manufactured in China ONLY under specific conditions.

Date Prepared: 12/05/2022

**Japan:** One or more components of this product are NOT included on the Japanese (ENCS and/or ISHL) inventories.

Korea: One or more components of this product are NOT included on the Korean (ECL) inventory.

Philippines: One or more components of this product are NOT included on the Philippine (PICCS) inventory.

**Taiwan:** One or more components of this product are NOT included in the Taiwan chemical substance inventory (TCSI).

**Switzerland:** All components of this product are exempt from the new substance notification requirements for Switzerland (SR 813.11 art. 24-26).

**Turkey:** When purchased directly from Allnex by a Turkish legal entity, this product is compliant with the PRE-registration requirements of KKDIK as all its components are either pre-registered, excluded and/or exempt.

## OTHER ENVIRONMENTAL INFORMATION

The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

#### PRODUCT HAZARD CATEGORY UNDER SECTIONS 311 AND 312 OF EPCRA

Physical Hazards Health Hazards

## 16. OTHER INFORMATION

#### NFPA Hazard Rating (National Fire Protection Association)

Health: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 1 - Materials that in themselves are normally stable, but that can become unstable at elevated temperatures and pressures.

Reasons for Issue: Revised Section 15

Date Prepared: 12/05/2022 Date of last significant revision: 03/06/2022

#### **Component - Hazard Statements**

Amine modified polyetheracrylate
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

## **Emergency phone numbers for other regions**

#### **Asia Pacific**

Australia: +61 1800 022 037 (Allnex Australia) China (PRC): +86(0)532 8388 9090 (NRCC)

India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24)

Indonesia: 007 803 011 0293 (Carechem 24) Japan: 0120 015 230 (toll free) (Carechem 24) Korea: +82 2 3479 8401 (Carechem 24) Malaysia: +60 3 6207 4347 (Carechem 24)

New Zealand: +64 0800 803 002 (Allnex New Zealand)

Philippines: +63 2 231 2149 (Carechem 24) Taiwan: +886 2 8793 3212 (Carechem 24) EBECRYL® LED 03 RADIATION CURING RESINS

SDS: 0061270

Date Prepared: 12/05/2022

Page 10 of 10

Vietnam: +84 8 4458 2388 (Carechem 24) All Others: +65 3158 1074 (Carechem 24)

**Europe** 

+44 (0) 1235 239 670 (Carechem 24)

Middle East, Africa

+44 (0) 1235 239 671 (Carechem 24)

**Latin America** 

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24)

Chile: +56 2 2582 9336 (Carechem 24)

Mexico and all others: +52-555-004-8763 (Carechem 24)

Prepared By: Product Sustainability & Regulatory Affairs Department, http://www.allnex.com/contact

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.