

LICOENE PE MA 4221 FINE GRAIN

Page 1

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Produkte (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000
Information of the substance/preparation:	Product Safety 1-704-331-7710
Emergency tel. number:	+1 800-424-9300 CHEMTREC

Trade name:	LICOENE PE MA 4221 FINE GRAIN
Material number:	200915
CAS number:	9006-26-2
Chemical family:	ethylene-maleic anhydride copolymer

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

Does not require a hazard warning label, but the normal safety precautions for handling chemicals must be observed.

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), None under Title III of SARA

SECTION 4. FIRST AID MEASURES

General advice	: Get medical advice/ attention if you feel unwell.
If inhaled	: Move the victim to fresh air. Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention. Never give anything by mouth to an unconscious person.
In case of skin contact	: Wash with soap and water. Contact physician if irritation or other symptoms occur. If hot wax strikes skin, drench or immerse the area in water to assist cooling. Do not remove wax from a burn after it cools. Consult a physician.

LICOCENE PE MA 4221 FINE GRAIN

Page 2

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Do not give anything to drink.
Call a physician immediately.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water mist
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : None known.
- Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
- Special protective equipment for firefighters : Wear personal protective equipment.
In the event of fire, wear self-contained breathing apparatus.
- Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static spark or flame initiation.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Wearing appropriate personal protective equipment, contain spill and collect into a suitable container.
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for : Take up mechanically

LICOENE PE MA 4221 FINE GRAIN

Page 3

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

containment and cleaning up

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Observe the general rules of industrial fire protection

Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.
Lead off electrostatic charges.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.

Technical measures/Precautions : Store in original container.
Keep container tightly closed.
Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

No level has been established by OSHA, NIOSH, ACGIH.

Engineering measures : Local ventilation recommended - mechanical ventilation may be used.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

Hand protection

Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : When working with hot material, avoid contact with skin.
Observe the usual precautions for handling chemicals.

Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat, drink or smoke.
Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Fine granules

LICOENE PE MA 4221 FINE GRAIN

Page 4

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

Colour	: off-white
Odour	: not specified
Odour Threshold	: not tested.
pH	: Not applicable
Drop point	: approx. 123 °C Method: ASTM D 3954-94
Boiling point	: not determined
Flash point	: 253 °C Method: DIN ISO 3480 GLP: no
Evaporation rate	: not tested.
Upper explosion limit	: not tested.
Lower explosion limit	: not tested.
Vapour pressure	: not tested.
Relative vapour density	: not tested.
Density	: approx. 0.98 g/cm ³ (23 °C) Method: ISO 1183
Solubility(ies)	
Water solubility	: insoluble (20 °C)
Solubility in other solvents	: not tested.
Partition coefficient: n-octanol/water	: not tested.
Auto-ignition temperature	: not tested.
Decomposition temperature	: No decomposition if used as directed.
Viscosity	
Viscosity, dynamic	: approx. 140 mPa.s (140 °C) Method: DIN 53019
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive Method: Expert judgement

LICOENE PE MA 4221 FINE GRAIN

Page 5

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

GLP: no

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Method: Expert judgement
GLP: no
The product does not contain organic peroxide-groups which result from either the manufacturing process or from added ingredients.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. The substance or mixture does not emit flammable gases in contact with water.
Not corrosive to metals

Conditions to avoid : None known.

Incompatible materials : no data available

Hazardous decomposition products : When handled and stored appropriately, no dangerous decomposition products are known
The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye contact
Skin contact
Inhalation

Acute toxicity**Product:**

Acute oral toxicity : Remarks: not tested.

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation**Product:**

Remarks: not tested.

LICOENE PE MA 4221 FINE GRAIN

Page 6

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

Serious eye damage/eye irritation**Product:**

Remarks: not tested.

Respiratory or skin sensitisation**Product:**

Remarks: not tested.

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: not tested.

Germ cell mutagenicity -
Assessment : No information available.**Carcinogenicity****Product:**Carcinogenicity -
Assessment : No information available.**IARC** Not listed**OSHA** Not listed**NTP** Not listed**Reproductive toxicity****Product:**Reproductive toxicity -
Assessment : No information available.**Repeated dose toxicity****Product:**

Remarks: not tested.

Experience with human exposure**Product:**General Information : The possible symptoms known are those derived from the
labelling (see section 2).**Further information****Product:**

LICOENE PE MA 4221 FINE GRAIN

Page 7

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

Remarks: Caution - substance not yet tested completely.
According to experience and to the information available, the product has no harmful effects on health if used correctly and for the intended purpose.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: not tested.

Toxicity to daphnia and other aquatic invertebrates :
Remarks: not tested.

Toxicity to algae :
Remarks: not tested.

Toxicity to bacteria : Remarks: not tested.

Persistence and degradability**Product:**

Biodegradability : Remarks: not tested.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not available

Mobility in soil

no data available

Other adverse effects**Product:**

Environmental fate and pathways : Remarks: no data available

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Product is insoluble in water
Harmful effects to fish and bacteria: not harmful
May be separated mechanically in waste water plants.
The ecotoxicity of the product has not been tested. The information given is based on products of similar structure or composition.

LICOENE PE MA 4221 FINE GRAIN

Page 8

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- RCRA - Resource Conservation and Recovery Act
Waste from residues : No -- Not as sold.
: Small quantities may be treated in aerobic wastewater treatment systems. Larger quantities may be incinerated or landfilled after solidification in permitted systems.
- Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

- DOT not restricted
IATA not restricted
IMDG not restricted

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

- SARA 311/312 Hazards** : No SARA Hazards
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This product does not contain any toxic chemical listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.

Clean Water Act

Contains no known priority pollutants at concentrations greater than 0.1%.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory

Inventories

SAFETY DATA SHEET



LICOCENE PE MA 4221 FINE GRAIN

Page 9

Substance key: 000000148681

Revision Date: 04/28/2015

Version : 3 - 0 / USA

Date of printing :08/26/2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

On the basis of an extensive test program, which had to be submitted to the competent authority on the occasion of the Notification of the substance in the European Community, this product was found to be toxicologically not dangerous within the meaning of the EC Directives.

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 04/28/2015

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

US / USA