

**SDS**: 0055804

**Date Prepared:** 06/03/2021

# **SAFETY DATA SHEET**

## 1. IDENTIFICATION

Product Name: EBECRYL® 3418 radiation curing resins

Synonyms: None

Product Description: Radiation curing resin

Molecular Formula: Mixture
Molecular Weight: Mixture

Intended/Recommended Use: Coatings & Inks

Allnex USA Inc., 9005 Westside Parkway, Alpharetta, Georgia 30009, USA

**For Product and all Non-Emergency Information call** your local Allnex contact point or contact us at http://www.allnex.com/contact

# EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:

+1-866-928-0789 (toll free) or +1-215-207-0061 (Carechem 24 - Allnex29003-NCEC) See Section 16 for Emergency phone numbers for other regions.

Trademarks indicated with ®, TM or \* as well as the allnex name and logo are registered, unregistered or pending trademarks of Allnex Netherlands BV or its directly or indirectly affiliated allnex Group companies.

# 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Serious Eye Damage / Eye Irritation Hazard Category 1 Skin Corrosion / Irritation Hazard Category 2 Skin Sensitizer Hazard Category 1B Aquatic Environment Acute Hazard Category 3

### **LABEL ELEMENTS**



## Signal Word DANGER

#### **Hazard Statements**

Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
Harmful to aquatic life

## **Precautionary Statements**

SDS: 0055804

Date Prepared: 06/03/2021

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

IF ON SKIN: Wash with plenty of soap and water.

Specific treatment (see supplemental first aid instructions on this label).

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Dispose of contents/container in accordance with local and national regulations.

## Hazards Not Otherwise Classified (HNOC), Other Hazards

Polymerization may occur from excessive heat, contamination or exposure to direct sunlight.

## \_\_\_\_\_

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **HAZARDOUS INGREDIENTS**

Component / CAS No.	%	GHS Classification
oxybis(methyl-2,1-ethanediyl) diacrylate	30 - 40	Skin Irrit. 2 (H315)
57472-68-1		Eye Dam. 1 (H318)
		Skin Sens. 1B (H317)
Hydroquinone	< 0.033	Carc. 2 (H351)
123-31-9		Muta. 2 (H341)
		Acute Tox. 4 (H302)
		Skin Irrit. 3 (H316)
		Eye Dam. 1 (H318)
		Skin Sens. 1B (H317)
		Aquatic Acute 1 (H400)
		Aquatic Chronic 1 (H410)

The specific chemical identity and/or exact percentage of composition for one or more ingredients has been withheld as a trade secret.

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

## 4. FIRST AID MEASURES

# **First-aid Measures**

#### Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms.

#### **Skin Contact:**

Wash immediately with plenty of water and soap. Remove contaminated clothing and shoes without delay. Obtain medical attention. Do not reuse contaminated clothing without laundering. Destroy or thoroughly clean shoes before reuse.

# **Eye Contact:**

Rinse immediately with plenty of water for at least 15 minutes. Obtain medical attention immediately.

#### Ingestion:

If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Page 3 of 11

# Most Important Symptoms and Effects, Acute and Delayed

None known.

#### **Immediate Medical Attention and Special Treatment**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

SDS: 0055804

### **Notes To Physician:**

No specific measures have been identified.

## 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media:**

Use water spray or fog, carbon dioxide or dry chemical.

## **Unsuitable Extinguishing Media:**

high pressure water jet.

## **Protective Equipment:**

Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

#### **Special Hazards:**

Keep containers cool by spraying with water if exposed to fire.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions:

Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. In addition to the protective clothing/equipment in Section 8 (Exposure Controls/Personal Protection), wear impermeable boots.

### **Methods For Cleaning Up:**

Cover spills with some inert absorbent material; sweep up and place in a waste disposal container. Flush spill area with water.

#### **Environmental Precautions:**

Avoid release to the environment.

#### References to other sections:

See Sections 7, 8 and 13 for additional information.

# 7. HANDLING AND STORAGE

#### **HANDLING**

**Precautions:** Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye/face protection.

**Special Handling Statements:** Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid excessive heat, contamination or exposure to direct sunlight to prevent polymerization.

## **STORAGE**

Observe label precautions. Prevent unauthorised access. Keep away from sources of ignition. Keep away from oxidizing agents, from alkaline and acid materials. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect from direct sunlight. This might cause uncontrollable polymerization of the product

Date Prepared: 06/03/2021

with generation of heat. Store at a temperature between 4 to 40 °C. Storage in stainless steel, amber glass, amber polyethylene or baked phenolic lined container.

Storage Temperature: Store at 4 - 40 °C 39.2 - 104 °F

Reason: Quality.

\_\_\_\_\_

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Engineering Measures:**

Utilize a closed system process where feasible. Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure when spraying or curing at elevated temperatures.

#### **Respiratory Protection:**

For operations where inhalation exposure can occur use an approved respirator. Recommendations are listed below. Other protective respiratory equipment may be used based on user's own risk assessment. Recommended respirators include those certified by NIOSH.

#### Recommended:

Full Face Mask with organic vapor cartridge, Type A filter (BP >65°C)

# **Eye Protection:**

Prevent eye and skin contact. Provide eye wash fountain and safety shower in close proximity to points of potential exposure. Wear eye/face protection such as chemical splash proof goggles or face shield.

### **Skin Protection:**

Prevent contamination of skin or clothing when removing protective equipment. Barrier creams may be used in conjunction with the gloves to provide additional skin protection. Wear impermeable gloves and suitable protective clothing.

#### **Hand Protection:**

Wear protective gloves. Recommendations are listed below. Other protective materials may be used based on user's own risk assessment. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility etc.) is noticed.

Gloves for short term exposure/splash protection - non exhaustive list:

Laminated multilayer gloves, break through time: > 60 min

Nitrile rubber (NBR), thickness: > 0.56 mm, break through time: < 60 min

The chemical resistance depends on the type of product and amount of product on the glove. Therefore gloves need to be changed when in contact with chemicals.

#### Not suitable gloves - non exhaustive list:

Latex gloves

Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing. Use PE gloves as under gloves for difficult situations like for instance: high exposure, unknown composition or unknown properties of the chemicals.

#### **Additional Advice:**

Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

# **Exposure Limit(s)**

123-31-9 Hydroquinone

OSHA (PEL): 2 mg/m³ (TWA)

ACGIH (TLV): 1 mg/m<sup>3</sup> (TWA) Other Value: Not established

# **Biological Exposure Limit(s)**

No values have been established.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Color: yellowish

Appearance: clear to hazy liquid

Odor: ester > 100 °C **Boiling Point: Melting Point:** Not available

@ 20 °C < 1.33 hPa **Vapor Pressure:** 

**Specific Gravity/Density:** 1.12 a/cm<sup>3</sup> Vapor Density: Not available Percent Volatile (% by wt.): < 0.5 % Not available pH: Saturation In Air (% By Vol.): Not available **Evaporation Rate:** Not available Solubility In Water: Insoluble

> 100 °C Based on similar product Flash Point:

Not available

Flammable Limits (% By Vol): Not applicable **Autoignition Temperature:** Not available Not available **Decomposition Temperature:** Partition coefficient Not available

(n-octanol/water):

**Volatile Organic Content:** 

Not available Odor Threshold: Viscosity (Kinematic): Not available

Highly viscous liquid Viscosity (Dynamic): Normal combustion Flammability:

**Oxidizing Properties:** Not available

### 10. STABILITY AND REACTIVITY

No information available Reactivity:

Stability: Stable.

**Conditions To Avoid:** Avoid temperatures higher than 60°C. Avoid friction with temperature increase as

result. Avoid exposure to strong UV sources. Avoid direct contact with heat

sources.

Polymerization: May occur

Uncontrolled polymerization may cause rapid evolution of heat and increase in **Conditions To Avoid:** 

> pressure that could result in violent rupture of sealed storage vessels or containers Hazardous polymerization can occur when exposed to direct sunlight. Hazardous

exothermic polymerization can occur when heated.

Materials To Avoid: Avoid contact with peroxides.

> Avoid free radical producing initiators. Avoid contact with strong acids and alkali"s.

Avoid contact with reactive metals.

SDS: 0055804

They give an exothermic reaction with the product. Unintentional contact with them should be avoided.

Hazardous Decomposition

chlorine

**Products:** 

hydrogen chloride oxides of carbon hydrocarbons

\_\_\_\_\_

### 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin, Eyes, Oral.

**Acute toxicity - oral:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Acute toxicity - dermal:** Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.

**Acute toxicity - inhalation:** Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.

**Skin corrosion / irritation:** Causes skin irritation

Serious eye damage / eye irritation: Causes serious eye damage

Respiratory sensitization: Not Classified - Based on available data and/or professional judgment, the

classification criteria are not met.

Skin sensitization: May cause an allergic skin reaction

**Carcinogenicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Germ cell mutagenicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Reproductive toxicity:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure:** Not Classified. **-** Based on available data and/or professional judgment, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure:** Not Classified. **-** Based on available data and/or professional judgment, the classification criteria are not met.

**Aspiration hazard:** Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

# PRODUCT TOXICITY INFORMATION

### **ACUTE TOXICITY DATA**

### **LOCAL EFFECTS ON SKIN AND EYE**

Acute Irritation dermal Irritating

Acute Irritation eye Causes serious damage

## **ALLERGIC SENSITIZATION**

Sensitization Skin Sensitizing Sensitization respiratory No data

#### **GENOTOXICITY**

## **Assays for Gene Mutations**

Ames Salmonella Assay No data

## **OTHER INFORMATION**

The product toxicity information above has been estimated.

The toxicological properties of this material have not been fully determined.

Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms such as redness, blistering, dermatitis, etc.

SDS: 0055804

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

### HAZARDOUS INGREDIENT TOXICITY DATA

Oxybis(methyl-2,1-ethanediyl) diacrylate has acute oral (rat) and dermal (rabbit) LD50 values of 3530 mg/kg and >2,000 mg/kg, respectively. Direct contact with this material may cause moderate skin irritation and severe eye irritation/eye burns. Repeated or prolonged skin contact may cause skin sensitization.

Hydroguinone has an acute oral (rat) and acute dermal (rabbit) LD50 value of 365 and > 2000mg/kg respectively. Direct contact with this material may cause severe eye damage and mild skin irritation. Irritating effects to the airways are not to be excluded. Prolonged or repeated exposure may cause allergic skin reactions. Genotoxicity studies have shown mixed results, both in animal- and in vitro-studies. Hydroquinone has shown evidence of a carcinogenic effect and possible risk of irreversible effects. There is no indication for a potential developmental or reproductive hazard.

## Carcinogenicity

This product contains one or more Carcinogen Chemical(s) in accordance with IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), ACGIH (American Conference of Governmental Industrial Hygienists).

Component / CAS No.	Carcinogen
Hydroquinone	ACGIH A3
123-31-9	

WARNING: Reproductive Harm – www.P65Warnings.ca.gov

### 12. ECOLOGICAL INFORMATION

TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, **OTHER ADVERSE EFFECTS** 

Overall Environmental Toxicity: Harmful to aquatic life.

The ecological assessment for this material is based on an evaluation of its components.

Date Prepared: 06/03/2021

#### RESULTS OF PBT AND VPVB ASSESSMENT

Not determined

#### HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Fish
oxybis(methyl-2,1-ethanediyl)	LC50 1-10 mg/l (96h)
diacrylate (57472-68-1)	
Hydroquinone (123-31-9)	LC50 = 0.638 mg/L - Oncorhynchus mykiss (96h)

Component / CAS No.	Toxicity to Water Flea
oxybis(methyl-2,1-ethanediyl)	EC50 10-100 mg/l - Water Flea (Daphnia magna)
diacrylate (57472-68-1)	(48h)
Hydroquinone (123-31-9)	EC50 = 0.134 mg/L - Daphnia magna (48h)
	NOEC = 0.095 mg/L - Daphnia magna (48h)

Component / CAS No.	Toxicity to Algae
oxybis(methyl-2,1-ethanediyl)	EC50 10-100 mg/l (72h)
diacrylate (57472-68-1)	
Hydroquinone (123-31-9)	EC50 = 0.33 mg/L - Pseudokirchneriella
	subcapitata (72h)
	NOEC = 0.019 mg/L - Pseudokirchneriella
	subcapitata (72h)

Component / CAS No.	Partition coefficient
oxybis(methyl-2,1-ethanediyl)	Not available
diacrylate (57472-68-1)	
Hydroquinone (123-31-9)	0.5

## 13. DISPOSAL CONSIDERATIONS

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the quidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seg) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste"; information contained in Section 15 of this SDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.

### 14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

#### **US DOT**

Dangerous Goods? Not applicable/Not regulated

#### TRANSPORT CANADA

Dangerous Goods? Not applicable/Not regulated

#### ICAO / IATA

Dangerous Goods? Not applicable/Not regulated

#### IMO

Dangerous Goods? Not applicable/Not regulated

### SPECIAL PRECAUTIONS FOR USER

Protect against external heat sources above +40°C/104°F.

SDS: 0055804

### 15. REGULATORY INFORMATION

## **Inventory Information**

**United States (USA):** All components of this product are designated as "Active" on the TSCA Inventory or are not required to be listed.

**Canada:** One or more components of this product are NOT included on the Canadian Domestic Substances List (DSL).

**European Economic Area (including EU):** When purchased and shipped from an Allnex legal entity based in the EEA (EU or Norway), this product is compliant with the registration of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt and/or registered.

**Australia:** One or more components of this product have NOT yet been included in the Australian Inventory of Industrial Chemicals (AIIC) or assessed by AICIS.

**New Zealand:** This product is approved or exempt under the Hazardous Substances and New Organisms (HSNO) Act.

**China:** One or more components of this product are NOT included on the Chinese (IECSC) inventory. The company has obtained the required notification approvals from the Ministry of Environmental Protection (MEP) as per the "Environmental Administrative Measures for New Chemical Substance" for the component(s) not listed in the Chinese Inventory (IECSC). The product can be imported/manufactured in China ONLY under specific conditions.

**Japan:** All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese inventory.

Korea: One or more components of this product are NOT included on the Korean (ECL) inventory.

**Philippines:** One or more components of this product are NOT included on the Philippine (PICCS) inventory.

**Taiwan:** All components of this product are included in the Taiwan chemical substance inventory or are not required to be listed on the Taiwan chemical substance inventory (TCSI).

Date Prepared: 06/03/2021

**Switzerland:** All components of this product are exempt from the new substance notification requirements for Switzerland (SR 813.11 art. 24-26).

## OTHER ENVIRONMENTAL INFORMATION

The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

This product does not contain any components regulated under these sections of the EPA

#### PRODUCT HAZARD CATEGORY UNDER SECTIONS 311 AND 312 OF EPCRA

#### **Physical Hazards**

Not applicable

#### **Health Hazards**

Skin Corrosion or Irritation Respiratory or Skin Sensitization Serious eye damage or eye irritation

### 16. OTHER INFORMATION

## NFPA Hazard Rating (National Fire Protection Association)

Health: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 1 - Materials that in themselves are normally stable, but that can become unstable at elevated temperatures and pressures.

Reasons for Issue: Revised Section 1

**Date Prepared:** 06/03/2021 **Date of last significant revision:** 06/03/2021

## **Component - Hazard Statements**

oxybis(methyl-2,1-ethanediyl) diacrylate

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

Hydroquinone

H302 - Harmful if swallowed.

H316 - Causes mild skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H341 - Suspected of causing genetic defects.

H351 - Suspected of causing cancer.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

### **Emergency phone numbers for other regions**

#### **Asia Pacific**

Australia: +61 1800 022 037 (Allnex Australia) China (PRC): +86(0)532 8388 9090 (NRCC)

India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24)

Indonesia: 007 803 011 0293 (Carechem 24)

SDS: 0055804

Date Prepared: 06/03/2021

Japan: +81 345 789 341 (Carechem 24) Korea: +82 2 3479 8401 (Carechem 24) Malaysia: +60 3 6207 4347 (Carechem 24)

New Zealand: +64 0800 803 002 (Allnex New Zealand)

Philippines: +63 2 231 2149 (Carechem 24) Taiwan: +886 2 8793 3212 (Carechem 24) Vietnam: +84 8 4458 2388 (Carechem 24) All Others: +65 3158 1074 (Carechem 24)

**Europe** 

+44 (0) 1235 239 670 (Carechem 24)

Middle East, Africa

+44 (0) 1235 239 671 (Carechem 24)

**Latin America** 

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24)

Chile: +56 2 2582 9336 (Carechem 24)

Mexico and all others: +52-555-004-8763 (Carechem 24)

Prepared By: Product Stewardship & Regulatory Affairs Department, http://www.allnex.com/contact

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.