

SAFETY DATA SHEET



LICOCENE PP 7502 FINE GRAIN

Page 1

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Produkte (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000
Information of the substance/preparation:	Product Safety 1-704-331-7710
Emergency tel. number:	+1 800-424-9300 CHEMTREC

Trade name: LICOCENE PP 7502 FINE GRAIN
Material number: 225228
CAS number: 9003-07-0
Chemical family: Polypropylene wax

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust :

GHS Label element

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243 Take precautionary measures against static discharge.
P233 Keep container tightly closed.

Other hazards

Does not require a hazard warning label, but the normal safety precautions for handling chemicals must be observed.
Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)., None under Title III of SARA

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.

LICOENE PP 7502 FINE GRAIN

Page 2

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash with soap and water. Contact physician if irritation or other symptoms occur. If hot wax strikes skin, drench or immerse the area in water to assist cooling. Do not remove wax from a burn after it cools. Consult a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Do not give anything to drink.
Call a physician immediately.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water mist
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : None known.
- Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
- Special protective equipment for firefighters : Wear personal protective equipment.
In the event of fire, wear self-contained breathing apparatus.
- Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static spark or flame initiation.

LICOENE PP 7502 FINE GRAIN

Page 3

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Wearing appropriate personal protective equipment, contain spill and collect into a suitable container.
Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Take up mechanically

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Observe the general rules of industrial fire protection
- Advice on safe handling : Avoid dust formation. Keep away from sources of ignition.
Lead off electrostatic charges.
Avoid inhalation, ingestion and contact with skin and eyes.
Wash thoroughly after handling.
- Technical measures/Precautions : Store in original container.
Keep container tightly closed.
Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

No level has been established by OSHA, NIOSH, ACGIH.

- Engineering measures** : Use adequate exhaust ventilation and/or dust collection to keep dust levels below exposure limits.

Personal protective equipment

- Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

Hand protection

- Remarks : Nitrile rubber gloves.

- Eye protection : Safety glasses or chemical splash goggles.

- Skin and body protection : Wear suitable protective equipment.

LICOENE PP 7502 FINE GRAIN

Page 4

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

Protective measures : When working with hot material, avoid contact with skin.

Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat, drink or smoke.
Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : white

Odour : not specified

Odour Threshold : not tested.

pH : Not applicable practically insoluble

Softening point : approx. 163 °C
Method: ASTM D 3104

Melting point : approx. 154 °C
Method: DSC

Boiling point : Decomposition: Decomposes below the boiling point.
Method: DSC

Flash point : 264 °C
(1,020 hPa)
Method: Seta closed cup

Evaporation rate : not tested.

Upper explosion limit : not tested.

Lower explosion limit : not tested.

Vapour pressure : < 0.1 mbar (20 °C)

Relative vapour density : not tested.

Density : approx. 0.90 g/cm³ (23 °C)
Method: ISO 1183

Solubility(ies)
Water solubility : insoluble (20 °C)

Solubility in other solvents : not tested.

LICOENE PP 7502 FINE GRAIN

Page 5

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	300 °C Method: DTA No decomposition if used as directed.
Viscosity		
Viscosity, dynamic	:	approx. 1,800 mPa.s (170 °C) Method: DIN 53019
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive Method: Expert judgement GLP: no
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Method: Expert judgement GLP: no The product does not contain organic peroxide-groups which result from either the manufacturing process or from added ingredients.
Surface tension	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.
Conditions to avoid	:	None known.
Incompatible materials	:	no data available
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye contact
Skin contact
Inhalation

Acute toxicity

LICOENE PP 7502 FINE GRAIN

Page 6

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation**Product:**

Result: No skin irritation

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: not tested.

Germ cell mutagenicity -
Assessment : No information available.**Carcinogenicity****Product:**Carcinogenicity -
Assessment : No information available.**IARC** Not listed**OSHA** Not listed**NTP** Not listed**Reproductive toxicity****Product:**Reproductive toxicity -
Assessment : No information available.**Repeated dose toxicity****Product:**

LICOENE PP 7502 FINE GRAIN

Page 7

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

Remarks: not tested.

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Product:**

Remarks: The product has not been tested. The statements are derived from products of a similar composition.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**Toxicity to fish :
Remarks: not tested.Toxicity to daphnia and other :
aquatic invertebrates Remarks: not tested.Toxicity to algae :
Remarks: not tested.

Toxicity to bacteria : Remarks: not tested.

Persistence and degradability**Product:**

Biodegradability : Remarks: not tested.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not available

Mobility in soil

no data available

Other adverse effects**Product:**Environmental fate and :
pathways Remarks: no data availableResults of PBT and vPvB :
assessment Remarks: No information is available as no chemical safety report (CSR) is required.

LICOENE PP 7502 FINE GRAIN

Page 8

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

Additional ecological information : Product is insoluble in water
Harmful effects to fish and bacteria: not harmful
May be separated mechanically in waste water plants.
The ecotoxicity of the product has not been tested. The information given is based on products of similar structure or composition.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

RCRA - Resource Conservation and Recovery Act
Authorization Act : No -- Not as sold.
Waste from residues : Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.
Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restricted
IATA not restricted
IMDG not restricted

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This product does not contain any toxic chemical listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.

Clean Water Act

SAFETY DATA SHEET



LICOCENE PP 7502 FINE GRAIN

Page 9

Substance key: 000000282556

Revision Date: 04/23/2015

Version : 2 - 0 / USA

Date of printing :08/25/2015

Contains no known priority pollutants at concentrations greater than 0.1%.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

On the basis of an extensive test program, which had to be submitted to the competent authority on the occasion of the Notification of the substance in the European Community, this product was found to be toxicologically not dangerous within the meaning of the EC Directives.

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 04/23/2015

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

US / USA