# BAERLOCHER

#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : CA/ZN-STEARATE 5050, Code 3666

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Manufacture of plastics products, Manufacture of rubber Substance/Mixture products. Manufacture of soap and detergents, cleaning

products, Manufacture of soap and detergents, cleaning and polishing mixtures, Manufacture of paper and paperboard,

Manufacture of glues

Polymer additive

Lubricant and release agent

#### 1.3 Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC

5890 Highland Ridge Drive

45232 Cincinnati

Telephone : Day 330-602-1528, 330-602-1531 or -1530

: Night 513-207-1620 or 513-604-2327

E-mail address : Hotline.PS@baerlocher.com Responsible/issuing person : Product Safety Department

#### 1.4 Emergency telephone number (0 - 24 h)

Tel.: 800-424-9300 USA or 703-527-3887

#### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Global Harmonized System (GHS)

Not a hazardous substance or mixture according to OSHA

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008

This substance is not classified as dangerous according to Directive 67/548/EEC or 1999/45/EC.

WHMIS hazard class - not controlled.

#### 2.2 Label elements

#### OSHA 29 CFR § 1910.1200

Signal word: Warning

Hazard Statement: May form combustible dust concentrations in air.

#### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008

#### 2.3 Hazards not otherwise classified (HNOC)

Health injuries are not known or expected under normal use.

1**6**678

according to 29 CFR § 1910.1200



#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 3. Composition/information on ingredients

#### 3.1 Substances

: Preparation of Zinc and Calcium Stearates Common names

Chemical name : Zinc and Calcium salts of C16 - C18 fatty acids

#### 4. First aid measures

#### 4.1 Description of first aid measures

If inhaled : Move to fresh air.

In case of skin contact : Wash off with plenty of water.

In case of eye contact : Rinse with plenty of water.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Sand

Unsuitable extinguishing

media

: High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Smoke and fumes, toxic.

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

according to 29 CFR § 1910.1200



#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

Remove all sources of ignition.

#### 6.2 Environmental precautions

**Environmental precautions** : Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

Avoid formation and buildup of dust.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

: Store at room temperature in the original container.

areas and containers Keep in a dry place.

# BAERLOCHER

#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

Components with workplace control parameters

Components .	Basis	Value	Note
Zinc stearate	ACGIH TLV	10 mg/m3	total dust
	OSHA PEL	15 mg/m3	total dust
	OSHA PEL	5 mg/m3	Respirable fraction
	NIOSH REL	5 mg/m3	Respirable fraction
	NIOSH REL	10 mg/m3	total dust
General limits for air contaminants (PNOC)	ACGIH TLV	10 mg/m3	total dust
	ACGIH TLV	3 mg/m3	Respirable fraction
	OSHA PEL	15 mg/m3	total dust
	OSHA PEL	5 mg/m3	Respirable fraction

#### 8.2 Exposure controls

#### **Engineering measures**

Local exhaust

#### Personal protective equipment

Respiratory protection : P1 filter respirator for inert particles

Necessary, in case of dust formation.

Hand protection : protective gloves acc. to EN 374, e.g. neoprene

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing

Hygiene measures : When using do not eat or drink.

Do not smoke.

Wash hands before breaks and at the end of workday.

Shower or bathe at the end of working. Keep working clothes separately.

Protective measures : Static dissipative shoes are recommended for use in environments

that may not have sufficient ventilation and engineering controls to

prevent incidental releases of airborne concentrations of the

combustible dust to present an explosion hazard from static electrical

discharge from personnel.

#### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

16678 4**/**11

#### according to 29 CFR § 1910.1200



#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**Appearance** white powder Odor slight fatty odor Odor Threshold no data available

pН 7 - 9, 20 °C

Melting point/range 100 - 110 °C, Kofler Hot Bar (OECD 102)

Flash point >> 100 °C

Evaporation rate no data available Flammability (solid, gas) no data available Flammability or explosive limits : no data available Upper no data available Lower (MEC) no data availabe

Vapor Pressure : no data available Vapor Density no data available Density no data available Solubility insoluble in water Partition coefficient: nno data available

octanol/water

Auto-ignition temperature no data available

stable under normal storage and handling temperatures Decomposition temperature

Viscosity no data available

Molecular formula Mixture derived from natural products

Molecular weight mixture

9.2 Other information

**Bulk Density** 160-260 g/L

#### 10. Stability and reactivity

#### 10.1 Reactivity

Stable at normal ambient temperature and pressure.

#### 10.2 Chemical stability

No decomposition if stored normally.

### CA/ZN-STEARATE 5050, Code 3666



Version 1.0 Revision Date 14.06.2015

10.3 Possibility of hazardous reactions

Hazardous reactions : Risk of dust explosion.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.

Sources of ignition

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No decomposition if used as directed.

#### 11. Toxicological information

#### 11.1 Information on toxicological effects

**Product** 

Acute oral toxicity : LD50: > 5.000 mg/kg, rat, OECD Test Guideline 401

: Read-across (Analogy)

: LD50: > 2.000 mg/kg, rat, OECD Test Guideline 423, Based on available data, the classification criteria are not met.

Acute inhalation toxicity : LC50: > 200 mg/l, 1 h, rat, dust/mist

: LC50: > 50 mg/l, 4 h, rat, dust/mist, Based on available data,

the classification criteria are not met.

Acute dermal toxicity : LD50: ZBAER-Y20.00005574 2000 mg/kg bw, rabbit, Based

on available data, the classification criteria are not met.

Skin corrosion/irritation : rabbit, Result: not irritating, OECD Test Guideline 404, Based

on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

: rabbit, Result: not irritating, OECD Test Guideline 405, Based

on available data, the classification criteria are not met.

Respiratory or skin

sensitization

: Skin sensitization, Patch test on human volunteers did not

demonstrate sensitization properties., Based on available

data, the classification criteria are not met.

: Respiratory sensitization, Based on available data, the

classification criteria are not met.

Germ cell mutagenicity

Genotoxicity in vitro : Read-across (Analogy)

 Result: negative, standardised international/national methodology, Based on available data, the classification

criteria are not met.

16678 6**/**11

# BAERLOCHER

#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

Genotoxicity in vivo : Read-across (Analogy)

: standardized international/national methodology, Result:

negative,

Based on available data, the classification criteria are not met.

Carcinogenicity : Read-across (Analogy)

: Based on available data, the classification criteria are not met.

Reproductive toxicity : Read-across (Analogy)

: Based on available data, the classification criteria are not met.

Teratogenicity : Read-across (Analogy)

: Based on available data, the classification criteria are not met.

STOT - single exposure : Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria

are not met.

STOT - repeated exposure : Read-across (Analogy)

STOT - repeated exposure : Based on available data, the classification criteria are not met.

Aspiration toxicity : Based on available data, the classification criteria are not met.

11.2 Other Information

Likely route of exposure : Inhalation, Ingestion, Skin contact.

Carcinogenicity : Not listed in the National Toxicology Program (NTP) Report on

carcinogens, not found to be a potential carcinogen by the International Agency for Research on Cancer (IARC) nor by

OSHA.

Further information : CMR effects, Carcinogenicity, Mutagenicity, Reproductive

toxicity, Hazard assessment, Category 1A, Category 1B,

Based on available data, the classification criteria are not met.

16678 7**/**11

#### CA/ZN-STEARATE 5050, Code 3666





#### 12. Ecological information

#### 12.1 Toxicity

Toxicity to fish : LC50: > 10.000 mg/l, 96 h, Danio rerio (zebra fish), semi-static

test, Directive 67/548/EEC, Annex V, C.1.

: Read-across (Analogy)

: LC50: 0,169 mg Zn/l, 96 h, Oncorhynchus mykiss (rainbow

trout), static test, standardized international/national

methodology

: Read-across (Analogy)

: 0.330 - 0.780 mg Zn/l, Pimephales promelas (fathead

minnow)

Toxicity to daphnia and other

aquatic invertebrates

: EC50: > 100 mg/l, 48 h, Daphnia magna (Water flea), static

test, OECD Test Guideline 202

: Read-across (Analogy)

: LC50: 0.147 - > 0,53 mg Zn/l, Ceriodaphnia dubia (water flea)

Toxicity to algae

: NOEC: 19,3 mg/l, 72 h, Pseudokirchneriella subcapitata

(green algae), static test, OECD Test Guideline 201

: EC50: > 100 mg/l, 72 h, Pseudokirchneriella subcapitata (green algae), semi-static test, OECD Test Guideline 201,

GLP: yes,

Value refered to the Water accumulated fraction (WAF).

: EC10: 3,31 mg/l, 72 h, Pseudokirchneriella subcapitata (green algae), semi-static test, OECD Test Guideline 201, GLP: yes,

Value refered to the Water accumulated fraction (WAF).

Toxicity to bacteria : NOEC: 1.560 mg/l, 0,5 h, Photobacterium phosphoreum,

static test, DIN 38412 T 34

: Read-across (Analogy)

: EC50: 5,2 mg Zn/l, 3 h, activated sludge, static test, OECD

Test Guideline 209, GLP: no

Toxicity to fish (Chronic

toxicity)

: Read-across (Analogy)

NOEC: 0,044 - 0,530 mg Zn/L, Fresh water

Read-across (Analogy)

NOEC: 0,025 mg Zn/L, Marine water

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: Read-across (Analogy)

NOEC: 0,037 - 0,400 mg Zn/L, Fresh water

Read-across (Analogy)

NOEC: 0,0056 - 0,9 mg Zn/L, Marine water

16678 8/11

# R BAFFLOCHER

#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Based on available data, the classification criteria are not met.

Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Biodegradability : Ready biodegradability, 93 %, Result: Readily biodegradable.,

Exposure time: 28 d, closed bottle test according to OECD

301 D

: Read-across (Analogy)

: Ready biodegradability, 72 %, Result: Readily biodegradable.,

Exposure time: 29 d, OECD Test Guideline 301

12.3 Bioaccumulative potential

Bioaccumulation : not applicable

12.4 Mobility in soil

Mobility : According to experience not expected

12.5 Results of PBT and vPvB assessment

Assessment : Based on available data, the classification criteria are not met.

12.6 Other adverse effects

Further information : No information available.

#### 13. Disposal considerations

#### 13.1 Waste treatment methods

Product : Consult an expert on the disposal of recovered material. Ensure disposal in

compliance with government requirements and ensure conformity to local disposal regulations. Dispose in accordance with local, state and federal

regulations.

Contaminated packaging : Empty containers must be handled with care due to product residue.

16678 9**/**11

according to 29 CFR § 1910.1200



#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 14. Transport information

**14.1 UN number** : Not applicable

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

#### 14.2 Proper shipping name

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

#### 14.3 Transport hazard class

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

#### 14.4 Packing group

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

#### 14.5 Environmental hazards

DOT : Not dangerous goods
TDG (Canada) : Not dangerous goods
IMDG : Not dangerous goods
IATA : Not dangerous goods

#### 14.6 Special precautions for user

See this safety data sheet chapter 6. - 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : No transport according to Annex II of MARPOL 73/78 and the IBC Code

16678

according to 29 CFR § 1910.1200



#### CA/ZN-STEARATE 5050, Code 3666

Version 1.0 Revision Date 14.06.2015

#### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Section 313 Supplier Notification (USA)

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	wt [%]
Zinc compounds	557-05-1	50

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

#### 15.3 Chemical Inventory

Europe **EINECS** listed **United States** TSCA listed Canada DSL listed Australia **AICS** listed Japan **ENCS** listed Korea KECL listed **Philippines PICCS** listed listed China **IECSC** 

#### 16. Other information

#### 16.1 HMIS Rating (USA)

Health 1 Flammability 1 Reactivity 1 Personal Protection E

#### Version 1.0 Revision Date 14.06.2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.