

TOKYO BRANCH

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251

Fax: +81-3-6667-8250

**OSAKA BRANCH** 

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone: +81-6-6563-1511

ISSUEDDATE : 2013/07/01 REVISED DATE : 2015/06/01

# SAFETY DATA SHEET(SDS)

per OSHA HazCom 2012 according to 1907/2006/EC, Article 31

# Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Porcine Collagen Peptide Collapep JB

Company name Nitta Gelatin Inc.

Address 2-22, FUTAMATA, YAO-CITY, OSAKA, JAPAN

Zip code 581-0024

Information Department Quality Assurance Department

Phone number +81-72-949-5381

Email info-qa@nitta-gelatin.co.jp

Emergency telephone number +81-72-949-5381

### Section 2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008:

The substance is not classified as hazardous to health or the environment according to the CLP regulation

Classification according to Directive 67/548/EEC or Directive 1999/45/EC:

Not applicable

LABEL ELEMENTS Labeling according to Regulation(EC)No1272/2008

[SYMBOL]

None listed

[SIGNAL WORD]

None listed

[HMIS(Hazardous Materials Identification System) Class: 0~4]

HEALTH	0
FIRE	1
REACTIVITY	1

[Hazard statement]

· May cause an allergic skin reaction

[Other hazards]

Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable



**TOKYO BRANCH** 

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251

Fax: +81-3-6667-8250

OSAKA BRANCH

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

# Section3. COMPOSITION / INFORMATION ON INGREDIENTS

CAS number: Hydrolyzed Collagen 92113-31-0,68410-45-7

Chemical name: Hydrolyzed Collagen

%: Not less than 77% as protein

EC number: Hydrolyzed Collagen 270-082-2,295-635-5

Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance

Not applicable

#### Section 4. FIRST-AID MEASURES

Inhalation: Excessive inhalation of dust can mechanically impede respiration.

Remove from exposure and supply fresh air. If required provide artificial respiration. Get medical aid if cough or other symptoms

appear.

Skin contact: Wash off with soap and lukewarm water. If skin irritation or rash

occurs, get medical attention/advice.

Eye contact : Even if very small amount contact, rinsing by clean water for at least

15 minutes, and get ophthalmologist's examination. Remove contact

lenses, unless it sticks to the eye. Then continue rinsing.

Ingestion : Product is non-hazardous, however, excessive ingestion may block a

throat at one time. After rinse mouth with water, give about 250 ml of water to thin in the stomach, and do not induce to vomit. Receive

the doctor's treatment(stomach pump) if other symptoms appear.

#### Section 5. FIRE FIGHTING PROCEDURES

Extinguishing media: water(First aid), Chemical powder, Carbon

dioxide, Form, and Dry sand.

(This product cannot ignition, cause include

many water)

Unsuitable extinguishing media : In case of large fires, do not use water.

General fire hazards: If this product is involved in a fire, the following

can released: Carbon monoxide and carbon dioxide. Nitrogen oxides (NOx) Sulphur oxides

(SOx)



TOKYO BRANCH

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251

Fax: +81-3-6667-8250

**OSAKA BRANCH** 

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone: +81-6-6563-1511

Fax: +81-6-6563-1510

Specific extinction method: Shut off all sources of ignition.

Wear proper protective equipment.

After extingusihing, keep personal out by roping round until inside of material

cools.

Special protective for fire-fighters: Wear full body protective clothing with breathing

apparatus

#### Section 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, Protective equipment and emergency procedures:

Wear protective goggles, gloves and long-sleeved clothing, when handling.

Environmental precautions: Avoid release of this material into sewer, watercourse or

river.

Removing method: No special treatment are necessary. In case the

> product is spilled, vacuum or sweep up the material for disposal. Materials can be disposed

of according to local regulations.

CAUTION! : Surface that may be covered with the product will become

extremely slippery upon application of water. Wet spills should be thoroughly flushed with lukewarm water until

non-slippery.

### Section 7. HANDLING AND STORAGE

Handling: It is recommended to use of a dust respirator and goggle only if strong dust formation is to be expected when handling larger quantities.

Storage

Conditions: It is recommended to store in tight containers under room temperature and avoid high temperature, high humidity and sunbeam.



TOKYO BRANCH

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251

Fax: +81-3-6667-8250

**OSAKA BRANCH** 

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax : +81-6-6563-1510

# Section8. EXPOSURE CONTROL / PERSONAL PROTECTION

Chemical Name	ACGIH	NIOSH	OSHA-Final PELs
Hydrolyzed	none listed	none listed	none listed
Collagen			

OSHA Vacated PEL's: GELATIN: None listed

Exposure controls : Using ventilator is recommended if handling is

generating high dust concentrations.

Control parameters : Not applicable Engineering measure : Not applicable

Protective equipment

Respiratory protection: Respirators(Protective mask)

Hand protection: gloves(water resistant)

Eye protection: Normal eyeglasses, normal eyeglasses with side shields, or

safety goggles described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection: Long-sleeved clothing(water resistant) and protective

boots.

Respirators: Follow the OSHA respirator regulations found in 29 CFR

1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or

other symptoms.

Proper measure for health

Wash hands thoroughly and gargle after handling, before eating and drinking.

#### Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Powder

Color: white to light-yellow
Odor: faint, characteristic

pH : 4.0~7.5

Boiling point : Not applicable Melting point : Not applicable Flash point : Not applicable

Auto-ignition temperature(ignition temperature): No Data



**TOKYO BRANCH** 

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251

Phone: +81-3-6667-825 Fax: +81-3-6667-8250 **OSAKA BRANCH** 

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone: +81-6-6563-1511 Fax: +81-6-6563-1510

Explosion properties: ASTM Standard E1226.ISO 6184/1

Maximum Explosion Pressure(Pmax)  $:7.8bar(7.8 \times 10^{2}kPa)$ 

Max. Rate of Pressure Rise(dP/dt)max  $:619bar/s(619 \times 10^2kPa/s)$ 

Kst Value(Kmax)  $:168bar.m/s(168 \times 102kPa.m/s)$ 

Dust Explosion Class :St 1(Weak explosion)

Vapor pressure : No Data Vapor density : No Data Vapor rate : No Data

Specific gravity(relative density) : No Data
Decomposition temperature : No Data

Soluble in water

n-Octanol/water partition coefficient: No Data

# Section 10. STABILITY AND REACTIVITY

Stability: Stable under normal storage and handling.

Possibility of hazardous reactions: May cause hydrolysis with water, and dry condition without water cause insolubilization.

Conditions to avoid: High temperature, high humidity, incompatible materials, dust

generation.

Incompatible Materials: No Data

Hazardous decomposition products: ¥Carbon monoxide and carbon dioxide

Nitrogen oxides(NOx) Sulphur oxides(Sox)

Others: No information

# Section 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: No Data

LD50/LC50 RTECS: Not available

Skin Corrosion/Irritation: No Data

Serious eye damage/eye irritation: No Data

Respiratory sensitization/skin sensitization: No Data

Germ cell mutagenicity: No Data

Carcinogenicity: Not listed by EPA, ACGIH, IARC, NTP, OSHA or CA Prop 65

Reproductive toxicity: No Data

Specific target organ toxicity-single exposure: No Data



TOKYO BRANCH

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251

Fax: +81-3-6667-8250

**OSAKA BRANCH** 

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone: +81-6-6563-1511

Fax: +81-6-6563-1510

Specific target organ toxicity-repeated exposure: No Data

Aspiration hazard: No Data Others: No Data

# Section 12. ECOLOGICAL INFORMATION

eco toxicity: No Data fish toxicity: No Data

Environmental fate, persistence and degradability, mobility:

This product does not present a long-term ecological problems

It is considered biodegradable.

General notes: Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1(Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. It will cause a reduction in dissolved oxygen and could therefore contribute to BOD. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No further relevant information available

# Section 13. DISPOSAL CONSIDERATIONS

Contents must be disposed of in compliance with the respective national and local regulations. Dispose of contents/container to waste disposal company having the official approval of laws and regulations.

# Section 14. TRANSPORT INFORMATION

International regulations: DOT, ADN, IMDG, IATA

UN class of dangerous material in definition of the UN : not available

UN number: not available Packing Group: not available

Marine pollution material: not available

Domestic regulations: Follow all regulation on the transport in your country or



TOKYO BRANCH

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251 Fax: +81-3-6667-8250

**OSAKA BRANCH** 

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone: +81-6-6563-1511 Fax: +81-6-6563-1510

region.

Safety measure and condition on transportation: protect against tumble, fall, physical damage and direct sunlight during loading to avoid shift in transit.

Emergency response guideline number: not available

Transport in bulk according to Annex of MARPOL73/78 and the IBC Code :

Not available

· Away from water, heat and sources of ignition.

### Section 15. REGULATORY INFORMATION

- The Fire Services Act: Not application
- Industrial Safety and Health Act: Not application

Safety, health and environmental regulations/legislation specific for the substance or mixture

North America regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List(DSL)

SARA Section 313(specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65-Chemicals known to cause cancer: Substance is not listed.

Prop 65-Developmental toxicity: Substance is not listed.

Prop 65-Developmental toxicity, female: Substance is not listed.

Prop 65-Developmental toxicity, male: Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Australian inventory of Chemical Substances: Substance is not listed.

Standard for the Uniform Scheduling of Drug and Poisons: Substance is not listed.

Water hazard class: Water hazard class 1(Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances): Substance is not listed.

Substances of very high concern (SVHC) according to REACH, Article 57:

Substance is not listed.

REACH-Pre-registered substances: Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



TOKYO BRANCH

8-12, Nihonbashihoncho 2-chome, Chuo-ku, Tokyo, (P.C.103-0023) Japan Phone: +81-3-6667-8251 Fax: +81-3-6667-8250

# **OSAKA BRANCH**

4-26, Sakuragawa 4-chome, Naniwa-ku, Osaka, (P.C. 556-0022) Japan Phone : +81-6-6563-1511 Fax: +81-6-6563-1510

#### 16.OTHER INFORMATION

#### References

- · JIS Z 7253-2012
- ACGIH 2000 TLVs and PEIs (2000)
- · Japan Society For Occupational Health(JSOH) Recommendations for allowable concentrations(1999)
- CLP Regulation (EC) No. 1272/2008 [CLP/GHS]

### Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HMIS: Hazardous Materials Identification System(USA)

PBT: Persistence Bioaccmulation Toxity

vPvB: very Persistent and very Bioaccumulative

CAS: Chemical Abstracts Service (division of the American Chemical Society)

EINECS: European Inventory of Existing Commercial Chemical Society

ACGIH: American Conference of Governmental Industrial Hygienists(USA)

OSHA: Occupational Safety and Health Administration (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

NTP: National Toxicology Program (USA)

DOT: US Department of Transportation

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

The above information is given in good faith and to the best of our knowledge.

It is not intended to guarantee specific properties but solely to assist in setting up suitable pre cautionary measures. No guarantee can be given for risks arising from unforeseen circumstance.