



UBZ 7951

Version 1.2

Revision Date 08/16/2021

SECTION 1. IDENTIFICATION

Product identifier

Trade name : **UBZ 7951**

Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Manufacture of plastics products
Polymer additive
Stabilizer
Recommended restrictions on use : None known.

Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC
5890 Highland Ridge Drive
Cincinnati, OH 45232
Telephone : Cell Phone: 1-513-604-2327
E-mail address : Hotline.PS@baerlocher.com
Responsible/issuing person : Product Safety Department

Emergency telephone number (0 - 24 h)

CHEMTREC: 1-800-424-9300 (inside U.S.) / 1-703 527-3887 (outside U.S.) Collect calls are accepted

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Eye irritation : Category 2A
Skin sensitisation : Category 1
Specific target organ toxicity - repeated exposure : Category 2 (Nervous system)

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure.

Precautionary statements

:

Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Combustible material



UBZ 7951

Version 1.2

Revision Date 08/16/2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Mixture
Contains organic solvents.

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Isodecyl diphenyl phosphite	26544-23-0	≥ 25*
Barium Compounds*	Trade Secret	≥ 20*
Distillates (petroleum), hydrotreated light	64742-47-8	< 10*
Dibenzoyl methane	120-46-7	< 10*
2-(2-Butoxyethoxy) ethanol	112-34-5	< 10*
Zinc Compounds*	Trade Secret	< 15*
Triphenyl phosphite	101-0209	< 20*
Diisodecyl phenyl phosphite	25550-98-5	< 20*

*Trade Secret - The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Remove and wash contaminated clothing before re-use.
If inhaled : Move to fresh air.
In case of skin contact : Wash off with soap and plenty of water.
Take off contaminated clothing and shoes immediately.
In case of eye contact : Rinse immediately with plenty of water, also under the eyelids.
If swallowed : Call a physician immediately.
Show this safety data sheet to the doctor in attendance.
Most important symptoms and effects, both acute and delayed : No information available.
Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
Sand
Unsuitable extinguishing media : High volume water jet



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Specific hazards during fire-fighting : Smoke and fumes, toxic.
 Further information : Release of Phenol by hydrolysis.
 Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
 Ensure adequate ventilation.
 Avoid contact with skin and eyes.
 Use personal protective equipment.
 Environmental precautions : Do not flush into surface water or sanitary sewer system.
 Avoid subsoil penetration.
 Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Take precautionary measures against static discharges.
 Keep away from sources of ignition - No smoking.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Conditions for safe storage : Store at room temperature in the original container.
 Keep container tightly closed in a dry and well-ventilated place.
 Technical measures/Precautions : Handle in accordance with good industrial hygiene and safety practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Barium, soluble compounds (as Ba)	Not Assigned	air 8 h	0.5 mg/m ³ (Barium)	ACGIH
		PEL	0.5 mg/m ³ (Barium)	OSHA
		TWA	0.5 mg/m ³ (Barium)	NIOSH REL
Distillates (petroleum), hydrotreated light	64742-47-8	air 8 h	200 mg/m ³	ACGIH
		TWA	100 ppm	NIOSH REL
		PEL	100 ppm 400 mg/m ³	Z1A
2-(2-Butoxyethoxy) ethanol	112-34-5	air 8 h	10 ppm	ACGIH

Engineering measures : Local exhaust



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Personal protective equipment

- Respiratory protection : Up to 0.5 mg/m³: (APF=10) Any air-purifying respirator with a high-efficiency particulate filter/(APF=10) Any air-supplied respirator
- Hand protection
- Material : protective gloves acc. to EN 374, e.g. neoprene
- Glove thickness : >= 0.7 mm
- Eye protection : Safety glasses
- Skin and body protection : Long sleeved clothing
Rubber apron
- Protective measures : antistatic shoes
- Hygiene measures : When using do not eat or drink.
Do not smoke.
Wash hands before breaks and at the end of workday.
Shower or bathe at the end of working.
Keep working clothes separately.
Handle in accordance with good industrial hygiene and safety practice.
Regular cleaning of equipment, work area and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : yellowish
- Odor : characteristic
- Odor Threshold : No data available
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : 235 - 282 °C
Value refers to the solvent.
- Flash point : > 100 °C
- Evaporation rate : No data available
- Flammability (liquids) : Combustible Liquid
- Upper explosion limit : max. 5.5 %(V)
Value refers to the solvent.
- Lower explosion limit : max. 0.6 %(V)
Value refers to the solvent.
- Vapor pressure : < 0.1 hPa (20 °C)
Value refers to the solvent.
- Relative vapor density : No data available
- Relative density : No data available



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Density	:	0.8 - 1.0 g/cm ³
Solubility(ies)		
Water solubility	:	slightly soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	> 220 °C Value refers to the solvent.
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Refractive index	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable at normal ambient temperature and pressure.
Chemical stability	:	No decomposition if stored normally.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air.
Conditions to avoid	:	Keep away from heat and sources of ignition.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,575 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 4.94 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

Isodecyl diphenyl phosphite:

Acute oral toxicity	:	LD50 (Rat): 3,840 mg/kg Method: standardised international/national methodology
---------------------	---	--



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Remarks: Based on available data, the classification criteria are not met.

Acute inhalation toxicity : LC50 (Rat): > 8.4 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Barium Compounds:

Acute oral toxicity : Remarks: Classification
Labelling according to EC Directives
Regulation (EC) No 1272/2008, Annex VI, Table 3
Acute oral toxicity
Category 4

Acute inhalation toxicity : Remarks: Classification
Labelling according to EC Directives
Regulation (EC) No 1272/2008, Annex VI, Table 3
Acute inhalation toxicity
Category 4

Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 420
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Acute inhalation toxicity : LC50 (Rat): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Dibenzoyl methane:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : Remarks: study scientifically unjustified
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

2-(2-Butoxyethoxy) ethanol:

- Acute oral toxicity : LD50 (Mouse, male): 2,410 mg/kg
Method: OECD Test Guideline 401
GLP: no
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : LC50 (Rat): > 3 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: no
Remarks: Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg
Method: OECD Test Guideline 402
GLP: no
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

- Acute oral toxicity : Remarks: Read-across (Analogy)

LD50 (Rat): > 2,000 mg/kg
Method: Calculation method
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : Remarks: Not classified due to lack of data.
- Acute dermal toxicity : Remarks: Read-across (Analogy)

LD50: > 2,000 mg/kg
Method: Calculation method
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Triphenyl phosphite:

- Acute oral toxicity : LD50 (Rat): 1,590 mg/kg
Method: OECD Test Guideline 401
GLP: yes
- Acute inhalation toxicity : LC50 (Rat): > 6.7 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : LC50 (Rat): > 11.7 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Components:

Isodecyl diphenyl phosphite:

- Species: Rabbit
Method: standardised international/national methodology
Result: slight irritation
Remarks: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

- Species: Rabbit



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Method: OECD Test Guideline 404
Result: irritating
GLP: yes

Dibenzoyl methane:

Species: in vitro assay
Method: OECD Test Guideline 439
Result: not irritating
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

2-(2-Butoxyethoxy) ethanol:

Species: Rabbit
Exposure time: 1 h
Method: OECD Test Guideline 404
Result: slight irritation
GLP: no
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Species: reconstructed human epidermis (RhE)
Method: OECD Test Guideline 439
Result: not irritating
GLP: yes

Triphenyl phosphite:

Species: Guinea pig
Exposure time: 24 h
Method: standardised international/national methodology
Result: slight irritation

Diisodecyl phenyl phosphite:

Species: Rabbit
Method: OECD Test Guideline 404
Result: slight irritation
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Components:

Isodecyl diphenyl phosphite:

Species: Rabbit
Result: slight irritation
Method: standardised international/national methodology
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Distillates (petroleum), hydrotreated light:

Species: Rabbit
Result: not irritating
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Species: Rabbit
Result: not irritating
Method: OECD Test Guideline 405
Remarks: Based on available data, the classification criteria are not met.

2-(2-Butoxyethoxy) ethanol:

Species: Rabbit
Result: highly irritant
Method: OECD Test Guideline 405
GLP: no

Zinc Compounds:

Species: Bovine cornea
Result: Causes serious eye damage.
Method: OECD Test Guideline 437
GLP: yes

Triphenyl phosphite:

Species: Rabbit
Result: irritating
Method: OECD Test Guideline 405
GLP: no

Diisodecyl phenyl phosphite:

Species: Rabbit
Result: not irritating
Method: OECD Test Guideline 405
GLP: no
Remarks: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Components:

Isodecyl diphenyl phosphite:

Remarks: Skin sensitisation

Test Type: Maximisation Test
Species: Guinea pig
Method: standardised international/national methodology
Result: Sensitising



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Remarks: Respiratory sensitisation
Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

Remarks: Skin sensitisation

Test Type: Buehler Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation

Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Remarks: Skin sensitisation

Test Type: LLNA

Species: Mouse

Method: OECD Test Guideline 429

Result: Sensitising

GLP: yes

Remarks: Respiratory sensitisation

Remarks: Not classified due to lack of data.

2-(2-Butoxyethoxy) ethanol:

Remarks: Skin sensitisation

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation

Not classified due to lack of data.

Zinc Compounds:

Remarks: Skin sensitisation

Method: QSAR

Result: Not a skin sensitizer.

Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Remarks: Respiratory sensitisation
Not classified due to lack of data.

Triphenyl phosphite:

Remarks: Skin sensitisation

Test Type: LLNA
Species: Mouse
Method: OECD Test Guideline 429
Result: Sensitising
GLP: yes

Remarks: Respiratory sensitisation
Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

Remarks: Skin sensitization

Test Type: LLNA
Species: Mouse
Method: OECD Test Guideline 429
Result: Sensitizing
GLP: yes

Remarks: Respiratory sensitization
Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Components:

Isodecyl diphenyl phosphite:

- Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- : Test Type: DNA repair-suspension assay
Species: Bacteria
Method: standardised international/national methodology
Result: negative
GLP: yes
- : Remarks: Read-across (Analogy)
- : Test Type: Micronucleus test
Species: Human lymphocytes
Method: OECD Test Guideline 487
Result: negative
GLP: yes



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative

: Test Type: In vitro gene mutation study in mammalian cells
Species: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Genotoxicity in vivo
Species: Rat
Application Route: intraperitoneally
Method: OECD Test Guideline 478
Result: negative

Test Type: Genotoxicity in vivo
Species: Mouse
Application Route: intraperitoneally
Method: OECD Test Guideline 478
Result: negative

Test Type: Genotoxicity in vivo
Species: Mouse
Application Route: Inhalation
Method: OECD Test Guideline 478
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: intraperitoneally
Method: OECD Test Guideline 475
GLP: yes
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Dibenzoyl methane:

- Genotoxicity in vitro
- : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes
 - : Test Type: In vitro gene mutation study in mammalian cells
Species: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: positive
GLP: yes
 - : Test Type: Mutagenicity (in vitro mammalian cytogenetic test)
Species: CHL
Method: OECD Test Guideline 487
Result: positive
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

2-(2-Butoxyethoxy) ethanol:

- Genotoxicity in vitro
- : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
 - : Test Type: In vitro gene mutation study in mammalian cells
Species: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative
GLP: yes
 - : Test Type: Mutagenicity (in vitro mammalian cytogenetic test)
Species: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on available data, the classification criteria are not met.
- Genotoxicity in vivo
- : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 475
Result: negative
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Zinc Compounds:

- Genotoxicity in vitro
- : Remarks: Read-across (Analogy)
 - : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes
 - : Remarks: Read-across (Analogy)
 - : Test Type: In vitro gene mutation study in mammalian cells
Species: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: negative
GLP: yes
 - : Remarks: Read-across (Analogy)
 - : Test Type: Mutagenicity (in vitro mammalian cytogenetic test)
Species: Chinese hamster ovary cells
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Genotoxicity in vivo
- : Remarks: Read-across (Analogy)
 - : Test Type: In vivo micronucleus test
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Triphenyl phosphite:

- Genotoxicity in vitro
- : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes
 - : Test Type: DNA repair-suspension assay
Species: Bacteria
Result: negative
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes

: Test Type: DNA repair-suspension assay
Species: Bacteria
Method: standardized international/national methodology
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

Components:

Isodecyl diphenyl phosphite:

Remarks: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

Species: Mouse
Application Route: Skin contact
Method: OECD Test Guideline 451



UBZ 7951

Version 1.2

Revision Date 08/16/2021

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Remarks: Not classified due to lack of data.

2-(2-Butoxyethoxy) ethanol:

Remarks: Not classified due to lack of data.

Zinc Compounds:

Remarks: Not classified due to lack of data.

Triphenyl phosphite:

Remarks: Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

Remarks: Based on available data, the classification criteria are not met.

Reproductive toxicity

Components:

Isodecyl diphenyl phosphite:

Effects on fertility :

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity

Species: Rat

Application Route: Oral

NOAEL: 15 mg/kg,

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development :

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

15 mg/kg

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

Effects on fertility :

Test Type: One-generation reproduction toxicity test

Species: Rat



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Application Route: Oral

Test Type: Screening for reproductive/developmental toxicity
Species: Rat
Application Route: Skin contact
NOAEL: > 494 mg/kg,
Method: OECD Test Guideline 421
Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development : Species: Rat
Application Route: Inhalation
Method: OECD Test Guideline 414
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Effects on fertility :
Remarks: Not classified due to lack of data.

Effects on foetal development : Remarks: Not classified due to lack of data.

2-(2-Butoxyethoxy) ethanol:

Effects on fertility :
Remarks: Read-across (Analogy)

Test Type: Two-generation study
Species: Mouse
Application Route: Oral

Method: standardised international/national methodology
Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development : Species: Rabbit
Application Route: Skin contact
Method: OECD Test Guideline 414
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Effects on fertility :



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity
Species: Rat
NOAEL:
F1: 1,000 mg/kg,
Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Triphenyl phosphite:

Effects on fertility

:

Test Type: Screening for reproductive/developmental toxicity
Species: Rat
Application Route: Oral
NOAEL:
F1: 15 mg/kg,
Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development

:

Species: Rat
Application Route: Oral
15 mg/kg bw/day
Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

Effects on fertility

:

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity
Species: Rat
Application Route: Oral
Test period: 8 weeks
NOAEL: 1,000 mg/kg,
Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Effects on fetal development

:

Remarks: Read-across (Analogy)
Species: Rat
Application Route: Oral
1,000 mg/kg



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

STOT - single exposure

Components:

Isodecyl diphenyl phosphite:

Remarks: Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

Assessment: May cause drowsiness or dizziness.

Dibenzoyl methane:

Remarks: Not classified due to lack of data.

2-(2-Butoxyethoxy) ethanol:

Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Remarks: Based on available data, the classification criteria are not met.

Triphenyl phosphite:

Remarks: Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

Isodecyl diphenyl phosphite:

Remarks: Read-across (Analogy)

Species: Rat

NOAEL: 15 mg/kg

Application Route: Oral

Exposure time: 16 w

Method: OECD Test Guideline 422

GLP: yes

Remarks: May cause damage to organs through prolonged or repeated exposure.

Distillates (petroleum), hydrotreated light:

Species: Rat



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Application Route: Oral
Exposure time: <= 90 d
Remarks: Based on available data, the classification criteria are not met.

Species: rat / mouse
Application Route: Inhalation
Exposure time: 90 d
Method: OECD Test Guideline 413
Remarks: Based on available data, the classification criteria are not met.

Species: Rat
Application Route: Dermal
Exposure time: 28 d
Method: OECD Test Guideline 410
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Species: Rat
NOAEL: 62.5 mg/kg
Application Route: Oral
Exposure time: 90 d
Method: OECD Test Guideline 408
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

2-(2-Butoxyethoxy) ethanol:

Species: Rat
Application Route: Oral
Method: standardised international/national methodology
GLP: yes

Species: Rat
Application Route: Dermal
Method: standardised international/national methodology

Species: Rat
Application Route: Inhalation
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Remarks: Read-across (Analogy)

Species: Rat
NOAEL: 100 mg/kg
Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Triphenyl phosphite:

Species: Rat
NOAEL: 40 mg/kg
Application Route: Oral
Method: OECD Test Guideline 422
GLP: yes

Diisodecyl phenyl phosphite:

Remarks: Read-across (Analogy)

Species: Rat
NOAEL: 1,000 mg/kg
Application Route: Oral
Method: OECD Test Guideline 422
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Components:

Isodecyl diphenyl phosphite:

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated light:

May be fatal if swallowed and enters airways.

Dibenzoyl methane:

Not classified due to lack of data.

2-(2-Butoxyethoxy) ethanol:

Not classified due to lack of data.

Zinc Compounds:

Based on available data, the classification criteria are not met.

Triphenyl phosphite:

Based on available data, the classification criteria are not met.

Diisodecyl phenyl phosphite:

Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Isodecyl diphenyl phosphite:

- Toxicity to fish : Remarks: study technically not feasible
- Toxicity to daphnia and other aquatic invertebrates : Remarks: study technically not feasible
- Toxicity to algae : Remarks: study technically not feasible
- Toxicity to bacteria : Remarks: study technically not feasible

Ecotoxicology Assessment

- Acute aquatic toxicity : Based on available data, the classification criteria are not met.
- Chronic aquatic toxicity :

Toxic to aquatic life with long lasting effects., Upon contact with water PDDP readily hydrolyses into a mixture of phosphorous acid, isodecanol and phenol in an approximate molar ratio of 1:2:1., Ecological data therefore refers only to the effects of the decomposition products.

Barium Compounds:

Ecotoxicology Assessment

- Acute aquatic toxicity : Not classified due to lack of data.
- Chronic aquatic toxicity : Not classified due to lack of data.

Distillates (petroleum), hydrotreated light:

- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Value referred to the Water accumulated fraction (WAF).
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Remarks: Value referred to the Water accumulated fraction (WAF).



UBZ 7951

Version 1.2

Revision Date 08/16/2021

- Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: Value referred to the Water accumulated fraction (WAF).
- Toxicity to fish (Chronic toxicity) : NOEL (Oncorhynchus mykiss (rainbow trout)): 0.098 mg/l
Exposure time: 28 d
Method: QSAR
GLP: no
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes
Remarks: Value referred to the Water accumulated fraction (WAF).
- Toxicity to bacteria : LL50 (Tetrahymena pyriformis): 677.9 mg/l
Exposure time: 72 h
Method: QSAR
GLP: no

Dibenzoyl methane:

- Toxicity to fish : LC50: 11.313 mg/l
Exposure time: 96 h
Method: QSAR
- Toxicity to daphnia and other aquatic invertebrates : LC50: 7.519 mg/l
Exposure time: 48 h
Method: QSAR
- Toxicity to algae : 2.68 mg/l
Exposure time: 96 h
Method: QSAR

Ecotoxicology Assessment

- Acute aquatic toxicity : Based on available data, the classification criteria are not met.
- Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

2-(2-Butoxyethoxy) ethanol:

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: no



UBZ 7951

Version 1.2

Revision Date 08/16/2021

- Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): ≥ 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to bacteria : EC10 (activated sludge): $> 1,995$ mg/l
Exposure time: 0.5 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209
GLP: no

Ecotoxicology Assessment

- Acute aquatic toxicity : Based on available data, the classification criteria are not met.
- Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

Zinc Compounds:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg Zn/L
Exposure time: 96 h
Test Type: static test
Method: standardised international/national methodology

(Pimephales promelas (fathead minnow)): 0,330 - 0,780 mg Zn/L
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Ceriodaphnia dubia (water flea)): 0.147 - $> 0,53$ mg Zn/l
- Toxicity to algae : Remarks: Read-across (Analogy)

NOEC (algae): 0.06 mg/l
- Toxicity to fish (Chronic toxicity) : NOEC: 0,044 - 0,530 mg Zn/L
Test Type: Fresh water

NOEC: 0,025 mg Zn/L
Test Type: Marine water
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,014 - 0,400 mg Zn/L
Test Type: Fresh water

NOEC: 0,0056 - 0,9 mg Zn/L
Test Type: Marine water



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Toxicity to bacteria : EC50 (activated sludge): 5,2 mg Zn/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Triphenyl phosphite:

Toxicity to fish : Remarks: study technically not feasible
Toxicity to daphnia and other aquatic invertebrates : Remarks: study technically not feasible
Toxicity to algae : Remarks: study technically not feasible
Toxicity to bacteria : Remarks: study scientifically unjustified

Ecotoxicology Assessment

Acute aquatic toxicity : Classification, Labelling according to EC Directives, Regulation (EC) No 1272/2008, Annex VI, Table 3.1, Very toxic to aquatic life.
Chronic aquatic toxicity : Classification, Labelling according to EC Directives, Regulation (EC) No 1272/2008, Annex VI, Table 3.1, Very toxic to aquatic life with long lasting effects.

Diisodecyl phenyl phosphite:

Toxicity to fish : (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.2 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 45 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity : Based on available data, the classification criteria are not met.
Chronic aquatic toxicity : Based on available data, the classification criteria are not met.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Persistence and degradability

Components:

Isodecyl diphenyl phosphite:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Barium Compounds:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Distillates (petroleum), hydrotreated light:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 61 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Dibenzoyl methane:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 89 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

2-(2-Butoxyethoxy) ethanol:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 85 %
Exposure time: 28 d
Method: OECD Test Guideline 301C
GLP: no

Zinc Compounds:

Biodegradability : Remarks: Read-across (Analogy)

aerobic



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Triphenyl phosphite:

Biodegradability : aerobic
Result: Not readily biodegradable.
Biodegradation: 2.46 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: No information available.

Diisodecyl phenyl phosphite:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Inherently biodegradable.
Biodegradation: 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Bioaccumulative potential

Components:

Isodecyl diphenyl phosphite:

Bioaccumulation : Bioconcentration factor (BCF): 606.5
Method: QSAR

Barium Compounds:

Bioaccumulation : Remarks: Read-across (Analogy)
Remarks: Bioaccumulation is unlikely.

Distillates (petroleum), hydrotreated light:

Bioaccumulation : Remarks: No data available

Dibenzoyl methane:

Bioaccumulation : Remarks: study scientifically unjustified

Partition coefficient: n-octanol/water : log Pow: < 3

2-(2-Butoxyethoxy) ethanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1 (20 °C)
pH: 7



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Method: OECD Test Guideline 117

Zinc Compounds:

Bioaccumulation : Remarks: Read-across (Analogy)
Remarks: Bioaccumulation is unlikely.

Triphenyl phosphite:

Biodegradability : aerobic
Result: Not readily biodegradable.
Biodegradation: 2.46 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: No information available.

Diisodecyl phenyl phosphite:

Bioaccumulation : Bioconcentration factor (BCF): 33.27 - 606.5
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 9.32 (20 °C)

Mobility in soil

Components:

Isodecyl diphenyl phosphite:

Mobility : Method: QSAR
Remarks: Predicted distribution to environmental compartments
Sediment
Soil

Barium Compounds:

Mobility : Remarks: No data available

Distillates (petroleum), hydrotreated light:

Mobility : Method: QSAR
Remarks: Predicted distribution to environmental compartments
Air

Dibenzoyl methane:

Mobility : Remarks: No data available

2-(2-Butoxyethoxy) ethanol:

Mobility : Method: QSAR



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Remarks: Predicted distribution to environmental compartments
Water

Triphenyl phosphite:

Mobility : Method: QSAR
Remarks: Predicted distribution to environmental compartments
Sediment
Soil

Diisodecyl phenyl phosphite:

Mobility : Method: QSAR
Remarks: Predicted distribution to environmental compartments
Sediment
Soil

Other adverse effects

Components:

Isodecyl diphenyl phosphite:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

Barium Compounds:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

Distillates (petroleum), hydrotreated light:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

Dibenzoyl methane:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

2-(2-Butoxyethoxy) ethanol:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.



UBZ 7951

Version 1.2

Revision Date 08/16/2021

Zinc Compounds:

- Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

Triphenyl phosphite:

- Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

Diisodecyl phenyl phosphite:

- Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.
Endocrine disrupting potential : No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations.
Contaminated packaging : Empty containers must be handled with care due to product residue.
Dispose in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(contains triphenyl phosphite)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964



UBZ 7951

Version 1.2

Revision Date 08/16/2021

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(contains triphenyl phosphite)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 313 : This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
Barium Compounds (N040)	Not Assigned	20.9
Zinc Compounds (N982)	Not Assigned	12.7
Glycol ethers (N230)	112-34-5	3.0

The components of this product are reported in the following inventories:

EINECS listed
TSCA listed
DSL listed
CHINA listed
AICS listed

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x%



UBZ 7951

Version 1.2

Revision Date 08/16/2021

growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 08/16/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN