



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

### SECTION 1. IDENTIFICATION

#### Product identifier

Trade name : **BARIUM STEARATE SW**

#### Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Manufacture of plastics products  
Polymer additive  
Stabilizer  
Recommended restrictions on use : None known.

#### Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC  
5890 Highland Ridge Drive  
Cincinnati, OH 45232  
Telephone : Cell Phone: 1-513-604-2327  
E-mail address : Hotline.PS@baerlocher.com  
Responsible/issuing person : Product Safety Department

#### Emergency telephone number (0 - 24 h)

CHEMTREC: 1-800-424-9300 (inside U.S.) / 1-703 527-3887 (outside U.S.) Collect calls are accepted

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Combustible dust

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled  
May form combustible dust concentrations in air.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

P271 Use only outdoors or in a well-ventilated area.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Dust can form an explosive mixture in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Chemical nature : Barium salt

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Barium Compounds*	Trade Secret	<= 100

\*Trade Secret - The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.  
In case of skin contact : Wash off with soap and plenty of water.  
Take off contaminated clothing and shoes immediately.  
In case of eye contact : Rinse with plenty of water.  
If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Call a physician immediately.  
Show this safety data sheet to the doctor in attendance.  
Most important symptoms and effects, both acute and delayed : No information available.  
Notes to physician : Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Sand



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

Unsuitable extinguishing media : High volume water jet  
 Specific hazards during fire-fighting : Smoke and fumes, toxic.  
 Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
 Avoid dust formation.  
 Provide adequate ventilation.  
 For personal protection see section 8.

Environmental precautions : Do not flush into surface water or sanitary sewer system.  
 Avoid subsoil penetration.

Methods and materials for containment and cleaning up : Use mechanical handling equipment.  
 Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Take precautionary measures against static discharges.  
 Keep away from sources of ignition - No smoking.  
 Avoid formation and buildup of dust.

Conditions for safe storage : Store at room temperature in the original container.  
 Keep in a dry place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Barium, soluble compounds (as Ba)	Not Assigned	air 8 h	0.5 mg/m <sup>3</sup> (Barium)	ACGIH
		PEL	0.5 mg/m <sup>3</sup> (Barium)	OSHA
		TWA	0.5 mg/m <sup>3</sup> (Barium)	NIOSH REL
General limits for air contaminants (PNOC)	Not Assigned	air 8 h (total dust)	15 mg/m <sup>3</sup>	OSHA Z-3
		air 8 h (Respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-3
		air 8 h (inhalable dust)	10 mg/m <sup>3</sup>	ACGIH
		air 8 h (Respirable fraction)	3 mg/m <sup>3</sup>	ACGIH

Engineering measures : Local exhaust



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

### Personal protective equipment

Respiratory protection	:	Up to 0.5 mg/m <sup>3</sup> : (APF=10) Any air-purifying respirator with a high-efficiency particulate filter/(APF=10) Any air-supplied respirator
Hand protection	:	
Remarks	:	protective gloves acc. to EN 374, e.g. neoprene
Eye protection	:	Safety glasses
Skin and body protection	:	Long sleeved clothing
Protective measures	:	antistatic shoes
Hygiene measures	:	When using do not eat or drink. Do not smoke. Wash hands before breaks and at the end of workday. Shower or bathe at the end of working. Keep working clothes separately.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	off-white
Odor	:	slight
Odor Threshold	:	No data available
pH	:	No data available
Melting point/range	:	> 160 °C
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.22 g/cm <sup>3</sup>
Bulk density	:	No data available
Solubility(ies)	:	
Water solubility	:	practically insoluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable at normal ambient temperature and pressure.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous reactions : Risk of dust explosion.

Conditions to avoid : Avoid dust formation.  
Keep away from heat and sources of ignition.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : No decomposition if used as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Components:

#### Barium Compounds:

Acute oral toxicity : Remarks: Classification  
Labelling according to EC Directives  
Regulation (EC) No 1272/2008, Annex VI, Table 3.1  
Acute oral toxicity  
Category 4

Acute inhalation toxicity : Remarks: Classification  
Labelling according to EC Directives  
Regulation (EC) No 1272/2008, Annex VI, Table 3.1  
Acute inhalation toxicity  
Category 4

Acute dermal toxicity : Remarks: Read-across (Analogy)  
  
LD50 (Rat): > 2000 mg/kg bw  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

#### Components:

#### Barium Compounds:



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: not irritating  
GLP: yes  
Remarks: Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

#### Components:

##### **Barium Compounds:**

Species: in vitro assay  
Result: not irritating  
Method: standardised international/national methodology  
GLP: yes  
Remarks: Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

#### Components:

##### **Barium Compounds:**

Remarks: Skin sensitisation  
Read-across (Analogy)

Test Type: LLNA  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: negative  
GLP: yes  
Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation  
Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

#### Components:

##### **Barium Compounds:**

Genotoxicity in vitro : Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Species: Bacteria  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

: Remarks: Read-across (Analogy)

: Test Type: In vitro gene mutation study in mammalian cells



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

Species: mouse lymphoma cells  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

: Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)  
Species: Chinese hamster ovary cells  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes  
Remarks: Based on available data, the classification criteria are not met.

### Carcinogenicity

#### Product:

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

#### Components:

##### **Barium Compounds:**

Remarks: Read-across (Analogy)

Species: Rat  
Application Route: Oral  
Exposure time: 2 a  
Method: standardised international/national methodology  
GLP: yes  
Remarks: Based on available data, the classification criteria are not met.

### Reproductive toxicity

#### Components:

##### **Barium Compounds:**

Effects on fertility :

Remarks: Read-across (Analogy)

Species: Rat  
Application Route: Oral

Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development : Remarks: Not classified due to lack of data.  
Remarks: Study in progress (external)



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

### STOT - single exposure

#### Components:

##### **Barium Compounds:**

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

### Repeated dose toxicity

#### Components:

##### **Barium Compounds:**

Remarks: Read-across (Analogy)

Species: Rat

NOAEL: 61.1 mg/kg

Application Route: Oral

Exposure time: 92 d

Remarks: Based on available data, the classification criteria are not met.

### Aspiration toxicity

#### Components:

##### **Barium Compounds:**

Based on available data, the classification criteria are not met.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Barium Compounds:**

Toxicity to fish : Remarks: Read-across (Analogy)

LC50 (Danio rerio (zebra fish)): > 97.5 mg Ba/L  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : Remarks: Read-across (Analogy)

LC50 (Daphnia magna (Water flea)): 14,5 mg Ba/L  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : Remarks: Read-across (Analogy)





## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 34,31 mg Ba/L  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)): > 34,31 mg Ba/L  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: Read-across (Analogy)

EC16 (Daphnia magna (Water flea)): 5.8 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211

Toxicity to bacteria : GLP:  
Remarks: Read-across (Analogy)

NOEC (activated sludge): >= 500,61 mg Ba/L  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209  
GLP: yes

### Ecotoxicology Assessment

Acute aquatic toxicity : Based on available data, the classification criteria are not met.

Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

### Persistence and degradability

#### Components:

#### **Barium Compounds:**

Biodegradability : Remarks: The organic components of the product are biodegradable.

Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### Bioaccumulative potential

#### Components:

#### **Barium Compounds:**



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

Bioaccumulation : Remarks: Read-across (Analogy)  
Bioconcentration factor (BCF): 6.4 - 74.4  
Remarks: Barium

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

#### Components:

##### Barium Compounds:

Mobility : Remarks: No data available

### Other adverse effects

#### Components:

##### Barium Compounds:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.  
Endocrine disrupting potential : No information available.  
Additional ecological information : Not expected to be acutely toxic to aquatic organisms based on the available data.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations. Dispose in accordance with local, state and federal regulations.  
Contaminated packaging : Empty containers must be handled with care due to product residue.

---

## SECTION 14. TRANSPORT INFORMATION

### National Regulations

#### DOT

Not regulated as a dangerous good

### International Regulations

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code



## BARIUM STEARATE SW

Version 1.3

Revision Date 10/04/2021

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### SECTION 15. REGULATORY INFORMATION

#### SARA 313

: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
Barium Compounds (N040)	Not Assigned	100.0

**The components of this product are reported in the following inventories:**

EINECS	listed
TSCA	listed
DSL	listed
AICS	listed
ENCS	listed
ECL	listed
PICCS	listed
CHINA	listed

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals



**BARIUM STEARATE SW**

Version 1.3

Revision Date 10/04/2021

Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

**HMIS III:**

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 10/04/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN