

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

1 Identification**Product identifier****Trade name:** KRONOS 4311**Relevant identified uses of the substance or mixture**
architectural coatings
industrial coatings
printing inks**Details of the supplier of the safety data sheet****Manufacturer/Supplier:** KRONOS (US), Inc.
5430 LBJ Freeway, Suite 1700
Dallas, Tx 75230-2620
+1 (972) 233-1700**Emergency telephone number:** CHEMTREC: +1-800-424-9300 for transportation emergencies only (U.S.)
KRONOS: +1-800-866-5600 for other product information (8:00 am – 5:00 pm, central time U.S.)*** 2 Hazard(s) identification****Classification of the substance or mixture**

The product is not classified, according to the Globally Harmonized System (GHS).

Label elements**GHS label elements** Not applicable
Hazard pictograms Not applicable
Signal word Not applicable
Hazard statements Not applicable*** 3 Composition/information on ingredients****Chemical characterization: Mixtures****Description:** Titanium dioxide pigment dispersed in water**Dangerous components:**CAS: 77-99-6 Trimethylolpropane (TMP) ≤ 0.32%
EINECS: 201-074-9  Repr. 2, H361**Additional information**

Certain manufacturers of TMP self-classified the substance as a category 2, suspected human reproductive toxicant (Repr. 2, H361 Suspected of damaging fertility or the unborn child), under the European Union's REACH regulation based on their interpretation of the results of an OECD 443 Extended One-Generation Reproduction Toxicity study in rats commissioned by those manufacturers. See Section 11 for additional information.

4 First-aid measures**Description of first aid measures****General information** Remove any clothing soiled by the product.

(Contd. on page 2)

US

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 1)

After inhalation	Supply fresh air; consult doctor in case of complaints.
After skin contact	Wash with water and soap and rinse thoroughly.
After eye contact	Rinse opened eye for several minutes under running water. If irritation occurs consult physician.
After swallowing	Rinse out mouth and then drink plenty of water. If symptoms occur consult physician.
Most important symptoms and effects, both acute and delayed	No further relevant information available.
Indication of any immediate medical attention and special treatment needed	No further relevant information available.

5 Fire-fighting measures

Extinguishing media	
Suitable extinguishing agents	Use fire fighting measures that suit the environment. The product is not flammable.
Special hazards arising from the substance or mixture	None
Advice for firefighters	
Protective equipment:	Use protective measures that suit the hazard conditions.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	Not required.
Environmental precautions:	Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
Reference to other sections	See Section 7 for information on safe handling See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 2)

7 Handling and storage**Handling****Precautions for safe handling** No special measures required.**Information about protection against explosions and fires:** The product is not flammable**Conditions for safe storage, including any incompatibilities****Requirements to be met by storerooms and receptacles:** Recommended storage temperature >32°F / >0°C**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None*** 8 Exposure controls/personal protection****Additional information about design of technical systems:** No further data; see Section 7.**Control parameters****Components with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.**Exposure controls****Personal protective equipment
General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed. Store protective clothing separately.

Breathing equipment:

Use breathing protection when aerosol or mist is formed. The respirator must be selected by a technically qualified individual.

Protection of hands:

Use gloves appropriate for work conditions to minimize prolonged skin contact and potential skin absorption of TMP and prevent drying and subsequent irritation of skin.

Material of gloves

Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skin-protecting agents is recommended. The selection of suitable gloves depends on the type of job, the characteristics of all substances to be handled and on further marks of quality, which may vary from manufacturer to manufacturer. If the product is used in a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

(Contd. on page 4)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 3)

Body protection: Wear long-sleeved protective work clothing.**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	White
Odor:	Weak, characteristic
Odor threshold:	Not determined.

pH-value: 8.0 - 9.0**Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined

Flash point: Not applicable**Ignition temperature:** Not applicable**Decomposition temperature:** Not applicable**Auto igniting:** Product is not selfigniting.**Danger of explosion:** Product is not explosive.**Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

Vapor pressure: Not determined.**Density at 20°C (68°F):** 2.341 - 2.385 g/cm³ (19.53565 - 19.90283 lbs/gal)**Relative density** Not determined.**Evaporation rate** Not determined.**Solubility in / Miscibility with****Water:** Fully miscible**Partition coefficient (n-octanol/water):** Not applicable**Viscosity:****dynamic at 20°C (68°F):** ≤ 800 mPas (Brookfield, 100 rpm)**Solvent content:****Solids content:** 76.0 - 77.0 %

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 4)

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity The product is stable under normal use conditions.**Chemical stability**
Thermal decomposition /
conditions to be avoided: No decomposition under normal use conditions.**Possibility of hazardous**
reactions No dangerous reactions known**Conditions to avoid** No further data; see Section 7.**Incompatible materials:** No further data; see Section 7.**Hazardous decomposition**
products: No further data; see section 5.

* 11 Toxicological information

Information on toxicological effects

Acute toxicity:
LD/LC50 values that are relevant for classification:

Oral ATE > 2,000 mg/kg

Dermal ATE > 2,000 mg/kg

Inhalative ATE > 5 mg/m³**Primary irritant effect:****on the skin:** No irritant effect.**on the eye:** No irritant effect.**Sensitization:** No sensitizing effects.**Subacute to chronic toxicity:****CAS: 13463-67-7 Titanium dioxide**

Oral NOAEL 3,500 mg/kg/d (rat) (90 d)

Dermal NOAEL mg/kg/d
no relevant data availableInhalative NOAEC 10 mg/m³ (rat) (90 d)**CAS: 77-99-6 Trimethylolpropane (TMP)**Oral NOAEL 67 mg/kg (rat)
subchronic 90-days study

(Contd. on page 6)

US

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 5)

**Additional toxicological
information:****Titanium Dioxide**

On February 18, 2020, the European Union (EU) published the delegated regulation classifying certain powder titanium dioxide (TiO₂) as a suspected carcinogen (Category 2) via inhalation under EU Regulation No 1272/2008 on classification, labelling, and packing (CLP) of substances and mixtures. Classification requirements will come into force on October 1, 2021, mandating hazard labels be placed on certain TiO₂ powder products and certain powder mixtures containing TiO₂ sold into the EU market. This classification of TiO₂ is not based on new science but instead on older scientifically questioned animal test data. Other studies and extensive data, including separate epidemiologic studies of TiO₂ workers, have shown no TiO₂-specific links to cancer.

TiO₂ has been characterized by IARC as possibly carcinogenic to humans (Group 2B) through inhalation (not ingestion). It has not been characterized as a potential carcinogen by either NTP or OSHA.

Trimethylolpropane (TMP)

Certain manufacturers of TMP self-classified the substance as a Category 2, suspected human reproductive toxicant (Repr. 2, H361 Suspected of damaging fertility or the unborn child) under the European Union's (EU) REACH regulation based on their interpretation of the results of an OECD 443 Extended One-Generation Reproduction Toxicity study in rats commissioned by those manufacturers. Taking into consideration the data from the study, the group also determined a new EU Derived No Effect Level (DNEL) for workers of 0.94 mg/kg/d (systemic, long-term, dermal route). TMP is contained in the specified TiO₂ products at less than 0.45 %. See Section 8 for recommended exposure control/personal protection.

Carcinogenic categories**IARC (International Agency for Research on Cancer)**

CAS: 13463-67-7 Titanium dioxide: 2B

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity	Based on the composition it can be assumed that the mixture does not pose any risk for the aquatic environment.
Persistence and degradability	No further relevant information available.
Bioaccumulative potential	No further relevant information available.
Mobility in soil	The product is immobile in soil.
Other adverse effects	No further relevant information available.

(Contd. on page 7)

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 6)

13 Disposal considerations**Waste treatment methods****Recommendation**

Disposal must be made according to all federal, state, and local (municipal) regulations.

Uncleaned packagings:**Recommendation:**

Disposal must be made according to all federal, state, and local (municipal) regulations.

14 Transport information**UN-Number**

DOT, ADR/RID/ADN, ADN, IMDG, IATA Not applicable

UN proper shipping name

DOT, ADR/RID/ADN, ADN, IMDG, IATA Not applicable

Transport hazard class(es)**DOT, ADR/RID/ADN, ADN, IMDG, IATA****Class**

Not applicable

Packing group

DOT, ADR/RID/ADN, IMDG, IATA

Not applicable

Environmental hazards:**Marine pollutant:**

No

Special precautions for user

None

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****SARA****Section 355 (Extremely hazardous substances):**

None of the ingredients is listed

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

TSCA and Canada DSL Status:

All components have the value ACTIVE.

Proposition 65**Chemicals known to cause cancer:**

CAS: 13463-67-7 Titanium dioxide

Additional information:

The listing is for titanium dioxide as "airborne, unbound particles of respirable size" and does not cover titanium dioxide when it remains within a product matrix.

(Contd. on page 8)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 10/15/2020

Version 4.00

Reviewed on 10/15/2020

Trade name: KRONOS 4311

(Contd. of page 7)

Carcinogenic categories**EPA (Environmental Protection Agency)**

None of the ingredients is listed.

TLV (Threshold Limit Value Notation established by ACGIH)

CAS: 13463-67-7 Titanium dioxide: A4 Not classifiable as human carcinogen

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact:

KRONOS (US), Inc.
5430 LBJ Freeway, Suite 1700
Dallas, Tx 75230-2620
e-mail: SDS-NA@kronosww.com

Date of preparation / last revision

10/15/2020 / 3.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Repr. 2: Reproductive toxicity – Category 2

*** Data compared to the previous version altered.**

Conformed to U.S. OSHA HCS 2012

US