SAFETY DATA SHEET



Triethylenetetramine, TETA

Section 1. Identification

GHS product identifier

: Triethylenetetramine, TETA

European Union: 90640-67-8

Chemical name

: Mines, polyethylenepoly-, triethylenetetramine fraction

CAS number

Other means of

identification

Product use

: Intermediate. Chemical synthesis.

Supplier's details

: Delamine B.V. Stationsplein 121 3818LE Amersfoort The Netherlands

Telephone number: +31 334224600

e-mail address of person responsible for this SDS

: sds.delamine@delamine.com

Emergency telephone number (with hours of : +1 352 323 3500 (24 h)

operation)

Section 2. Hazards identification

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1

TOXIC TO REPRODUCTION - Category 1B

TOXIC TO REPRODUCTION - Effects on or via lactation

GHS label elements

Hazard pictograms







Signal word

: Danger

Hazard statements

: Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May damage fertility or the unborn child. May cause harm to breast-fed children.

Precautionary statements

Prevention

: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.

Avoid breathing vapor.

Avoid contact during pregnancy or while nursing. Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Date of issue/Date of revision :07/18/2019 : 11/09/2022 Date of previous issue Version :5 1/14 Response

Section 2. Hazards identification

Contaminated work clothing must not be allowed out of the workplace.

: IF exposed or concerned: Get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or physician.

IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth.

Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a

POISON CENTER or physician.

If skin irritation or rash occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

physician.

Storage : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified

: None known.

Section 3. Composition/information on ingredients

: Substance Substance/mixture

Chemical name : Mines, polyethylenepoly-, triethylenetetramine fraction

Other means of identification

CAS number/other identifiers

CAS number : 112-24-3

European Union: 90640-67-8

Ingredient name	%	CAS number
mines, polyethylenepoly-, triethylenetetramine fraction	>99	112-24-3
2-(2-aminoethylamino)ethanol	<0.3	111-41-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns

must be treated promptly by a physician.

Inhalation

: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Date of issue/Date of revision : 11/09/2022 Date of previous issue :07/18/2019 Version :5 2/14

Section 4. First aid measures

Skin contact

: Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Set medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.

Ingestion : Harmful if swallowed.

Over-exposure signs/symptoms

Eve contact : Adverse symptoms may include the following:

> watering redness

Inhalation : Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

> stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is

suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

See toxicological information (Section 11)

Date of issue/Date of revision : 11/09/2022 Date of previous issue :07/18/2019 Version :5 3/14

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use dry chemical, CO2, water spray (fog) or foam. Dry sand or other suitable absorbent. Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Remark (Explosibility)

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

: Not considered to be a product presenting a risk of explosion.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: Fspecialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Date of issue/Date of revision : 11/09/2022 Date of previous issue :07/18/2019 Version :5 4/14

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid contact during pregnancy or while nursing. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not breathe dust or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
mines, polyethylenepoly-, triethylenetetramine fraction	OARS WEEL (United States, 1/2021). Absorbed through skin. TWA: 1 ppm 8 hours.
2-(2-aminoethylamino)ethanol	None.

Biological exposure indices

None known.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 11/09/2022 Date of previous issue :07/18/2019 Version :5

Section 8. Exposure controls/personal protection

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Recommended: > 8 hours (breakthrough time): butyl rubber (thickness ≥0.3 mm), nitrile rubber (thickness ≥0.4 mm), Chloroprene (thickness ≥0.65 mm).

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Recommended: Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

SECTION 9: Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : I quid. [Viscous liquid.]

Color : Off-white. Clear.

Odor : Faint odor.
Odor threshold : Not available.

pH : 13.2

point, and boiling range

Flash point : Closed cup: 118°C (244.4°F)

Flammability : Not applicable.

Lower and upper explosion : Not available.

limit/flammability limit
Vapor pressure

re : №.00035 kPa (0.0026 mm Hg)

Relative vapor density : Not available.

Relative density : Not available.

Density : 0.971 g/cm³

Solubility in water : >1000 g/l

Partition coefficient: n- : -2.65

octanol/water

ol/water gnition temperature : 325°C (

Auto-ignition temperature : 325°C (617°F) **Decomposition temperature** : Not available.

Date of issue/Date of revision : 11/09/2022 Date of previous issue : 07/18/2019 Version : 5 6/14

SECTION 9: Physical and chemical properties and safety characteristics

Viscosity: Kinematic (room temperature): 28.6 mm²/s (28.6 cSt) [OECD 114]

Kinematic (40°C (104°F)): 10.8 mm²/s (10.8 cSt)

Explosive properties

: Not considered to be a product presenting a risk of explosion.

Oxidizing properties

: None.

Particle characteristics

Median particle size : Not applicable.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : **Zerosol** or mist formation.

Keep away from heat, sparks and flame. Do not smoke.

Incompatible materials: Reactive or incompatible with the following materials: oxidizing materials, metals, acids.

Chlorinated hydrocarbon.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
mines, polyethylenepoly-, triethylenetetramine fraction	LD50 Dermal	Rabbit - Male, Female	1465.4 mg/kg	-
	LD50 Oral	Rat - Male, Female	1716.2 mg/kg	-
2-(2-aminoethylamino)ethanol	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat - Male, Female	2150 mg/kg	-

Conclusion/Summary

: Harmful if swallowed or in contact with skin.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
mines, polyethylenepoly-, triethylenetetramine fraction	Eyes - Severe irritant	Rabbit	-	1 hours	-
	Skin - Visible necrosis	Rabbit	-	4 hours	14 days
2-(2-aminoethylamino)ethanol	Eyes - Edema of the conjunctivae	Rabbit	3	24 hours	8 days
	Skin - Visible necrosis	Rabbit	-	4 hours	14 days

Conclusion/Summary

Skin : Causes severe burns.

Date of issue/Date of revision :11/09/2022 Date of previous issue :07/18/2019 Version :5 7/14

Section 11. Toxicological information

Eyes : Causes serious eye damage.

Respiratory: Not available.

Sensitization

3	Route of exposure	Species	Result
mines, polyethylenepoly-, triethylenetetramine fraction	skin	Guinea pig	Sensitizing
2-(2-aminoethylamino)ethanol	skin	Mouse	Sensitizing

Conclusion/Summary

Skin: May cause an allergic skin reaction.

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Amines, polyethylenepoly-, triethylenetetramine fraction	OECD 471	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 477	Experiment: In vivo Subject: Insect	Negative
	OECD 474	Experiment: In vivo Subject: Mammalian-Animal	Negative
2-(2-aminoethylamino)ethanol	OECD 477	Experiment: In vivo Subject: Insect Cell: Germ	Negative

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary

: No known significant effects or critical hazards.

Reproductive toxicity

3	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
2 -(2-aminoethylamino)ethanol	Positive	Positive	Positive	Rat - Male, Female	Oral	-

Conclusion/Summary

: May damage fertility or the unborn child. May cause harm to breast-fed children.

Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Amines, polyethylenepoly-, triethylenetetramine fraction	Negative - Oral	Rat	≥750 mg/kg NOAEL (Maternal toxicity: None.)	-
	Negative - Dermal	Rabbit	≥125 mg/kg NOAEL (Developmental Toxicity: None.)	-

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Date of issue/Date of revision: 11/09/2022Date of previous issue: 07/18/2019Version: 58/14

Section 11. Toxicological information

Not available.

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes severe burns. Harmful in contact with skin. May cause an allergic skin reaction.

Ingestion: Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain watering redness

Inhalation: Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact: Adverse symptoms may include the following:

pain or irritation redness

bliotoring

blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion: Adverse symptoms may include the following:

stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Amines, polyethylenepoly-, triethylenetetramine fraction	Sub-chronic NOAEL Oral (similar material)	Rat - Female	50 mg/kg	-
2-(2-aminoethylamino)ethanol		Rat - Male, Female	60 mg/kg	28 days
		Rat - Male, Female	0 0	4 weeks; 5 days per week

Conclusion/Summary: Based on available data, the classification criteria are not met.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity : No known significant effects or critical hazards.

Date of issue/Date of revision : 11/09/2022 Date of previous issue : 07/18/2019 Version : 5 9/14

Section 11. Toxicological information

Mutagenicity: No known significant effects or critical hazards.

Reproductive toxicity : May damage fertility or the unborn child. May cause harm to breast-fed children.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)		Inhalation (dusts and mists) (mg/ I)
Amines, polyethylenepoly-, triethylenetetramine fraction	1716.2	1465.4	N/A	N/A	N/A
2-(2-aminoethylamino)ethanol	2150	2500	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
mines, polyethylenepoly-, triethylenetetramine fraction	Acute EC50 20 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 31.1 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 330 mg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic EC10 1.34 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Chronic EC10 1.9 mg/l Fresh water	Daphnia - Daphnia magna	21 days
2-(2-aminoethylamino)ethanol	Acute EC50 920 mg/l Marine water	Algae	72 hours
	Acute EC50 190 mg/l Fresh water	Daphnia	48 hours
	Acute LC50 640 mg/l Fresh water	Fish	96 hours

Conclusion/Summary

: Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
mines, polyethylenepoly-, triethylenetetramine fraction	OECD 301D	0 % - Not readily - 162 days	-	-
2-(2-aminoethylamino)ethanol	OECD 301F	>60 % - Readily - 28 days	-	-

Conclusion/Summary: Not readily biodegradable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
mines, polyethylenepoly-, triethylenetetramine fraction	-	-	Not readily
2-(2-aminoethylamino)ethanol	-	-	Readily

Bioaccumulative potential

Date of issue/Date of revision : 11/09/2022	Date of previous issue	: 07/18/2019	Version : 5	10/14
---	------------------------	--------------	-------------	-------

Section 12. Ecological information

Product/ingredient name	LogPow	BCF	Potential
mines, polyethylenepoly-, triethylenetetramine fraction	-2.08 to -2.9	-	low
2-(2-aminoethylamino)ethanol	-1.46	2.1	low

Mobility in soil

Soil/water partition coefficient (Koc)

: 3162.28

Mobility : Low mobility in soil predicted, based on the log Koc value.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	UN2259	UN2259	UN2259	UN2259	UN2259	UN2259
UN proper shipping name	Triethylenetetramine	TRIETHYLENETETRAMINE	TRIETILENTETRAMINA	TRIETHYLENETETRAMINE	TRIETHYLENETETRAMINE	Triethylenetetramine
Transport hazard class(es)	8	8	8	8	8	8
Label	CORNEGINE					
Packing group	II	II	II	II	II	II
Environmental hazards	No.	No.	No.	No.	Marine Pollutant: No	No.

Additional information

DOT Classification : Limited quantity Yes.

<u>Packaging instruction</u> Exceptions: 154. Non-bulk: 202. Bulk: 242. <u>Quantity limitation</u> Passenger aircraft/rail: 1 L. Cargo aircraft: 30 L.

Special provisions B2, IB2, T7, TP2

TDG Classification: Product classified as per the following sections of the Transportation of Dangerous

Goods Regulations: 2.40-2.42 (Class 8).

Explosive Limit and Limited Quantity Index 1
Passenger Carrying Road or Rail Index 1

Date of issue/Date of revision : 11/09/2022 Date of previous issue : 07/18/2019 Version : 5 11/14

Section 14. Transport information

ADR/RID : <u>Hazard identification number</u> 80

<u>Limited quantity</u> 1 L <u>Tunnel code</u> (E)

IMDG : **Emergency schedules** F-A, S-B

transportation regulations.

Quantity limitation Passenger and Cargo Aircraft: 1 L. Packaging instructions: 851. Cargo Aircraft Only: 30 L. Packaging instructions: 855. Limited Quantities - Passenger

Aircraft: 0.5 L. Packaging instructions: Y840.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according

to IMO instruments

Proper shipping name

Remarks : Liquid bulk cargoes

Ship type: 2

Pollution category: Y

: Triethylenetetramine

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

(Precursor Chemicals)

: Not listed

DEA List II Chemicals

(Essential Chemicals)

: Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : ACUTE TOXICITY (oral) - Category 4

ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1

TOXIC TO REPRODUCTION - Category 1B

TOXIC TO REPRODUCTION - Effects on or via lactation

Composition/information on ingredients

Date of issue/Date of revision : 11/09/2022 Date of previous issue : 07/18/2019 Version : 5 12/14

Section 15. Regulatory information

Name	%	Classification
Amines, polyethylenepoly-, triethylenetetramine fraction	>99	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1
2-(2-aminoethylamino)ethanol	<0.3	SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1B TOXIC TO REPRODUCTION (Fertility) - Category 1B TOXIC TO REPRODUCTION (Unborn child) - Category 1B TOXIC TO REPRODUCTION - Effects on or via lactation

State regulations

Massachusetts : The following components are listed: TRIETHYLENETETRAMINE

New York : None of the components are listed.

New Jersey : The following components are listed: TRIETHYLENE TETRAMINE;

1,2-ETHANEDIAMINE, N,N'-BIS(2-AMINOETHYL)-

Pennsylvania : The following components are listed: 1,2-ETHANEDIAMINE, N,N'-BIS(2-AMINOETHYL)-

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Japan : Japan inventory (CSCL):

All components are listed or exempted. **New Zealand** : All components are listed or exempted. **Philippines** : All components are listed or exempted. Republic of Korea : All components are listed or exempted. **Taiwan** : All components are listed or exempted. **Thailand** : All components are listed or exempted. **Turkey** : All components are listed or exempted. **United States** : MI components are active or exempted. **Viet Nam** : All components are listed or exempted.

Date of issue/Date of revision : 11/09/2022 Date of previous issue : 07/18/2019 Version : 5 13/14

Section 16. Other information

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
CUTE TOXICITY (oral) - Category 4	Calculation method
ACUTE TOXICITY (dermal) - Category 4	Calculation method
SKIN CORROSION - Category 1B	Expert judgment
SERIOUS EYE DAMAGE - Category 1	On basis of test data
SKIN SENSITIZATION - Category 1	Calculation method
TOXIC TO REPRODUCTION - Category 1B	Calculation method
TOXIC TO REPRODUCTION - Effects on or via lactation	Calculation method

History

Date of printing : 11/09/2022 Date of issue/Date of : 11/09/2022

revision

Date of previous issue : 07/18/2019

Version : 5

Key to abbreviations : ADR = The European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
DOT = Department of Transportation

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

RID = The Regulations concerning the International Carriage of Dangerous Goods by

Rail

SGG = Segregation Group

TDG = Transportation of Dangerous Goods

UN = United Nations

References: Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 11/09/2022 Date of previous issue : 07/18/2019 Version : 5 14/14