



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

SECTION 1. IDENTIFICATION

Product identifier

Trade name : **BAEROSTAB B 855**

Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Manufacture of plastics products
Polymer additive
Stabilizer

Recommended restrictions
on use : None known.

Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC
5890 Highland Ridge Drive
Cincinnati, OH 45232
Telephone : 513-604-2327
E-mail address : Hotline.PS@baerlocher.com
Responsible/issuing person : Product Safety Department

Emergency telephone number (0 - 24 h)

CHEMTREC: 1-800-424-9300 (inside U.S.) / 1-703 527-3887 (outside U.S.) Collect calls are accepted

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2
Serious eye damage : Category 1
Skin sensitisation : Category 1
Specific target organ toxicity
- single exposure : Category 3 (Respiratory system)
Combustible dust : Category 1

GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction. H318
Causes serious eye damage.
H335 May cause respiratory irritation.
May form combustible dust concentrations in air.



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Precautionary statements

:

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Zinc compounds*	Trade Secret	< 25*
Calcium hydroxide	1305-62-0	>= 20*
Dibenzoyl methane	120-46-7	< 10*

*Trade Secret - The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air.
- In case of skin contact : Wash off with soap and plenty of water.
- In case of eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Consult a physician.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Call a physician immediately.
Show this safety data sheet to the doctor in attendance.
- Most important symptoms and effects, both acute and delayed : No information available.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
Sand
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Smoke and fumes, toxic.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Avoid dust formation.
Provide adequate ventilation.
Avoid contact with skin and eyes.
For personal protection see section 8.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.
Avoid formation and buildup of dust.

Conditions for safe storage : Store at room temperature in the original container.
Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium hydroxide	1305-62-0	PEL	15 mg/m3 (total dust)	OSHA Z-1
		PEL	5 mg/m3 (Respirable fraction)	OSHA Z-1
		TWA	5 mg/m3	NIOSH REL
		air 8 h	5 mg/m3	ACGIH
Zinc compounds	Trade Secret	PEL	15 mg/m3 (total dust)	OSHA Z-1
		PEL	5 mg/m3 (Respirable fraction)	OSHA Z-1
		TWA	10 mg/m3 (total dust)	NIOSH REL
		TWA	5 mg/m3 (Respirable fraction)	NIOSH REL
		TWA	10 mg/m3 (Respirable dust)	ACGIH
		TWA	5 mg/m3 (Respirable fraction)	ACGIH
General limits for air contaminants (PNOC)	Not Assigned	air 8 h (total dust)	15 mg/m3	OSHA Z-3
		air 8 h (Respirable fraction)	5 mg/m3	OSHA Z-3
		air 8 h (inhalable dust)	10 mg/m3	ACGIH



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

		air 8 h (Respirable fraction)	3 mg/m ³	ACGIH
--	--	-------------------------------	---------------------	-------

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Half mask with a particle filter P2 (EN 143)

Hand protection

Remarks : protective gloves acc. to EN 374, e.g. neoprene

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing

Protective measures : antistatic shoes

Hygiene measures : When using do not eat or drink.
Do not smoke.
Wash hands before breaks and at the end of workday.
Shower or bathe at the end of working.
Keep working clothes separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : off-white

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/range : > 100 °C

Boiling point/boiling range : No data available

Flash point : >> 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	No data available
Solubility(ies) Water solubility	:	partly soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable at normal ambient temperature and pressure.
Chemical stability	:	No decomposition if stored normally.
Possibility of hazardous reac- tions	:	Risk of dust explosion. Aqueous dispersion reacts as an alkali.
Conditions to avoid	:	Avoid dust formation. Keep away from heat and sources of ignition.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Components:

Zinc compounds:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
- Remarks: Read-across (Analogy)
- LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : LC50 (Rat): > 200 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
- LC50 (Rat): > 50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on available data, the classification criteria are not met.

Calcium hydroxide:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : Remarks: Not classified due to lack of data.
- Acute dermal toxicity : LD50 (Rabbit): > 2,500 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : Remarks: study scientifically unjustified
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

GLP: yes

Skin corrosion/irritation

Components:

Zinc compounds:

Species: Rabbit

Method: OECD Test Guideline 404

Result: not irritating

Remarks: Based on available data, the classification criteria are not met.

Calcium hydroxide:

Species: Rabbit

Method: OECD Test Guideline 404

Result: irritating

GLP: yes

Dibenzoyl methane:

Species: in vitro assay

Method: OECD Test Guideline 439

Result: not irritating

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Components:

Zinc compounds:

Species: Rabbit

Result: not irritating

Method: OECD Test Guideline 405

Remarks: Based on available data, the classification criteria are not met.

Calcium hydroxide:

Species: Rabbit

Result: Causes serious eye damage.

Method: OECD Test Guideline 405

GLP: yes

Dibenzoyl methane:

Species: Rabbit

Result: not irritating

Method: OECD Test Guideline 405

Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Respiratory or skin sensitisation

Components:

Zinc compounds:

Remarks: Skin sensitisation
Patch test on human volunteers did not demonstrate sensitisation properties.
Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation
Based on available data, the classification criteria are not met.

Calcium hydroxide:

Remarks: Skin sensitisation
Not classified due to lack of data.

Remarks: Respiratory sensitisation
Not classified due to lack of data.

Dibenzoyl methane:

Remarks: Skin sensitisation

Test Type: LLNA
Species: Mouse
Method: OECD Test Guideline 429
Result: Sensitising
GLP: yes

Remarks: Respiratory sensitisation

Remarks: Not classified due to lack of data.

Germ cell mutagenicity

Components:

Zinc compounds:

Genotoxicity in vitro : Remarks: Read-across (Analogy)
: Method: standardised international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Remarks: Read-across (Analogy)
Method: standardised international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Calcium hydroxide:

- Genotoxicity in vitro
- : Test Type: Genotoxicity in vitro
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes
 - : Test Type: Chromosome aberration test in vitro
Species: human cells
Result: negative
GLP: no
Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

- Genotoxicity in vitro
- : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: OECD Test Guideline 471
Result: negative
GLP: yes
 - : Test Type: In vitro gene mutation study in mammalian cells
Species: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: positive
GLP: yes
 - : Test Type: Mutagenicity (in vitro mammalian cytogenetic test)
Species: CHL
Method: OECD Test Guideline 487
Result: positive
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Calcium hydroxide:



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Remarks: Not classified due to lack of data.

Reproductive toxicity

Components:

Zinc compounds:

Effects on fertility :

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development :

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Calcium hydroxide:

Effects on fertility :

Remarks: Read-across (Analogy)

Species: Mouse

Application Route: Oral

GLP: no

Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development :

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

Method: standardised international/national methodology

GLP: no

Remarks: Based on available data, the classification criteria are not met.

Remarks: Read-across (Analogy)

Species: Mouse

Application Route: Oral

Method: standardised international/national methodology

GLP: no

Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Dibenzoyl methane:

Effects on fertility :

Remarks: Not classified due to lack of data.

Effects on foetal development :

Remarks: Not classified due to lack of data.

STOT - single exposure

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Calcium hydroxide:

Exposure routes: Inhalation

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

Dibenzoyl methane:

Remarks: Not classified due to lack of data.

Repeated dose toxicity

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Dibenzoyl methane:

Remarks: Not classified due to lack of data.

Aspiration toxicity

Components:

Zinc compounds:

Based on available data, the classification criteria are not met.

Calcium hydroxide:

Not classified due to lack of data.

Dibenzoyl methane:



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Zinc compounds:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.

Remarks: Read-across (Analogy)

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg Zn/L
Exposure time: 96 h
Test Type: static test
Method: standardised international/national methodology

Remarks: Read-across (Analogy)

(Pimephales promelas (fathead minnow)): 0,330 - 0,780 mg Zn/L
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Remarks: Read-across (Analogy)

LC50 (Ceriodaphnia dubia (water flea)): 0.147 - > 0,53 mg Zn/l
- Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 19.3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: semi-static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: Value referred to the Water accumulated fraction (WAF).

EC10 (Pseudokirchneriella subcapitata (green algae)): 3.31



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

	mg/l Exposure time: 72 h Test Type: semi-static test Method: OECD Test Guideline 201 GLP: yes Remarks: Value referred to the Water accumulated fraction (WAF).
Toxicity to fish (Chronic toxicity)	: Remarks: Read-across (Analogy) NOEC: 0,044 - 0,530 mg Zn/L Test Type: Fresh water Remarks: Read-across (Analogy) NOEC: 0,025 mg Zn/L Test Type: Marine water
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: Read-across (Analogy) NOEC: 0,037 - 0,400 mg Zn/L Test Type: Fresh water Remarks: Read-across (Analogy) NOEC: 0,0056 - 0,9 mg Zn/L Test Type: Marine water
Toxicity to bacteria	: NOEC (Photobacterium phosphoreum): 1,560 mg/l Exposure time: 0.5 h Test Type: static test Method: DIN 38412 T 34 GLP: GLP: Remarks: Read-across (Analogy) EC50 (activated sludge): 5,2 mg Zn/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: no
Calcium hydroxide:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 50.6 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes LC50 (Marine species): 457 mg/l Exposure time: 96 h



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

	Test Type: static test Method: standardised international/national methodology
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 49.1 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes LC50 (<i>Crangon septemspinosa</i>): 158 mg/l Exposure time: 96 h Test Type: static test
Toxicity to algae	: EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 184.57 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 48 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Crangon septemspinosa</i>): 32 mg/l Exposure time: 14 d Test Type: semi-static test Method: standardised international/national methodology
Toxicity to bacteria	: EC50 (activated sludge): 300.4 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes
Ecotoxicology Assessment	
Acute aquatic toxicity	: Based on available data, the classification criteria are not met.
Chronic aquatic toxicity	: Based on available data, the classification criteria are not met.
Dibenzoyl methane:	
Toxicity to fish	: LC50: 11.313 mg/l Exposure time: 96 h Method: QSAR
Toxicity to daphnia and other aquatic invertebrates	: LC50: 7.519 mg/l Exposure time: 48 h Method: QSAR



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Toxicity to algae : 2.68 mg/l
Exposure time: 96 h
Method: QSAR

Ecotoxicology Assessment

Acute aquatic toxicity : Based on available data, the classification criteria are not met.
Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

Persistence and degradability

Components:

Zinc compounds:

Biodegradability : Ready biodegradability
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: closed bottle test according to OECD 301 D

Remarks: Read-across (Analogy)

Ready biodegradability
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 29 d
Method: OECD Test Guideline 301

Calcium hydroxide:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Dibenzoyl methane:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 89 %
Exposure time: 28 d
Method: ISO 9439

Bioaccumulative potential

Components:

Zinc compounds:

Bioaccumulation : Remarks: Not applicable

Calcium hydroxide:

Bioaccumulation : Remarks: Not applicable



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Partition coefficient: n-octanol/water : Remarks: No data available

Dibenzoyl methane:

Bioaccumulation : Remarks: study scientifically unjustified

Partition coefficient: n-octanol/water : log Pow: < 3

Mobility in soil

Components:

Zinc compounds:

Mobility : Remarks: According to experience not expected

Calcium hydroxide:

Mobility : Remarks: Not applicable

Dibenzoyl methane:

Mobility : Remarks: No data available

Other adverse effects

Components:

Zinc compounds:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

Calcium hydroxide:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

Dibenzoyl methane:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations. Dispose in accordance with local, state and federal regula-



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

tions.

Contaminated packaging : Empty containers must be handled with care due to product residue.

SECTION 14. TRANSPORT INFORMATION

National Regulations

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 313

: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
Zinc Compounds (N982)	Not Assigned	23.0

The components of this product are reported in the following inventories:

TSCA listed
DSL listed
EINECS listed
CHINA listed
ENCS listed
AICS listed
ECL listed
PICCS listed



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022


SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic



BAEROSTAB B 855

Version 1.1

Revision Date 08/05/2022

Revision Date : 08/05/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN