

SURFONIC® L24-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/23/2017

 1.1
 11/13/2018
 400001003710
 Date of first issue: 01/23/2017

SECTION 1. IDENTIFICATION

Product name : SURFONIC® L24-5

Manufacturer or supplier's details

Company name of supplier

: Huntsman International LLC

Address

P.O. Box 4980 The Woodlands,

TX 77387

United States of America (USA)

Telephone : TechInfo: (281) 719-7780

E-mail address of person responsible for the SDS

: SDS@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Surfactant

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Serious eye damage : Category 1

Short-term (acute) aquatic

hazard

: Category 1

Long-term (chronic) aquatic

hazard

: Category 3

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor. P391 Collect spillage.

Storage: Not available Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international

regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C12-16, ethoxylated	68551-12-2	90 - 100

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 400001003710 1.1 11/13/2018 Date of first issue: 01/23/2017

Most important symptoms and effects, both acute and delayed

: None known.

Notes to physician

: Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon oxides

Specific extinguishing

methods

: No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

Keep in properly labelled containers.

Materials to avoid : For incompatible materials please refer to Section 10 of this

SDS.

Further information on

storage stability

: Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Clear

Odour : slight



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

Odour Threshold : No data is available on the product itself.

pH : 6-7

Melting point : 55 - 63 °F / 13 - 17 °C

Boiling point : No data is available on the product itself.

Flash point : 357.1 °F / 180.6 °C

Method: Pensky-Martens closed cup, closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure :

Relative vapour density : 17

Relative density : 0.97 (68 °F / 20 °C)

Density : No data is available on the product itself.

Solubility(ies)

Water solubility : No data is available on the product itself.

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: log Pow: 5.24 - 5.44 (77 °F / 25 °C)

Auto-ignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Self-Accelerating

decomposition temperature

(SADT)

No data is available on the product itself.

Viscosity

Viscosity, kinematic : 33 mm2/s (100.0 °F / 37.8 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : None.

Molecular weight : Calculation method 417.29 g/mol



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 400001003710 1.1 11/13/2018 Date of first issue: 01/23/2017

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous No hazards to be specially mentioned.

reactions

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition

products

carbon monoxide

carbon dioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : No data is available on the product itself.

exposure

Acute toxicity

: Acute toxicity estimate : 2,525 mg/kg Acute oral toxicity - Product

Method: Calculation method

Components:

Alcohols, C12-16, ethoxylated:

Acute inhalation toxicity : LC50 (Rat): > 1600 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity -: Acute toxicity estimate : 2,525 mg/kg

Method: Calculation method **Product**

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Components:

Alcohols, C12-16, ethoxylated:

Species: Rat

Assessment: No skin irritation Method: OECD Test Guideline 404 Result: Normally reversible injuries

GLP: yes



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

Serious eye damage/eye irritation

Components:

Alcohols, C12-16, ethoxylated:

Species: Rabbit

Result: Irreversible effects on the eye Assessment: Severe eye irritation Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

Alcohols, C12-16, ethoxylated:

Exposure routes: Skin Species: Humans

Result: Does not cause skin sensitisation.

Exposure routes: Skin Species: Guinea pig

Method: Directive 67/548/EEC, Annex V, B.6. Result: Does not cause skin sensitisation.

Assessment: No data available

Germ cell mutagenicity

Components:

Alcohols, C12-16, ethoxylated:

Genotoxicity in vitro : Concentration: 5 - 50 μg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Concentration: .5 - 100 µg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Concentration: .0001 - .1 µg/L

Metabolic activation: Metabolic activation Method: OECD Test Guideline 482

Result: negative

GLP: yes

Concentration: 2000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: no

Components:

Alcohols, C12-16, ethoxylated:

Genotoxicity in vivo : Application Route: Intraperitoneal injection

Dose: 100 mg/kg



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

Method: OECD Test Guideline 474

Result: negative GLP: yes

Carcinogenicity

Components:

Alcohols, C12-16, ethoxylated: Species: Rat, male and female

Application Route: Oral Exposure time: 24 month(s)

Dose: 500 mg/kg Result: negative

Result: negative

Carcinogenicity - Assessment

: No data available

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Components:

Alcohols, C12-16, ethoxylated:

Effects on fertility : Species: Rat, male and female

Application Route: Oral Target Organs: Liver

GLP: yes

Components:

Alcohols, C12-16, ethoxylated:

Effects on foetal : Species: Rat, male and female development Application Route: Dermal

Result: No teratogenic effects

Reproductive toxicity -

Assessment

: No data available

STOT - single exposure

No data available



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

Alcohols, C12-16, ethoxylated: Species: Rat, male and female

NOAEL: 110 mg/kg/d Application Route: Ingestion Exposure time: 2,160 h Method: Subchronic toxicity

Repeated dose toxicity -

Assessment

: No data available

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 400001003710 1.1 11/13/2018 Date of first issue: 01/23/2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Alcohols, C12-16, ethoxylated:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 203

GLP: yes

Components:

Alcohols, C12-16, ethoxylated:

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.7 mg/l

Exposure time: 48 h Test Type: static test Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.2.

GLP: yes

Components:

Alcohols, C12-16, ethoxylated:

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 0.87 mg/l

> Exposure time: 72 h Test Type: static test Test substance: Fresh water

GLP: yes

Components:

Alcohols, C12-16, ethoxylated: M-Factor (Acute aquatic

toxicity)

Components:

Alcohols, C12-16, ethoxylated:

Toxicity to fish (Chronic

toxicity)

: EC20 (Pimephales promelas (fathead minnow)): 0.91 mg/l

Exposure time: 30 d

Test substance: Fresh water

Components:

Alcohols, C12-16, ethoxylated:

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : EC20 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 21 d

Test substance: Fresh water

M-Factor (Chronic aquatic

toxicity)

: No data available

Components:



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

Alcohols, C12-16, ethoxylated:

Toxicity to microorganisms : EC50 (activated sludge): 1,000 mg/l

Exposure time: 3 h
Test Type: static test

Test substance: Fresh water

Components:

Alcohols, C12-16, ethoxylated:

Toxicity to soil dwelling : NOEC (Eisenia fetida (earthworms)): 220 mg/kg

organisms Test substance: Natural

Method: OECD Test Guideline 222

Components:

Alcohols, C12-16, ethoxylated:

Plant toxicity : NOEC: >= 100 mg/kg

Exposure time: 456 h Test substance: Natural

Method: Terrestrial Plants Test: Seedling Emergence and

Seedling Growth Test

GLP: yes

Sediment toxicity : No data available

Components:

Alcohols, C12-16, ethoxylated:

Toxicity to terrestrial : E

organisms

: EC50: 270 mg/kg Exposure time: 144 h Test substance: Natural

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity -

Product

: Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to

the environment

: No data available

Persistence and degradability

Components:

Alcohols, C12-16, ethoxylated:

Biodegradability : Inoc

: Inoculum: activated sludge Result: Readily biodegradable.

Biodegradation: 78 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

Biochemical Oxygen

Demand (BOD)

: No data available



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

Chemical Oxygen Demand

(COD)

: No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon

(DOC)

: No data available

Physico-chemical

removability

: No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage

Treatment

: No data available

Bioaccumulative potential

Components:

Alcohols, C12-16, ethoxylated:

Bioaccumulation : Bioconcentration factor (BCF): < 800

Test substance: Fresh water Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water - Product

: log Pow: 5.24 - 5.44 (77 °F / 25 °C)

Mobility in soil

Mobility : No data available

Components:

Alcohols, C12-16, ethoxylated:

Distribution among

environmental compartments

: Koc: 19612.02 - 24351.32

Stability in soil : No data available

Other adverse effects

Environmental fate and

pathways

: No data available

Results of PBT and vPvB

assessment

: No data available

Endocrine disrupting

potential

: No data available

Adsorbed organic bound : No data available



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

halogens (AOX)

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information - Product

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

Global warming potential

(GWP)

: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(ALCOHOL C-12-C-16 POLY (1-6) ETHOXYLATE)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

: 964



SURFONIC® L24-5

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/23/2017

 1.1
 11/13/2018
 400001003710
 Date of first issue: 01/23/2017

Packing instruction : 964

(passenger aircraft)

Environmentally hazardous : yes

IMDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ALCOHOL C-12-C-16 POLY (1-6) ETHOXYLATE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

DOT Classification

UN/ID/NA number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ALCOHOL C-12-C-16 POLY (1-6) ETHOXYLATE)

Class : 9 Packing group : III

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes(ALCOHOLS, C12-16, ETHOXYLATED)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylene oxide	75-21-8	10	*
1,4-dioxane	123-91-1	100	*
acetic acid	64-19-7	5000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Serious eye damage or eye irritation



SURFONIC® L24-5

Version Revision Date: SDS Number: Date of last issue: 01/23/2017 1.1 11/13/2018 400001003710 Date of first issue: 01/23/2017

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

WARNING: This product can expose you to chemicals including 1,4-dioxane, ethylene oxide, which is/are known to the State of California to cause cancer, and ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

CH INV : On the inventory, or in compliance with the inventory DSL All components of this product are on the Canadian DSL **AICS** On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory NZIoC **ENCS** On the inventory, or in compliance with the inventory **KECI** On the inventory, or in compliance with the inventory : On the inventory, or in compliance with the inventory **PICCS** : On the inventory, or in compliance with the inventory **IECSC TCSI** : On the inventory, or in compliance with the inventory **TSCA** : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.



SURFONIC® L24-5

Version Revision Date: 1.1 11/13/2018


SDS Number: 400001003710

Date of last issue: 01/23/2017 Date of first issue: 01/23/2017

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard.

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 11/13/2018

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.