

ORGALLOY® RDG 113

1. PRODUCT AND COMPANY IDENTIFICATION

Company

Arkema Inc. 900 First Avenue

King of Prussia, Pennsylvania 19406

Specialty Polyamides

Customer Service Telephone Number: (800) 932-0420

(Monday through Friday, 8:00 AM to 5:00 PM EST)

Emergency Information

Transportation: CHEMTREC: (800) 424-9300

(24 hrs., 7 days a week)

Medical: Rocky Mountain Poison Center: (866) 767-5089

(24 hrs., 7 days a week)

Product Information

Product name: ORGALLOY® RDG 113

Synonyms: Not available Molecular formula: Not applicable Chemical family: polyamide

Product use:Mouldings and Extrusion

SECTION 2: HAZARDS IDENTIFICATION

Emergency Overview

Color: green
Physical state: solid
Form: pellets
Odor: odourless

*Classification of the substance or mixture:

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) Not a hazardous substance or mixture.

GHS-Labelling

Supplemental Hazard Statements:

Processing may release vapors and/or fumes which cause eye, skin and respiratory tract irritation.



ORGALLOY® RDG 113

Supplemental information:

Potential Health Effects:

The product, in the form supplied, is not anticipated to produce significant adverse human health effects. Contains high molecular weight polymer(s). Effects due to processing releases or residual monomer: Irritating to eyes, respiratory system and skin. Data for residual monomer:

Prolonged or repeated exposure may cause: local irritation, drying of skin, dermatitis, nosebleeds, drowsiness, headache, nausea, weakness, convulsions, loss of consciousness, (severity of effects depends on extent of exposure).

Medical conditions aggravated by overexposure:

Respiratory disease or diminished respiratory capacity. Skin disorders. (Data for residual monomer that may be released during processing)

Other:

Handle in accordance with good industrial hygiene and safety practice. This product may release fume and/or vapor of variable composition depending on processing time and temperature.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Wt/Wt	GHS Classification**
Hexanedioic acid, polymer with hexahydro-2H-azepin-2-one and 1,6-hexanediamine	24993-04-2	> 94 %	Not classified
2H-Azepin-2-one, hexahydro-	105-60-2	< 5 %	H302, H315, H320, H335
Copper iodide (Cul)	7681-65-4	< 0.1 %	H302, H315, H318, H317, H335, H372, H400, H411

^{**}For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES



ORGALLOY® RDG 113

4.1. Description of necessary first-aid measures:

Inhalation:

If inhaled, remove victim to fresh air.

Skin:

In case of contact, immediately flush skin with plenty of water. If molten polymer gets on the skin, cool rapidly with cold water. Do not peel solidified product off the skin. Obtain medical treatment for thermal burns. Remove material from clothing. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eyes:

Immediately flush eye(s) with plenty of water. Obtain medical treatment for thermal burns.

Ingestion:

If swallowed, DO NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms/effects, acute and delayed:

For most important symptoms and effects (acute and delayed), see Section 2 (Hazard Statements and Supplemental Information if applicable) and Section 11 (Toxicology Information) of this SDS.

4.3. Indication of any immediate medical attention and special treatment needed:

Unless otherwise noted in Notes to Physician, no specific treatment noted; treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media (suitable):

Water spray, Carbon dioxide (CO2), Foam

Protective equipment:

Fire fighters and others who may be exposed to products of combustion should wear full fire fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand / NIOSH approved or equivalent).

Further firefighting advice:

Fire fighting equipment should be thoroughly decontaminated after use.

Fire and explosion hazards:

When burned, the following hazardous products of combustion can occur: Carbon oxides
Hazardous organic compounds
Hydrogen cyanide (hydrocyanic acid)
(traces)



ORGALLOY® RDG 113

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, Emergency procedures, Methods and materials for containment/clean-up:

Prevent further leakage or spillage if you can do so without risk. Ventilate the area. Sweep up and shovel into suitable properly labeled containers for prompt disposal. Possible fall hazard – floor may become slippery from leakage/spillage of product. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

Protective equipment:

Appropriate personal protective equipment is set forth in Section 8.

SECTION 7: HANDLING AND STORAGE

Handling

General information on handling:

Avoid breathing dust.

Avoid breathing processing fumes or vapors.

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of material from eyes, skin, and clothing.

Storage

General information on storage conditions:

Keep in a dry, cool place. Store in closed containers, in a secure area to prevent container damage and subsequent spillage. Store away from moisture and heat to maintain the technical properties of the product.

Storage stability - Remarks:

Stable under recommended storage conditions.

Storage incompatibility - General:

None known.

Temperature tolerance - Do not store above:

140 °F (60 °C)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Airborne Exposure Guidelines:

2H-Azepin-2-one, hexahydro- (105-60-2)

US. ACGIH Threshold Limit Values



ORGALLOY® RDG 113

Form: Inhalable fraction and vapor.

Time weighted average 5 mg/m3

Only those components with exposure limits are printed in this section. Limits with skin contact designation above have skin contact effect. Air sampling alone is insufficient to accurately quantitate exposure. Measures to prevent significant cutaneous absorption may be required. Limits with a sensitizer designation above mean that exposure to this material may cause allergic reactions.

Engineering controls:

Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits (if applicable see above). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

Respiratory protection:

Avoid breathing dust. Avoid breathing processing fumes or vapors. Where airborne exposure is likely or airborne exposure limits are exceeded (if applicable, see above), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components and substances released during processing. Consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure or where exposure limit may be significantly exceeded, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR § 1910.134.

Skin protection:

Processing of this product releases vapors or fumes which may cause skin irritation. Minimize skin contamination by following good industrial hygiene practice. Wearing protective gloves is recommended. Wash hands and contaminated skin thoroughly after contact with processing fumes or vapors. Wash thoroughly after handling.

Eye protection:

Use good industrial practice to avoid eye contact. Processing of this product releases vapors or fumes which may cause eye irritation. Where eye contact may be likely, wear chemical goggles and have eye flushing equipment available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color: green

Physical state: solid

Form: pellets

Odor: odourless

Odor threshold: No data available

Flash point Not applicable



ORGALLOY® RDG 113

Lower flammable limit

(LFL):

No data available

Upper flammable limit

(UFL):

No data available

pH: Not applicable

Density: 1.10 g/cm3

Specific Gravity (Relative

density):

1.1 Water=1 (liquid)

Boiling point/boiling

range:

No data available

Melting point/range: 428 °F (220 °C)

Freezing point: No data available.

Evaporation rate: No data available

Solubility in water: 68 °F (20 °C) insoluble

Solubility in other

solvents: [qualitative and

quantative]

Soluble in:

Metacresol

Phenols

Benzyl alcohol

Formic acid (concentrate), Sulphuric acid (concentrate)

Viscosity, dynamic: No data available

Oil/water partition

coefficient:

No data available.

Thermal decomposition: > 662 °F (> 350 °C)

Flammability: See GHS Classification in Section 2 if applicable

SECTION 10: STABILITY AND REACTIVITY



ORGALLOY® RDG 113

Stability:

The product is stable under normal handling and storage conditions.

Hazardous reactions:

Hazardous polymerization does not occur.

Materials to avoid:

None known.

Conditions / hazards to avoid:

Store protected from moisture and heat. (to maintain the technical properties of the product). See Hazardous Decomposition Products below.

Hazardous decomposition products:

Thermal decomposition giving toxic, flammable, and / or corrosive products: Carbon oxides
Ammonia
Hydrogen cyanide (hydrocyanic acid)
(traces)
Hazardous organic compounds

SECTION 11: TOXICOLOGICAL INFORMATION

Data on this material and/or its components are summarized below.

Data for ORGALLOY® RDG 113

Acute toxicity

Oral:

Amino derivatives

Practically nontoxic. Acute toxicity estimate > 5,000 mg/kg.

Data for 2H-Azepin-2-one, hexahydro- (105-60-2)

Acute toxicity

Oral:

Harmful if swallowed. (rat) LD50 = 1,475 mg/kg.

Dermal:

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

Inhalation:

Practically nontoxic. (rat) 4 h LC50 = 8.16 mg/l. (dust/mist)

Specific target organ toxicity - single exposure:

May cause respiratory irritation.



ORGALLOY® RDG 113

Eye Irritation:

Causes eye irritation. (rabbit)

Skin Sensitization:

Not a sensitizer. Guinea pig maximization test. No skin allergy was observed.

Repeated dose toxicity

Subchronic inhalation administration to rat / affected organ(s): upper respiratory tract / signs: changes in organ structure or function / No significant impairment of function. (dust)

Subchronic dietary administration to rat / affected organ(s): kidney, liver, testes / signs: changes in organ weights, hyaline droplet nephropathy / (not considered relevant in humans)

Repeated exposure dietary administration to dog / No adverse effects reported.

Carcinogenicity

Chronic dietary administration to rat and mouse / No increase in tumor incidence was reported. Classified by the International Agency for Research on Cancer as: Group 4: Probably not carcinogenic to humans.

Genotoxicity

Assessment in Vitro:

No genetic changes were observed in laboratory tests using: bacteria

Both positive and negative responses for genetic changes were observed in laboratory tests using: animal cells, human cells

Genotoxicity

Assessment in Vivo:

No genetic changes were observed in laboratory tests using: rats, mice

Developmental toxicity

Exposure during pregnancy. Oral (rat and rabbit) / No birth defects were observed. (levels produced toxic effects in the mothers and offspring)

Reproductive effects

Three-generation study. Oral (rat) / No toxicity to reproduction.

Human experience

General:

A workplace incident reported fever, nausea, vomiting, seizures, dermatitis. No effects on lung function or blood parameters. (based on a report of occupational exposure to workers)

Human experience

Inhalation:

Respiratory tract: Discomfort, nosebleeds, dry/splitting nose, dry/splitting lips, inflammation of the membranes of the respiratory tract. (vapor)



ORGALLOY® RDG 113

Human experience

Skin contact:

Skin allergy was observed. (based on reports of occupational exposure to workers) Isolated case reports after exposure to a mixture containing this substance.

skin irritation, contact dermatitis. (based on reports of occupational exposure to workers) (repeated or prolonged exposure)

Human experience

Eye contact:

Eyes: Discomfort. (vapor)

SECTION 12: ECOLOGICAL INFORMATION

Chemical Fate and Pathway

Data on this material and/or its components are summarized below.

Data for 2H-Azepin-2-one, hexahydro- (105-60-2)

Biodegradation:

Readily biodegradable. (14 d) biodegradation 82 %

Octanol Water Partition Coefficient:

log Pow: = 0.12, at 77 °F (25 °C)

Ecotoxicology

Data on this material and/or its components are summarized below.

Data for 2H-Azepin-2-one, hexahydro- (105-60-2)

Aquatic toxicity data:

Practically nontoxic. Oryzias latipes 96 h LC50 > 100 mg/l

Aquatic invertebrates:

Practically nontoxic. Daphnia magna (Water flea) 48 h EC50 > 1,000 mg/l

Algae:

Practically nontoxic. Pseudokirchneriella subcapitata (green algae) 72 h EC50 > 1,000 mg/l

Microorganisms:

Pseudomonas putida 17 h EC50 = 4,240 mg/l

Chronic toxicity to aquatic invertebrates:

Practically nontoxic. Reproduction Test / Daphnia magna (Water flea) 21 d NOEC = 100 mg/l

Chronic toxicity to aquatic plants:

Practically nontoxic. Pseudokirchneriella subcapitata 72 h NOEC = 1000 mg/l

Data for Copper iodide (CuI) (7681-65-4)

Aquatic toxicity data:

Product code: A02104 Version 3.4 Issued on: 11/08/2023 Page: 9 / 12



ORGALLOY® RDG 113

Very toxic. Danio rerio (zebra fish) 96 h LC50 = 0.4 mg/l

Microorganisms:

Respiration inhibition / Activated sludge LC50 = 7,570 mg/l

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal:

Where possible recycling is preferred to disposal or incineration. If recycling is not an option, incinerate or dispose of in accordance with federal, state, and local regulations. Pigmented, filled and/or solvent laden product may require special disposal practices in accordance with federal, state and local regulations. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive or otherwise different from federal laws and regulations.

SECTION 14: TRANSPORT INFORMATION

US Department of Transportation (DOT): not regulated

International Maritime Dangerous Goods Code (IMDG): not regulated

SECTION 15: REGULATORY INFORMATION

Chemical Inventory Status

US. Toxic Substances Control Act	TSCA	The components of this product are all on the Active TSCA Inventory.
Canadian Domestic Substances List (DSL)	DSL	All components of this product are on the Canadian DSL
China. Inventory of Existing Chemical Substances in China (IECSC)	IECSC (CN)	All components of this product are listed or exempted
Japan. ENCS - Existing and New Chemical Substances Inventory	ENCS (JP)	All components of this product are listed or exempted
Japan. ISHL - Inventory of Chemical Substances	ISHL (JP)	All components of this product are listed or exempted
Korea. Korean Existing Chemicals Inventory (KECI)	KECI (KR)	All components of this product are listed or exempted
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	PICCS (PH)	All components of this product are listed or exempted



ORGALLOY® RDG 113

Australian Inventory of Industrial Chemicals **AU AIICL** All components of this product are listed

or exempted

Taiwan Chemical Substance Inventory (TCSI) **TCSI** All components of this product are listed

or exempted

United States - Federal Regulations

SARA Title III - Section 302 Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.

SARA Title III - Section 311/312 Hazard Categories:

No SARA Hazards

SARA Title III - Section 313 Toxic Chemicals:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantity (RQ):

The components in this product are either not CERCLA regulated, regulated but present in negligible concentrations, or regulated with no assigned reportable quantity.

United States - State Regulations

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive defects.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Causes serious eye damage. H318

Causes eye irritation. H320

H335 May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure. H372

H400 Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects. H411

Latest Revision(s):

Reference number: 200014047 Date of Revision: 11/08/2023 Date Printed: 11/09/2023

Product code: A02104 Version 3.4 Issued on: 11/08/2023 Page: 11 / 12



ORGALLOY® RDG 113

ORGALLOY® is a registered trademark of Arkema France

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Arkema Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.