Surfactol® 365 Technical Data Sheet



Product Identification

Surfactol® 365, a nonionic surfactant, is an ideal low foaming emulsifier for oil/water emulsions. It has the added property of contributing emolliency to prepared formulations. Surfactol® 365 is an excellent emulsifier for oil and waxes and is also an effective solubilizer for many fragrances.

	Property	<u>Value</u>	
Physical	Acid Value	0.2	
Properties	Color, Gardner	3	
	Density, lbs./gal, 25°C	8.77	
	Equivalent Weight	701	
	Form	Pale yellow liquid	
	HLB Value	13.3	
	Hydroxyl Value	80	
	lodine Value	36	
	Pour Point, °F	50	
	Saponification Value	68	
	Specific Gravity, 25°C/25°C	1.054	
	Viscosity, 25°C, cP	500	
Applications	 Cutting Oils, Lubricants, Metal working fluids Urethane Intermediates, Polymers 		
	Chemical Intermediates		
	 Water-dispersible castor 	Water-dispersible castor oil	
	Solubilizer for dyes, color	Solubilizer for dyes, colorants, perfumes, essential oils and extracts	
	 Emulsifier for oils, fats, polyesters and acrylics 	waxes, insecticides, oleoresinous binders,	

For toxicity or regulatory information please consult the Material Safety Data Sheet.

Information contained in this technical data sheet is believed to be accurate. Vertellus Performance Materials Inc. assumes no liability and makes no warranty or representation that the information is correct or complete and EXPRESSLY DISCLAIMS ALL REPRESENTATIONS OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Final determination of suitability of any material and issues of patent infringement is the sole responsibility of the user who alone knows the conditions of intended use. Our customers should ensure that any product incorporating a Vertellus ingredient is safe for its intended use pursuant to applicable law and that any necessary disclosures to consumers have been made.

Vertellus Performance Materials Inc., 2110 High Point Road, Greensboro, NC 27403 USA

USA Tel: 800-227-2436 USA Fax: 336-854-4058 USA Email: VPM-TechServices@vertellus.com

Web: www.vertellus.com