BAERLOCHER

MAGNESIUM STEARATE SW/F/1 VEG - US

Version 1.3 Revision Date 09/22/2021

SECTION 1. IDENTIFICATION

Product identifier

Trade name : MAGNESIUM STEARATE SW/F/1 VEG - US

Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mix- : Manufacture of plastics products

ture Polymer additive

Stabilizer

Recommended restrictions

on use

: None known.

Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC

5890 Highland Ridge Drive

Cincinnati, OH 45232

Telephone : Cell Phone: 1-513-604-2327 E-mail address : Hotline.PS@baerlocher.com Responsible/issuing person : Product Safety Department

Emergency telephone number (0 - 24 h)

CHEMTREC: 1-800-424-9300 (inside U.S.) / 1-703 527-3887 (outside U.S.) Collect calls are

accepted

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Other hazards

Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : Magnesium salt of C16 - C18 fatty acids.

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

In case of skin contact : Wash off with plenty of water.

MAGNESIUM STEARATE SW/F/1 VEG - US

Version 1.3 Revision Date 09/22/2021

In case of eye contact

Rinse with plenty of water. Clean mouth with water and drink afterwards plenty of water. If swallowed

Most important symptoms

and effects, both acute and

delayed

No information available.

Notes to physician Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

High volume water jet

Dry chemical

Sand

Unsuitable extinguishing me-

fighting

Special protective equipment :

Specific hazards during fire-

for firefighters

Smoke and fumes, toxic.

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Avoid dust formation.

Remove all sources of ignition.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

Methods and materials for

containment and cleaning up

Use mechanical handling equipment.

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

Avoid formation and buildup of dust.

Conditions for safe storage Store at room temperature in the original container.

Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures Local exhaust

Personal protective equipment

Respiratory protection In the case of dust or aerosol formation use respirator with an

approved filter.

Half mask with a particle filter P2 (EN 143)

P1 filter respirator for inert particles

2/11 43928

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3 Revision Date 09/22/2021

Hand protection

Remarks : protective gloves acc. to EN 374, e.g. neoprene

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing Protective measures : antistatic shoes

Hygiene measures : When using do not eat or drink.

Do not smoke.

Wash hands before breaks and at the end of workday.

Shower or bathe at the end of working. Keep working clothes separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder Color : off-white Odor : slight

Odor Threshold : No data available

pH : 7 - 9 (20 °C)

Melting point/range : > 100 °C

Method: Kofler Hot Bar (OECD 102)

Boiling point/boiling range : No data available

Flash point : $>> 100 \, ^{\circ}\text{C}$

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : > 1 g/cm3

Method: OECD Test Guideline 109

Bulk density : No data available

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-oc-

tanol/water

: No data available

Auto-ignition temperature : No data available

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3 Revision Date 09/22/2021

Decomposition temperature : No decomposition if stored and applied as directed.

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable at normal ambient temperature and pressure.

Risk of dust explosion.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous reac- :

tions

Conditions to avoid : Avoid dust formation.

Keep away from heat and sources of ignition.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition : No decomposition if used as directed.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male): > 7,500 mg/kg

Method: standardised international/national methodology

LD50 (Rat, female): > 6,000 mg/kg

Method: standardised international/national methodology Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Read-across (Analogy)

LC50 (Rat): > 0.1621 mg/l Exposure time: 4 h Test atmosphere: vapour

GLP: no

Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Read-across (Analogy)

LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 434

Remarks: Based on available data, the classification criteria

are not met.

Skin corrosion/irritation

Product:

Remarks: Read-across (Analogy)

43928 4/11

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3

Revision Date 09/22/2021

Species: Humans Exposure time: 0.25 h

Method: Regulation (EC) No. 761/2009, B.46.

Result: not irritating

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Read-across (Analogy)

Species: Rabbit Result: not irritating

Method: OECD Test Guideline 405

GLP: ves

Remarks: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Skin sensitisation Read-across (Analogy)

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation

Read-across (Analogy)

Remarks: Not classified due to lack of data.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Read-across (Analogy)

Test Type: In vitro gene mutation study in mammalian cells

Species: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative

GLP: no

: Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Species: Human lymphocytes

43928 5/11

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3 Revision Date 09/22/2021

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

Carcinogenicity

Product:

Remarks: Read-across (Analogy)

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 453

Remarks: Based on available data, the classification criteria are not met.

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or

OSHA at or above reportable quantities.

Reproductive toxicity

Product:

Effects on fertility

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

Effects on foetal develop-

ment

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 414

Remarks: Based on available data, the classification criteria

are not met.

STOT - single exposure

Product:

Remarks: Read-across (Analogy)

Based on available data, the classification criteria are not met.

43928 6/11

BAERLOCHER

MAGNESIUM STEARATE SW/F/1 VEG - US

Version 1.3 Revision Date 09/22/2021

Repeated dose toxicity

Product:

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: Read-across (Analogy)

LC50 (Pimephales promelas (fathead minnow)): 541 mg Mg/L

Exposure time: 96 h Test Type: static test

Method: standardised international/national methodology

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

NOEL (Daphnia (water flea)): 1,000 mg/l

Exposure time: 48 h Method: ISO 6341

EC50 (Daphnia (water flea)): > 1,000 mg/l

Exposure time: 48 h Method: ISO 6341

EC100 (Daphnia (water flea)): > 1,000 mg/l

Exposure time: 48 h Method: ISO 6341

Toxicity to algae : NOEL (Desmodesmus subspicatus (green algae)): 800 mg/l

Exposure time: 72 h Method: ISO 8692

EC50 (Desmodesmus subspicatus (green algae)): > 800 mg/l

Exposure time: 72 h Method: ISO 8692

43928 7/11

BAERLOCHER

MAGNESIUM STEARATE SW/F/1 VEG - US

Version 1.3 Revision Date 09/22/2021

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

Remarks: Read-across (Analogy)

EC10 (Daphnia magna (Water flea)): 82 mg Mg/L

Exposure time: 21 d
Test Type: semi-static test

GLP: no

Remarks: Read-across (Analogy)

NOEC (Daphnia magna (Water flea)): > 0.22 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Toxicity to bacteria : Remarks: Read-across (Analogy)

EC50 (activated sludge): > 900 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Based on available data, the classification criteria are not met.

Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

Persistence and degradability

Product:

Biodegradability : Remarks: Read-across (Analogy)

Test Type: aerobic

Inoculum: activated sludge Result: Readily biodegradable.

Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Remarks: The 10 day time window criterion is not fulfilled.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Read-across (Analogy)

Species: Danio rerio (zebra fish) Bioconcentration factor (BCF): 255

Exposure time: 28 d

Method: OECD Test Guideline 305

GLP: no

Remarks: Bioaccumulation is unlikely.

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3 Revision Date 09/22/2021

Mobility in soil

Product:

Mobility : Remarks: Read-across (Analogy)

Remarks: Predicted distribution to environmental compart-

ments Soil Sediment

Other adverse effects

Product:

Results of PBT and vPvB as- :

sessment

Endocrine disrupting poten-

tial

Based on available data, the classification criteria are not met.

No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. En-

sure disposal in compliance with government requirements

and ensure conformity to local disposal regulations.

Dispose in accordance with local, state and federal regula-

tions.

Contaminated packaging : Empty containers must be handled with care due to product

residue.

SECTION 14. TRANSPORT INFORMATION

National Regulations

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3 Revision Date 09/22/2021

SECTION 15. REGULATORY INFORMATION

SARA 313

: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

011012.		
Components	CAS-No.	Wt.
not applicable	Not Assigned	

The components of this product are reported in the following inventories:

EINECS	listed
TSCA	listed
DSL	listed
AICS	listed
ENCS	listed
ECL	listed
PICCS	listed
CHINA	listed

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading

MAGNESIUM STEARATE SW/F/1 VEG - US



Version 1.3

Revision Date 09/22/2021

Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 09/22/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN