

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

**Product identifier:** Dynasylan® SIVO 408

**Chemical name:**  
Organofunctional polysiloxane

**Other means of identification**

**Recommended restrictions**

**Recommended use:** For industrial use Waterproofing agent  
**Restrictions on use:** Not determined.

**Manufacturer/Importer/Distributor Information**

Company Name : Evonik Corporation  
299 Jefferson Road  
Parsippany, NJ 07054  
USA

Telephone : +1 973 929 8000

Fax : +1 973 929 8040

E-mail : product-regulatory-services@evonik.com

**Emergency telephone number:**

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)  
Emergency : +1 800 681 9531 (CHEMTREC MEXICO)  
+1 703 527 3887 (CHEMTREC WORLD)

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable liquids

Category 3

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Warning

**Hazard Statement:** Flammable liquid and vapor.

**Precautionary Statements**

<b>Prevention:</b>	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting/...] equipment. Use non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection.
<b>Response:</b>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
<b>Storage:</b>	Store in a well-ventilated place. Keep cool.
<b>Disposal:</b>	Dispose of contents/ container to an approved waste disposal plant.

**Hazard(s) not otherwise classified (HNOC):** None.

**3. Composition/information on ingredients**

**Chemical name:**  
 Organofunctional polysiloxane

**Substances**

Chemical Identity	CAS number	Content in percent (%) <sup>*</sup>
Oligomeric alkylsilane	Trade Secret	>=60 - <=100%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition information of impurities and stabilizers**

Chemical Identity	CAS number	Content in percent (%) <sup>*</sup>
Ethanol	64-17-5	<=1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Trade secret information:** A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**4. First-aid measures**
**Description of necessary first-aid measures**

<b>Inhalation:</b>	If aerosol or mists are inhaled, take affected persons out into the fresh air. In case of persistent discomfort or other symptoms, consult a physician immediately.
<b>Skin Contact:</b>	Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Obtain medical attention immediately if symptoms occur. Wash clothing before reuse.
<b>Eye contact:</b>	Rinse thoroughly with plenty of water keeping eyelid open. In case of persistent discomfort: Consult an ophthalmologist.

**Ingestion:** Have the mouth rinsed with water. After absorbing large amounts of substance / In case of discomfort: Supply with medical care.

**Personal Protection for First-aid Responders:** As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** None known.

**Hazards:** None known.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** After absorbing large amounts of substance: administration of activated charcoal. Acceleration of gastrointestinal passage

**5. Fire-fighting measures**

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Water spray, foam, CO<sub>2</sub>, dry powder.

**Unsuitable extinguishing media:** High volume water jet

**Specific hazards arising from the chemical:** Product is flammable. In case of fire cool endangered containers with water. Closed container may rupture if strongly heated. Flammable liquid. Vapors can travel to a source of ignition and flash back. Explosive mixtures may occur at temperatures at or above the flashpoint.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** Containers can build up pressure if exposed to heat (fire). Cool with water spray.

**Special protective equipment for fire-fighters:** As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Use personal protective equipment. Ensure adequate ventilation. Keep away from sources of ignition - No smoking.

**Accidental release measures:** Remove sources of ignition and ventilate area. Run off may create fire or explosion hazard in sewer. Assure sufficient ventilation.

**Methods and material for containment and cleaning up:** Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**Environmental Precautions:** Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

**7. Handling and storage**

**Handling**

**Technical measures (e.g. Local and general ventilation):**

Further Information Contact the accreditation office, AKMP. ACGIH (American Conference of Governmental Industry Hygienists) Use this product preferably in a closed system, or use process enclosures, local exhaust ventilation or other engineering controls to minimize airborne exposure.

**Safe handling advice:**

Application, processing: Provide good ventilation or extraction. In case of thermal processing, provide for extraction of the vapours or adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. Do not breathe in vapours or aerosols. Avoid contact with skin and eyes.

**Contact avoidance measures:**

No data available.

**Hygiene measures:**

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. Remove contaminated or saturated clothing. Wash contaminated clothing before reuse.

**Storage**
**Safe storage conditions:**

Take precautionary measures against static charges, keep away from sources of ignition. Explosion protection equipment required. Danger of explosion from residual product fumes; therefore avoid spark production through cutting, grinding, or welding work in the area of the container. When repairs of the production system are to be made (e.g. welding work), the section to be repaired must be essentially free of product. Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. Residual vapors might explode on ignition; do not apply heat, cut, drill, grind or weld on or near this container.

**Safe packaging materials:**

No data available.

**8. Exposure controls/personal protection**
**Control Parameters**
**Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Ethanol	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2016)
	REL	1,000 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	1,000 ppm 1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)

**Appropriate Engineering Controls**

Further Information Contact the accreditation office, AKMP. ACGIH (American Conference of Governmental Industry Hygienists) Use this product preferably in a closed system, or use process enclosures, local exhaust ventilation or other engineering controls to minimize airborne exposure.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection:** Safety glasses

**Skin Protection**

<b>Hand Protection:</b>	Material: Butyl rubber. Break-through time: >= 480 min Material: Fluorinated rubber (FKM) Break-through time: >= 480 min Additional Information: The above mentioned hand protection is based on knowledge of the chemistry and anticipated uses of this product but it may not be appropriate for all workplaces. A hazard assessment should be conducted prior to use to ensure suitability of gloves for specific work environments and processes prior to use., Selection of protective gloves to meet the requirements of specific workplaces., Suitability for specific workplaces should be clarified with protective glove manufacturers., Use impermeable gloves.
<b>Skin and Body Protection:</b>	Flame retardant antistatic protective clothing. A safety shower and eye wash fountain should be readily available. To identify additional Personal Protective Equipment requirements, it is recommended that a hazard assessment be conducted before using this product.
<b>Respiratory Protection:</b>	In case of dusts/vapours/aerosols being formed or if the limit values like TLV are exceeded: use respiratory equipment with suitable filter (filter type ABEK) or wear a self contained respiratory apparatus Use only respiratory protection equipment with CE-symbol including four digit test number. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used. Note time limit for wearing respiratory protective equipment. A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.
<b>Hygiene measures:</b>	When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. Remove contaminated or saturated clothing. Wash contaminated clothing before reuse.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	liquid
<b>Color:</b>	slightly turbid, colorless to yellowish
<b>Odor:</b>	slightly alcoholic, Odorless
<b>Odor Threshold:</b>	not determined
<b>pH:</b>	3 - 4 (500 g/l, 20 °C)
<b>Freezing point:</b>	not determined
<b>Boiling Point:</b>	not determined
<b>Flash Point:</b>	> 25 °C (DIN EN ISO 13736)
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	not determined
<b>Explosive limit - upper (%):</b>	not determined
<b>Explosive limit - lower (%):</b>	not determined
<b>Vapor pressure:</b>	No data available.
<b>Vapor density (air=1):</b>	No data available.
<b>Density:</b>	approx. 1.04 g/cm <sup>3</sup> (20 °C) (DIN 51757)
<b>Relative density:</b>	No data available.

**Solubility(ies)**

<b>Solubility in Water:</b>	not miscible decomposition by hydrolysis
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	not determined
<b>Self Ignition Temperature:</b>	not determined
<b>Decomposition Temperature:</b>	No data available.
<b>Kinematic viscosity:</b>	No data available.
<b>Dynamic viscosity:</b>	approx. 35 mPa.s (20 °C, DIN 53 015)

**Other information**

<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.
<b>Minimum ignition temperature:</b>	not determined

**10. Stability and reactivity**

<b>Reactivity:</b>	No dangerous reaction known under conditions of normal use.
<b>Chemical Stability:</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions:</b>	No dangerous reactions known.
<b>Conditions to avoid:</b>	Keep away from heat and sources of ignition. Formation of flammable or explosive vapour/air mixtures possible.
<b>Incompatible Materials:</b>	alkalis Water.
<b>Hazardous Decomposition Products:</b>	Ethanol in case of hydrolysis Alcohol formed by hydrolysis lowers the flash point of the product.

**11. Toxicological information**
**Information on likely routes of exposure**

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

**Information on toxicological effects**
**Acute toxicity (list all possible routes of exposure)**

<b>Oral Product:</b>	No data available.
----------------------	--------------------

**Dermal**  
**Product:** No data available.

**Inhalation**  
**Product:** No data available.

**Repeated dose toxicity**  
**Product:** No data available.

**Skin Corrosion/Irritation**  
**Product:** No data available.

**Serious Eye Damage/Eye Irritation**  
**Product:** No data available.

**Respiratory or Skin Sensitization**  
**Product:** No data available.

**Carcinogenicity**  
**Product:** Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**  
No carcinogens present or none present in regulated quantities

**US. National Toxicology Program (NTP) Report on Carcinogens:**  
No carcinogens present or none present in regulated quantities

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**  
No carcinogens present or none present in regulated quantities

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** (OECD 471)no evidence of mutagenic effects

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**  
**Product:** No data available.

**Components:**  
Ethanol Not classified

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Aspiration Hazard**  
**Product:** No data available.

**Other effects:** No data available.

**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** No data available.**Partition Coefficient n-octanol / water (log K<sub>ow</sub>)****Product:** Log K<sub>ow</sub>: not determined**Mobility in soil:**

No data available.

**Other adverse effects:**

An Expert Judgment stated that no classification is necessary based on present knowledge.

**13. Disposal considerations****Disposal methods:**

Waste must be disposed of in accordance with federal, state, provincial and local regulations. Since empty containers retain product residue, follow MSDS and label warnings even after container is emptied. Residual vapors might explode on ignition; do not apply heat, cut, drill, grind or weld on or near this container.



**Contaminated Packaging:** Do not reuse empty containers and dispose of in accordance with the regulations issued by the appropriate local authorities. If there is product residue in the emptied container, follow directions for handling on the container's label. Incorrect disposal or reuse of this container is illegal and can be dangerous. Other countries: observe the national regulations.

#### 14. Transport information

##### Domestic regulation

###### 49 CFR

UN/ID/NA number : UN 1993

Proper shipping name : Flammable liquids, n.o.s.  
(contains polysiloxane, contains ethanol)

Class : 3

Packing group : III

Labels : 3

ERG Code : 128

Marine pollutant : no

##### International Regulations

###### IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.  
(contains polysiloxane, contains ethanol)

Class : 3

Packing group : III

Labels : 3

Packing instruction (cargo aircraft) : 366

Packing instruction (passenger aircraft) : 355

Remarks : Maximum Net Quantity per Package 220 L

###### IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(contains polysiloxane, contains ethanol)

Class : 3

Packing group : III

Labels : 3

EmS Code : F-E, S-E

Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**15. Regulatory information****US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Ethanol	100 lbs.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****Hazard categories**

Flammable (gases, aerosols, liquids, or solids)

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances****SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
--------------------------	------------------------------------

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**US State Regulations****US. California Proposition 65**

**US. New Jersey Worker and Community Right-to-Know Act**
**Chemical Identity**

Ethanol

**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances**

No ingredient regulated by PA Right-to-Know Law present.


**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**16. Other information, including date of preparation or last revision**
**HMIS Hazard ID**

<b>Health</b>		1
<b>Flammability</b>		3
<b>Physical Hazards</b>		0
<b>PERSONAL PROTECTION</b>		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**NFPA Hazard ID**


Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

**Issue Date:** 05/20/2019

**Version #:** 1.0

**Further Information:** No data available.

**Revision Information:** Changes since the last version are highlighted in the margin. This version replaces all previous versions.

**Disclaimer:**

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.