

SAFETY DATA SHEET

CALCINATE OR



Version Revision Date: SDS Number: Date of last issue: 10/11/2021
4.0 06/10/2022 203000017535 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : CALCINATE OR
Product code : 000000000058243035

Manufacturer or supplier's details

Company : LANXESS Corporation
Product Safety & Regulatory Affairs
111 RIDC Park West Drive
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS
(412) 809-1000
lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or
(703) 527-3887 (Outside U.S.A) and mention CCN12916.
Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Additive
Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

|| Not a hazardous substance or mixture.

GHS label elements

|| Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	>= 20 - < 30
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	>= 10 - < 20
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	>= 10 - < 20
Calcium Petroleum Sulfonate	61789-86-4	>= 5 - < 10
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and water.
Get medical attention if symptoms occur.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Get medical attention if symptoms appear.
- If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.
- Hazardous combustion products : Metal oxides
Carbon dioxide (CO₂)
Carbon monoxide
- Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate unnecessary personnel.
Keep unnecessary and unprotected personnel from entering.
Provide adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.
Move containers from spill area.
Wash spillages into an effluent treatment plant or proceed as follows.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Dispose of wastes in an approved waste disposal facility.
Do not allow into the sewerage system, surface waters or groundwater or into the soil.
Contaminated absorbent material may pose the same hazard as the spilled product.
-

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
-

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Avoid inhalation, ingestion and contact with skin and eyes.
Use only with adequate ventilation.

Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep container closed when not in use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.
Empty containers retain residue and can be dangerous.
Do not reuse container.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

Engineering measures : If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal protective equipment

Respiratory protection : A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize exposure.

Hand protection

Material : Nitrile rubber
Wearing time : < 60 min

Material : Neoprene

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Wearing time : < 60 min

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.
Impervious clothing

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Appropriate techniques should be used to remove potentially contaminated clothing.
Wash contaminated clothing before reusing.
Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Physical state : liquid

Color : brown

Odor : mild, hydrocarbon-like

Odor Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : > 527 °F / > 275 °C

Flash point : 356 °F / 180 °C
Method: open cup

Evaporation rate : No data available

Self-ignition : No data available

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : > 1 (77 °F / 25 °C)

Density : No data available

Solubility(ies)
Water solubility : negligible

Solubility in other solvents : partly soluble

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : No data available

Viscosity
Viscosity, dynamic : 60 - 90 mPa.s (212 °F / 100 °C)
Method: ASTM D 445

Viscosity, kinematic : 850 mm²/s (104 °F / 40 °C)
Method: ASTM D 445

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Hazardous polymerization does not occur.
Under normal conditions of storage and use, hazardous reac-

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

tions will not occur.

Conditions to avoid : Exposure to moisture.

Incompatible materials : Oxidizing agents
Acids and bases

Hazardous decomposition products : Carbon oxides
Sulfur oxides
Metal oxides

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact
Skin Absorption

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: Test results on an analogous product

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Remarks: Test results on an analogous product

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Method: OECD Test Guideline 402
GLP: yes
Remarks: Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Dosage caused no mortality

LD50 (Rat, male): > 16,000 mg/kg
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPP 81-3 Acute Inhalation Toxicity
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: 40 CFR, Section 163.81-5, Federal Register, August 22, 1978 as modified in accordance with the revised EPA Pesticide Assessment Guidelines November 1982

GLP: yes

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Calcium Petroleum Sulfonate:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: No mortality observed at this dose.
- Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPP 81-3 Acute Inhalation Toxicity
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Dosage caused no mortality

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Dosage caused no mortality
- Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPP 81-3 Acute Inhalation Toxicity
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Dosage caused no mortality

Skin corrosion/irritation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

- Species : Rabbit
Method : Draize Test
Result : No skin irritation
GLP : yes
Remarks : Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

- Species : Rabbit
Exposure time : 24 h

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Result : No skin irritation
GLP : yes
Remarks : Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Calcium Petroleum Sulfonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes
Remarks : Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rabbit
Result : No eye irritation
GLP : yes
Remarks : Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Calcium Petroleum Sulfonate:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : Does not cause skin sensitization.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : yes
Remarks : Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.
GLP : yes
Remarks : Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Routes of exposure : Dermal
Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Calcium Petroleum Sulfonate:

Routes of exposure : Dermal
Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Dermal
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Genotoxicity in vitro : Test Type: Ames test
Test system: TA98
Metabolic activation: with metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: no
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: positive
GLP: yes
Remarks: Test results on an analogous product

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with metabolic activation
Result: negative
GLP: No information available.
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative
GLP: no
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Test results on an analogous product

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Oral
Result: negative
GLP: yes

Calcium Petroleum Sulfonate:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
Remarks: Test results on an analogous product

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Mouse, female
Application Route : Dermal
Exposure time : 18 month(s)
Method : OECD Test Guideline 451
Result : negative
GLP : No information available.
Remarks : Test results on an analogous product

Species : Mouse, male
Application Route : Dermal
Exposure time : 24 month(s)
Method : OECD Test Guideline 453
Result : positive
GLP : No information available.
Remarks : Test results on an analogous product

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Mouse, female
Application Route : Dermal
Exposure time : 78 weeks
Frequency of Treatment : various
Result : negative
GLP : No information available.
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 0 - 1000 milligram per kilogram
General Toxicity Parent: NOAEL: \geq 1,000 mg/kg body weight
Fertility: NOAEL: \geq 1,000 mg/kg body weight
Early Embryonic Development: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 421
Result: Animal testing did not show any effects on fertility.
GLP: yes
Remarks: Test results on an analogous product

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Dermal
Dose: 0 - 125 - 500 milligram per kilogram
General Toxicity Maternal: NOAEL: \geq 2,000 mg/kg body weight
Teratogenicity: NOAEL: \geq 2,000 mg/kg body weight
Developmental Toxicity: NOAEL: \geq 2,000 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: \geq 2,000 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Fertility: NOAEL: \geq 1,000 mg/kg bw/day
Early Embryonic Development: NOAEL: \geq 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
GLP: yes
Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOAEL: \geq 5,000 mg/kg bw/day
Developmental Toxicity: NOAEL: \geq 5,000 mg/kg bw/day
GLP: No information available.
Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Duration of Single Treatment: 28 Days
General Toxicity Parent: NOAEL: \geq 500 mg/kg body weight

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Fertility: NOAEL: \geq 500 mg/kg body weight
Method: OECD Test Guideline 415
GLP: yes
Remarks: Test results on an analogous product

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Assessment : May cause respiratory irritation.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : 5 days/week
Dose : 0 - 125 - 500 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.
Remarks : Subchronic toxicity
Test results on an analogous product

Species : Rat, male and female
NOAEC : \geq 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 20 d
Number of exposures : 6 hours/day
Dose : 0 - 0.05 - 0,22
Method : OECD Test Guideline 412
GLP : No information available.
Remarks : Subacute toxicity
Test results on an analogous product

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Species : Rat, male and female
NOAEL : >= 2000 mg/kg
Application Route : Skin contact
Exposure time : 90 d
Number of exposures : 5 days/week
Dose : 0 - 2000 mg/kg bw/d
Method : OECD Test Guideline 411
GLP : No information available.
Remarks : Subchronic toxicity
Test results on an analogous product

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Number of exposures : 5 days/week
Dose : 0, 125, 500 mg/kg bw/day
GLP : No information available.
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : >= 980 mg/m³
Application Route : Inhalation
Exposure time : 4 Weeks
Number of exposures : 6 hours/day, 5 days/week
GLP : No information available.
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : >= 2,000 mg/kg
Application Route : Dermal
Exposure time : 13 Weeks
Number of exposures : 5 days/week
Method : OECD Test Guideline 411
GLP : No information available.
Remarks : Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 28 Days
Number of exposures : daily
Method : OECD Test Guideline 407
GLP : yes
Remarks : Test results on an analogous product

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : No data is available on the product itself.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: nominal concentration
Test results on an analogous product
water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: No information available.
Remarks: nominal concentration
Test results on an analogous product
water extractable fraction

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: nominal concentration
Test results on an analogous product

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

water extractable fraction

NOELR (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l

Exposure time: 72 h

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: No information available.

Remarks: nominal concentration

Test results on an analogous product

water extractable fraction

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) :

NOELR (Daphnia magna (Water flea)): 10 mg/l

End point: Reproduction

Exposure time: 21 d

Analytical monitoring: no

Method: OECD Test Guideline 211

GLP: yes

Remarks: nominal concentration

Test results on an analogous product

water extractable fraction

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Toxicity to daphnia and other aquatic invertebrates :

EL50 (Daphnia magna (Water flea)): > 10,000 mg/l

End point: Immobilization

Exposure time: 48 h

Analytical monitoring: no

GLP: No information available.

Remarks: Based on data from similar materials (WAF)

Toxicity to algae/aquatic plants :

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

End point: Growth rate

Exposure time: 72 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: (WAF)

NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

End point: Growth rate

Exposure time: 72 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: (WAF)

Toxicity to fish (Chronic toxicity) :

NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l

End point: mortality

Exposure time: 28 d

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Method: calculated
GLP: no
Remarks: The value is calculated

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Daphnia magna (Water flea)): 10 mg/l
End point: Reproduction
Exposure time: 21 d
GLP: yes
Remarks: water extractable fraction

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
End point: mortality
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 48 h
Analytical monitoring: yes
Method: OPPTS 797.1300
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: yes
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

NOAEL (No observed adverse effect level) (Pseudokirchneriella subcapitata (green algae)): \geq 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: yes
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: water extractable fraction

Calcium Petroleum Sulfonate:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OPPTS 797.1300
Remarks: water extractable fraction

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
Remarks: Test results on an analogous product
water extractable fraction

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: water extractable fraction

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
End point: mortality

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OPPTS 797.1300
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): > 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
Remarks: water extractable fraction
Test results on an analogous product

NOEC (Pseudokirchneriella subcapitata (microalgae)): 1,000 mg/l
Exposure time: 96 h
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Biodegradability : aerobic
Concentration: 44 mg/l
Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Stability in water : Remarks: The product is insoluble and floats on water.

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 8.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: Test results on an analogous product

Calcium Petroleum Sulfonate:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 8.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: Test results on an analogous product

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 8.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Partition coefficient: n- : log Pow: > 3.90
octanol/water Method: Calculated value

Mobility in soil

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

SAFETY DATA SHEET

CALCINATE OR



Version 4.0	Revision Date: 06/10/2022	SDS Number: 203000017535	Date of last issue: 10/11/2021 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

Mobility : Remarks: The product is insoluble and floats on water.
Known distribution to environmental compartments

Other adverse effects

Product:

Additional ecological information : Avoid release to the environment.
The product itself has not been tested.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SAFETY DATA SHEET

CALCINATE OR



Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

Hazard and Handling Notes.

Not dangerous cargo, Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

Paraffin oils (petroleum), catalytic dewaxed heavy;	64742-70-7	10 - 20
Baseoil — unspecified		
Crystalline Quartz Silica	14808-60-7	< 0.01

Pennsylvania Right To Know

calcium carbonate	471-34-1	> 1
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	20 - 30
Paraffin oils (petroleum), catalytic dewaxed heavy;	64742-70-7	10 - 20
Baseoil — unspecified		
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	10 - 20
Calcium Petroleum Sulfonate	61789-86-4	5 - 10

California Prop. 65

WARNING: This product can expose you to chemicals including Crystalline Quartz Silica, naphthalene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET

CALCINATE OR




Version 4.0 Revision Date: 06/10/2022 SDS Number: 203000017535 Date of last issue: 10/11/2021
Country / Language: US / EN

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-

SAFETY DATA SHEET

CALCINATE OR



Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2021
4.0	06/10/2022	203000017535	Country / Language: US / EN

fect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/10/2022

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.