SDS: 0044328
Date Prepared: 10/23/2018

SAFETY DATA SHEET

1. IDENTIFICATION

Product Name:	**UCECOAT® 7710 radiation curing resins**
Synonyms:	None
Product Description:	Aqueous PU dispersion, radiation curable
Molecular Formula:	Mixture
Molecular Weight:	Mixture
Intended/Recommended Use:	Coatings
Uses advised against:	This product should not be used in any application where unreacted liquid product is intended to come in direct contact with skin or nails. Reason: sensitizing properties.

Allnex USA Inc., 9005 Westside Parkway, Alpharetta, Georgia 30009, USA
For Product and all Non-Emergency Information call your local Allnex contact point or contact us at http://www.allnex.com/contact

EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:
+1-866-928-0789 (toll free) or +1-215-207-0061 (Carechem 24 - Allnex29003-NCEC)
See Section 16 for Emergency phone numbers for other regions.

2. HAZARDS IDENTIFICATION

GHS Classification
Skin Corrosion / Irritation Hazard Category 2
Serious Eye Damage / Eye Irritation Hazard Category 2A
Skin Sensitizer Hazard Category 1B
Aquatic Environment Acute Hazard Category 2
Aquatic Environment Chronic Hazard Category 2

LABEL ELEMENTS

Signal Word
WARNING

Hazard Statements
Causes skin irritation
Causes serious eye irritation

May cause an allergic skin reaction
Toxic to aquatic life
Toxic to aquatic life with long lasting effects

Precautionary Statements
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
IF ON SKIN: Wash with plenty of soap and water.
Specific treatment (see supplemental first aid instructions on this label).
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
Dispose of contents/container in accordance with local and national regulations.

Hazards Not Otherwise Classified (HNOC), Other Hazards
Polymerization may occur from excessive heat, contamination or exposure to direct sunlight.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

Component / CAS No.	%	GHS Classification	Carcinogen
Trimethylolpropane triacrylate 15625-89-5	7 - 13	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-
4-tert Butylpyrocatechol 98-29-3	0.25 - 0.35	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-
Acrylated resin -	1 - 5	Not Classified	-

The specific chemical identity and/or exact percentage of composition for one or more ingredients has been withheld as a trade secret.

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

4. FIRST AID MEASURES

First-aid Measures

Inhalation:
Remove to fresh air. If breathing is difficult, give oxygen. Obtain medical advice if there are persistent symptoms.

Skin Contact:
Wash immediately with plenty of water and soap. Remove contaminated clothing and shoes without delay. Obtain

medical attention. Do not reuse contaminated clothing without laundering. Destroy or thoroughly clean shoes before reuse.

Eye Contact:
Rinse immediately with plenty of water for at least 15 minutes. Obtain medical advice if there are persistent symptoms.

Ingestion:
Material is not expected to be harmful by ingestion. No specific first aid measures are required.

Most Important Symptoms and Effects, Acute and Delayed
None known.

Immediate Medical Attention and Special Treatment
In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Notes To Physician:
No specific measures have been identified.

---

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:
Use water spray or fog, carbon dioxide or dry chemical.

Protective Equipment:
Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

Special Hazards:
Keep containers cool by spraying with water if exposed to fire.

---

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:
Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. In addition to the protective clothing/equipment in Section 8 (Exposure Controls/Personal Protection), wear impermeable boots.

Methods For Cleaning Up:
Cover spills with some inert absorbent material; sweep up and place in a waste disposal container. Flush spill area with water.

Environmental Precautions:
Avoid release to the environment.

References to other sections:
See Sections 7, 8 and 13 for additional information.

---

7. HANDLING AND STORAGE

HANDLING

Precautions: Avoid release to the environment. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves and eye/face protection.

Special Handling Statements: Provide good ventilation of working area (local exhaust ventilation if necessary).

Avoid excessive heat, contamination or exposure to direct sunlight to prevent polymerization.

STORAGE
Freeze Sensitive. Store product at temperatures above 0 C (32 F) in order to avoid freezing (below -2.8 C (27 F). Store in a cool, dry, well ventilated place and keep container tightly closed. Keep away from heat sources and direct sunlight.

Storage Temperature: Store at 4 - 40 °C 39 - 104 °F
Reason: Quality.

---

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:
Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure when spraying or curing at elevated temperatures.

Respiratory Protection:
For operations where inhalation exposure can occur use an approved respirator. Recommendations are listed below. Other protective respiratory equipment may be used based on user's own risk assessment.
Recommended respirators include those certified by NIOSH.

Recommended:
Full Face Mask with organic vapor cartridge, Type A filter (BP >65°C)

Eye Protection:
Wear eye/face protection such as chemical splash proof goggles or face shield. Eyewash equipment and safety shower should be provided in areas of potential exposure.

Skin Protection:
Avoid skin contact. Wear impermeable gloves and suitable protective clothing. Barrier creams may be used in conjunction with the gloves to provide additional skin protection.

Hand Protection:
Wear protective gloves. Recommendations are listed below. Other protective materials may be used based on user's own risk assessment. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility etc.) is noticed.

Gloves for short term exposure/splash protection - non exhaustive list:
Laminated multilayer gloves, break through time: > 60 min
Nitrile rubber (NBR), thickness: > 0.56 mm, break through time: < 60 min

The chemical resistance depends on the type of product and amount of product on the glove. Therefore gloves need to be changed when in contact with chemicals.

Not suitable gloves - non exhaustive list:
Latex gloves

Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing. Use PE gloves as under gloves for difficult situations like for instance: high exposure, unknown composition or unknown properties of the chemicals.

Additional Advice:
Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

Exposure Limit(s)

No values have been established.

Biological Exposure Limit(s)

No values have been established.

---

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	white
Appearance:	emulsion
Odor:	mild
Boiling Point:	>= 100 °C 212 °F (value for water)
Melting Point:	Not applicable
Vapor Pressure:	2.3 kPa @ 20 °C (value for water)
Specific Gravity/Density:	1.1 - 1.2 g/cm³ @ 20°C
Vapor Density:	> 1 (air = 1) -
Percent Volatile (% by wt.):	53 - 57 mostly water
pH:	6.5 - 8 (10% aqueous solution)
Saturation In Air (% By Vol.):	Not applicable
Evaporation Rate:	Not available
Solubility In Water:	miscible in all proportions
Volatile Organic Content:	Not available
Flash Point:	> 100 °C 212 °F Non Flammable
Flammable Limits (% By Vol):	Not applicable
Autoignition Temperature:	Not applicable
Decomposition Temperature:	Not applicable
Partition coefficient (n-octanol/water):	Not available
Odor Threshold:	Not available
Viscosity (Kinematic):	Not available
Viscosity (Dynamic):	20 - 200 mPa.s @ 23 °C RPM: 50 Low viscous liquid
Explosive Properties:	None.
Oxidizing Properties:	No

---

10. STABILITY AND REACTIVITY

Reactivity: No information available

Stability: Stable.

Conditions To Avoid: Stable at 25 C (77 F). Polymer will separate out of solution if neutralized with acid to pH <7.0. Do not freeze. Avoid adding cationic additives to concentrated material. Avoid exposure to light. Avoid temperatures > 40 C (104 F) for long periods of time. Avoid contact with bases. Avoid direct exposure to sunlight. Do not mix with acids or acidic materials. Risk of spontaneous polymerisation when heated or in the presence of UV radiation. Risk of spontaneous polymerisation in the presence of radical donors.

Polymerization: May occur

Conditions To Avoid: Hazardous polymerization can occur when exposed to direct sunlight.

Materials To Avoid: Strong acids, bases or amines.
Lewis acids
mercaptans

	Strong oxidizers. Free radical initiators. May corrode mild steel Reactions with peroxides.
Hazardous Decomposition Products:	hydrogen cyanide (HCN) oxides of carbon acrylic acid toxic gases/vapors Isocyanates nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin, Eyes, Oral.

Acute toxicity - oral: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.
Acute toxicity - dermal: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.
Acute toxicity - inhalation: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.

Skin corrosion / irritation: Causes skin irritation
Serious eye damage / eye irritation: Causes serious eye irritation

Respiratory sensitization: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.
Skin sensitization: May cause an allergic skin reaction

Carcinogenicity: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.
Germ cell mutagenicity: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.
Reproductive toxicity: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure: Not Classified. **-** Based on available data and/or professional judgment, the classification criteria are not met.
Specific target organ toxicity (STOT) - repeated exposure: Not Classified. **-** Based on available data and/or professional judgment, the classification criteria are not met.

Aspiration hazard: Not Classified **-** Based on available data and/or professional judgment, the classification criteria are not met.

PRODUCT TOXICITY INFORMATION

ACUTE TOXICITY DATA

oral	rat	Acute LD50	> 2000 mg/kg
dermal	rabbit	Acute LD50	> 2000 mg/kg
inhalation	rat	Acute LC50 4 hr	> 5 mg/l (Dust/Mist)

LOCAL EFFECTS ON SKIN AND EYE

Acute Irritation	Skin	Irritating
Acute Irritation	eye	Irritating

ALLERGIC SENSITIZATION

Sensitization	Skin	Sensitizing
Sensitization	respiratory	No data

GENOTOXICITY

Assays for Gene Mutations

Ames Salmonella Assay	No data

OTHER INFORMATION

The product toxicity information above has been estimated.
The toxicological properties of this material have not been fully determined.
Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms such as redness, blistering, dermatitis, etc.
The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

11. TOXICOLOGICAL INFORMATION

HAZARDOUS INGREDIENT TOXICITY DATA

Trimethylolpropane triacrylate has acute oral (rat) LD50 and acute dermal (rabbit) LD50 values of 3680 mg/kg and 5170 mg/kg, respectively. No mortality was observed in two inhalation studies. Direct contact with this material may cause eye and skin irritation. Repeated or prolonged skin contact may cause allergic skin reactions. Results of in vitro mutagenicity testing for trimethylolpropane triacrylate are mixed with both positive and negative findings. Trimethylolpropane triacrylate may cause mutagenic effects based on in vitro studies. However, a more definitive in vivo study indicates trimethylolpropane triacrylate is not mutagenic (non-genotoxic). This was again confirmed in a COMET assay. In a long-term bioassay in which trimethylolpropane triacrylate was applied dermally to mice, trimethylolpropane triacrylate induced some tumour formation at the side of application only. These findings have been related to excessive local irritation, with no systemic carcinogenic potential. No developmental toxicity nor fertility impairment has been observed.

4-tert Butylpyrocatechol has an acute oral (rat) and acute dermal (rat) LD50 values of 815 mg/kg and 1331 mg/kg, respectively. This material produced severe skin (guinea pig) and eye (rabbit) irritation in animal test. This material was also shown to be absorbed through the skin (guinea pig). This material may cause allergic skin reactions. Genotox effects were seen in in vitro testing, but were not confirmed in vivo. Stomach tumours were observed in a 1-year diet study in rats. Reproductive parameters were affected for both male and female rats after 14 weeks of diet administration. No teratogenic potential was observed, but an increased number of dead fetuses was seen at the highest dose of a developmental study in rats.

WARNING: Reproductive Harm – www.P65Warnings.ca.gov

---

12. ECOLOGICAL INFORMATION

TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, OTHER ADVERSE EFFECTS

Overall Environmental Toxicity: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

The ecological assessment for this material is based on an evaluation of its components.

RESULTS OF PBT AND vPvB ASSESSMENT
Not determined

HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Fish
Trimethylolpropane triacrylate (15625-89-5)	LC50 = 0.87 mg/L - Brachydanio rerio - 96hrs
4-tert Butylpyrocatechol (98-29-3)	LC50 = 0.12 mg/L - Brachydanio rerio (96hrs) NOEC = 0.065 mg/L - Brachydanio rerio (96 hrs)
Acrylated resin (-)	Not available

Component / CAS No.	Toxicity to Water Flea
Trimethylolpropane triacrylate (15625-89-5)	EC50 = 19.9 mg/L - Daphnia magna - 48hrs
4-tert Butylpyrocatechol (98-29-3)	EC50 = 0.94 mg/L - Daphnia magna (48hrs) NOEC < 0.18 mg/L - Daphnia magna (48hrs)
Acrylated resin (-)	Not available

Component / CAS No.	Toxicity to Algae
Trimethylolpropane triacrylate (15625-89-5)	EC50 = 18.8 mg/L - Scenedesmus subspicatus - 72hrs EC10 = 1.9 mg/L - Scenedesmus subspicatus - 72hrs
4-tert Butylpyrocatechol (98-29-3)	EC50 = 10.17 mg/L - Pseudokirchnerella subcapitata (72hrs) NOEC = 0.2 mg/L - Pseudokirchnerella subcapitata (72hrs)
Acrylated resin (-)	Not available

Component / CAS No.	Partition coefficient
Trimethylolpropane triacrylate (15625-89-5)	Not available
4-tert Butylpyrocatechol (98-29-3)	Not available
Acrylated resin (-)	Not available

13. DISPOSAL CONSIDERATIONS

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the guidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seq) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste"; information contained in Section 15 of this SDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for

determining the waste classification and disposal method.

---

14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

US DOT

Dangerous Goods? X
PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard Class: 9
Packing Group: III
UN/ID Number: UN3082
Transport Label Required: Miscellaneous
Marine Pollutant
Marine Pollutant
TECHNICAL NAME (N.O.S.): TRIMETHYLOLPROPANE TRIACRYLATE

Comments: Marine Pollutants - DOT requirements specific to Marine Pollutants do not apply to non-bulk packagings transported by motor vehicles, rail cars or aircraft.

TRANSPORT CANADA

Dangerous Goods? X
PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard Class: 9
Packing Group: III
UN Number: UN3082
Transport Label Required: Miscellaneous
Marine Pollutant
Marine Pollutant
TECHNICAL NAME (N.O.S.): TRIMETHYLOLPROPANE TRIACRYLATE

ICAO / IATA

Dangerous Goods? X
UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport Hazard Class: 9
Packing Group: III
UN Number: UN3082
Transport Label Required: Miscellaneous
TECHNICAL NAME (N.O.S.): TRIMETHYLOLPROPANE TRIACRYLATE

IMO

Dangerous Goods? X
UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport Hazard Class: 9
UN Number: UN3082
Packing Group: III
Transport Label Required: Miscellaneous
Marine Pollutant
Marine Pollutant
TECHNICAL NAME (N.O.S.): TRIMETHYLOLPROPANE TRIACRYLATE

SPECIAL PRECAUTIONS FOR USER
Protect against external heat sources above +40°C/104°F.

---

15. REGULATORY INFORMATION

Inventory Information

United States (USA): All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.

Canada: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

European Economic Area (including EU): When purchased from an Allnex legal entity based in the EEA (EU or Norway), this product is compliant with the registration of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt and/or registered.

Australia: One or more components of this product have NOT yet been included in the Australian Inventory of Chemical Substances (AICS) or assessed by NICNAS.

New Zealand: This product is approved or exempt under the Hazardous Substances and New Organisms (HSNO) Act.

China: One or more components of this product are NOT included on the Chinese (IECSC) inventory. The company has obtained the required notification approvals from the Ministry of Environmental Protection (MEP) as per the "Environmental Administrative Measures for New Chemical Substance" for the component(s) not listed in the Chinese Inventory (IECSC). The product can be imported/manufactured in China ONLY under specific conditions.

Japan: One or more components of this product are NOT included on the Japanese (ENCS and/or ISHL) inventories.

Korea: All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean inventory.

Philippines: All components of this product are either listed on the Philippine (PICCS) inventory, have been assessed by Environmental Management Bureau (EMB) or are exempt from notification requirements.

Taiwan: All components of this product are included in the Taiwan chemical substance inventory or are not required to be listed on the Taiwan chemical substance inventory (TCSI).

OTHER ENVIRONMENTAL INFORMATION
The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

This product does not contain any components regulated under these sections of the EPA

PRODUCT HAZARD CATEGORY UNDER SECTIONS 311 AND 312 OF EPCRA

Physical Hazards
Not applicable

Health Hazards
Skin Corrosion or Irritation

Respiratory or Skin Sensitization
Serious eye damage or eye irritation

---

16. OTHER INFORMATION

NFPA Hazard Rating (National Fire Protection Association)

Health: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 1 - Materials that in themselves are normally stable, but that can become unstable at elevated temperatures and pressures.

Reasons For Issue: Revised Section 1
Revised Section 2
Revised Section 3
Revised Section 12
Revised Section 14

Date Prepared: 10/23/2018
Date of last significant revision: 10/23/2018

Component - Hazard Statements

Trimethylolpropane triacrylate
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H319 - Causes serious eye irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.

4-tert Butylpyrocatechol
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H400 - Very toxic to aquatic life.
- H411 - Toxic to aquatic life with long lasting effects.

Emergency phone numbers for other regions

Asia Pacific
Australia: +61 1800 022 037 (Allnex Australia)
China (PRC): +86(0)25 8547 7110 (Jiangsu registration center) / +86(0)532 8388 9090 (NRCC)
India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24)
Indonesia: 007 803 011 0293 (Carechem 24)
Japan: +81 345 789 341 (Carechem 24)
Korea: +82 2 3479 8401 (Carechem 24)
Malaysia: +60 3 6207 4347 (Carechem 24)
New Zealand: +64 0800 803 002 (Allnex New Zealand)
Philippines: +63 2 231 2149 (Carechem 24)
Taiwan: +886 2 8793 3212 (Carechem 24)
Vietnam: +84 8 4458 2388 (Carechem 24)
All Others: +65 3158 1074 (Carechem 24)

Europe
+44 (0) 1235 239 670 (Carechem 24)

Middle East, Africa
+44 (0) 1235 239 671 (Carechem 24)

Latin America

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24)
Chile: +56 2 2582 9336 (Carechem 24)
Mexico and all others: +52-555-004-8763 (Carechem 24)

Prepared By: Product Stewardship & Regulatory Affairs Department, http://www.allnex.com/contact