



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

SECTION 1. IDENTIFICATION

Product identifier

Trade name : **BAEROSTAB MC 93685 CP**

Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Manufacture of plastics products
Polymer additive
Stabilizer

Recommended restrictions : None known.
on use

Manufacturer or supplier's details

Company name of supplier : Baerlocher Production USA LLC
513-604-2327

Address : 5890 Highland Ridge Drive
Cincinnati OH 45232

Emergency telephone num- : CHEMTREC: 1-800-424-9300 (inside U.S.) / 1-703 527-3887
ber (outside U.S.) Collect calls are accepted

E-mail address : Hotline.PS@baerlocher.com

Responsible/issuing person : Product Safety Department

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Other hazards

Dust can form an explosive mixture in air.

Supplemental Information

3.9% of the mixture consists of component(s) of unknown acute oral toxicity. 3.9% of the mixture consists of component(s) of unknown acute dermal toxicity. 3.9% of the mixture consists of component(s) of unknown acute inhalation toxicity. 3.9% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 3.9% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Zinc compounds*	Trade Secret	> 20*
2,6-di-tert-butyl-p-cresol	128-37-0	< 10*

*Trade Secret - The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air.
- In case of skin contact : Wash off with soap and plenty of water.
- In case of eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Call a physician immediately.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Call a physician immediately.
Show this safety data sheet to the doctor in attendance.
- Most important symptoms and effects, both acute and delayed : No information available.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
Sand
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Smoke and fumes, toxic.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency measures : Remove all sources of ignition.
Avoid dust formation.



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

- gency procedures : Provide adequate ventilation.
Avoid contact with skin and eyes.
For personal protection see section 8.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.
- Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.
Avoid formation and buildup of dust.
- Conditions for safe storage : Store at room temperature in the original container.
Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zinc compounds	Trade Secret	PEL	15 mg/m ³ (total dust)	OSHA Z-1
		PEL	5 mg/m ³ (Respirable fraction)	OSHA Z-1
		TWA	10 mg/m ³ (total dust)	NIOSH REL
		TWA	5 mg/m ³ (Respirable fraction)	NIOSH REL
		TWA	10 mg/m ³ (Respirable dust)	ACGIH
		TWA	5 mg/m ³ (Respirable fraction)	ACGIH
dust	Not Assigned	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m ³	OSHA Z-3
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
particulates	Not Assigned	TWA (total dust)	15 mg/m ³	OSHA Z-1



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Total)	15 mg/m ³	OSHA P0
		TWA (Respirable fraction)	5 mg/m ³	OSHA P0
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH
		TWA	10 mg/m ³	NIOSH REL
		TWA	10 mg/m ³	OSHA P0

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : P1 filter respirator for inert particles

Hand protection

Directive : Protective gloves complying with EN 374.

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing

Protective measures : antistatic shoes

Hygiene measures : When using do not eat or drink.
Do not smoke.
Wash hands before breaks and at the end of workday.
Shower or bathe at the end of working.
Keep working clothes separately.
Handle in accordance with good industrial hygiene and safety practice.
Regular cleaning of equipment, work area and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : off-white

Odor : slight

Odor Threshold : No data available



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

pH	:	No data available
Melting point/range	:	> 100 °C
Boiling point/boiling range	:	No data available
Flash point	:	>> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	No data available
Solubility(ies) Water solubility	:	practically insoluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable at normal ambient temperature and pressure.
Chemical stability	:	No decomposition if stored normally.
Possibility of hazardous reactions	:	Applies to granules (R), pastilles (TX) and flakes (SMS): The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. Applies to powder and remaining product forms: Dust can form an explosive mixture in air.



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

- Conditions to avoid : Avoid dust formation.
Keep away from heat and sources of ignition.
- Incompatible materials : Strong oxidizing agents
- Hazardous decomposition products : No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

- Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: 10.34 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Zinc compounds:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
- Remarks: Read-across (Analogy)
- LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : LC50 (Rat): > 200 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
- LC50 (Rat): > 50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

- Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
- Acute inhalation toxicity : Remarks: Based on available data, the classification criteria are not met.
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Components:

Zinc compounds:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Components:

Zinc compounds:

Species: Rabbit
Result: not irritating
Method: OECD Test Guideline 405
Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Remarks: Read-across (Analogy)

Species: Rabbit
Result: not irritating
Method: OECD Test Guideline 405
GLP: yes
Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Respiratory or skin sensitisation

Components:

Zinc compounds:

Remarks: Skin sensitisation

Patch test on human volunteers did not demonstrate sensitisation properties.
Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation

Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Remarks: Skin sensitisation

Test Type: Patch Test 24 Hrs.

Species: Humans

Method: standardised international/national methodology

Result: negative

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Components:

Zinc compounds:

Genotoxicity in vitro : Remarks: Read-across (Analogy)

: Method: standardised international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Remarks: Read-across (Analogy)

Method: standardised international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Species: Bacteria
Method: standardised international/national methodology
Result: negative
GLP: no

: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Species: Chinese hamster ovary cells
Method: standardised international/national methodology
Result: negative
GLP: no

: Test Type: In vitro gene mutation study in mammalian cells
Species: Liver cells (rat)
Method: standardised international/national methodology
Result: negative
GLP: no
Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo

: Test Type: In vivo micronucleus test
Species: Mouse
Method: standardised international/national methodology
Result: negative
GLP: no

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Oral
Method: standardised international/national methodology
Result: negative
GLP: no
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Species: Rat
Application Route: Oral
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Reproductive toxicity

Components:

Zinc compounds:

Effects on fertility : Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development : Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.
Remarks: Read-across (Analogy)
Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Effects on fertility : Remarks: Read-across (Analogy)

Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity - Parent: 100
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Remarks: Read-across (Analogy)

Test Type: Two-generation study
Species: Rat
Application Route: Oral
NOAEL: 100 mg/kg,
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

Effects on foetal development : Remarks: Read-across (Analogy)

Species: Rat
Application Route: Oral



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Teratogenicity: 25
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.
Remarks: Read-across (Analogy)
Species: Rat
Application Route: Oral
25 mg/kg
Method: standardised international/national methodology
GLP: yes
Remarks: Based on available data, the classification criteria are not met.

STOT - single exposure

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:

Species: Rat

NOAEL: 25 mg/kg

Application Route: Oral

Method: standardised international/national methodology

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Components:

Zinc compounds:

Based on available data, the classification criteria are not met.

2,6-di-tert-butyl-p-cresol:



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Based on available data, the classification criteria are not met.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Zinc compounds:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.

Remarks: Read-across (Analogy)

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg Zn/L
Exposure time: 96 h
Test Type: static test
Method: standardised international/national methodology

Remarks: Read-across (Analogy)

(Pimephales promelas (fathead minnow)): 0,330 - 0,780 mg Zn/L
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Remarks: Read-across (Analogy)

LC50 (Ceriodaphnia dubia (water flea)): 0.147 - > 0,53 mg Zn/l
- Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 19.3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: semi-static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: Value referred to the Water accumulated fraction (WAF).

EC10 (Pseudokirchneriella subcapitata (green algae)): 3.31



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

	mg/l Exposure time: 72 h Test Type: semi-static test Method: OECD Test Guideline 201 GLP: yes Remarks: Value referred to the Water accumulated fraction (WAF).
Toxicity to fish (Chronic toxicity)	: Remarks: Read-across (Analogy) NOEC: 0,044 - 0,530 mg Zn/L Test Type: Fresh water Remarks: Read-across (Analogy) NOEC: 0,025 mg Zn/L Test Type: Marine water
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: Read-across (Analogy) NOEC: 0,037 - 0,400 mg Zn/L Test Type: Fresh water Remarks: Read-across (Analogy) NOEC: 0,0056 - 0,9 mg Zn/L Test Type: Marine water
Toxicity to bacteria	: NOEC (Photobacterium phosphoreum): 1,560 mg/l Exposure time: 0.5 h Test Type: static test Method: DIN 38412 T 34 GLP: GLP: Remarks: Read-across (Analogy) EC50 (activated sludge): 5,2 mg Zn/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: no
2,6-di-tert-butyl-p-cresol:	
Toxicity to fish	: LC50 (Fish): 0.199 mg/l Exposure time: 96 h Method: QSAR
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.48 mg/l Test Type: static test Method: OECD Test Guideline 202 GLP: yes



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l
Exposure time: 72 h
Test Type: static test
Method: standardised international/national methodology
GLP: yes
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Orange-red killifish)): 0.053 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.069 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
GLP: yes
- Toxicity to bacteria : EC50 (Tetrahymena pyriformis): 1.7 mg/l
Exposure time: 24 h
Test Type: static test
Method: standardised international/national methodology
GLP:

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

Zinc compounds:

- Biodegradability : Ready biodegradability
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: closed bottle test according to OECD 301 D

Remarks: Read-across (Analogy)

Ready biodegradability
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 29 d
Method: OECD Test Guideline 301

2,6-di-tert-butyl-p-cresol:

- Biodegradability : Inoculum: activated sludge
Result: Not readily biodegradable.
Method: standardised international/national methodology



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Bioaccumulative potential

Components:

Zinc compounds:

Bioaccumulation : Remarks: Not applicable

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 230 - 2,500
Exposure time: 56 d
Temperature: 25 °C
Concentration: 0.05 mg/l
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5

Mobility in soil

Components:

Zinc compounds:

Mobility : Remarks: According to experience not expected

2,6-di-tert-butyl-p-cresol:

Mobility : Remarks: After release, disperses into the air.

Other adverse effects

Components:

Zinc compounds:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

2,6-di-tert-butyl-p-cresol:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations.

Dispose in accordance with local, state and federal regula-



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

tions.

Contaminated packaging : Empty containers must be handled with care due to product residue.

SECTION 14. TRANSPORT INFORMATION

National Regulations

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(2,6-di-tert-butyl-p-cresol, mixture)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(2,6-di-tert-butyl-p-cresol, mixture)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 313 : This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
Zinc Compounds (N982)	Not Assigned	25.0

The components of this product are reported in the following inventories:

EINECS : Not listed



BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

TSCA	listed
DSL	Not listed
NDSL	listed
AICS	Not listed
ENCS	Not listed
ECL	Not listed
PICCS	Not listed
CHINA	Not listed

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative




BAEROSTAB MC 93685 CP

Version 1.1

Revision Date 06/30/2022

Further information

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 06/30/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN