



B 1923

PRODUCT INFORMATION

Description

Ba / Zn Liquid Stabilizer

Typical Properties

Appearance:	Clear Amber Liquid
Specific gravity at 20°C:	1.10 g/cm ³
Refractive Index at 20°C:	1.518

Application

B 1923 is a highly efficient liquid Ba/Zn stabilizer with very good heat and process stability for use in extrusion and injection molded applications.

B 1923 is designed for use in crystal clear applications requiring excellent dynamic heat stability and color hold. B-1923 has minimal external lubrication and the use of additional lubrication should be kept at a minimum to avoid loss of clarity.

B-1923 may be used with or without co-stabilizers such as epoxidized soybean oil.

Recommended dosage: 2.0 to 3.0 phr, depending on application.

Food Packaging Approval

B 1923 may not be used for the manufacturing of food packaging materials.

Handling

A material safety data sheet for the handling of this product is available on request.

Storage

Storage at room temperature is recommended.

Liquid products may be affected by moisture and containers should be kept tightly closed.

The data herein is deemed accurate by the supplier, however, is provided for informational purposes only and creates no warranties, express or implied. As the consumer controls application of the product, this information does not constitute a warranty of merchantability, fitness for a particular use or recommendations to practice any patented invention without a license.