

SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

1. Identification

Product identifier: ACEMATT® OK 520

Other means of identification

None.

Recommended restrictions

Recommended use: Matting agents

Restrictions on use: Not determined.

Manufacturer/Importer/Distributor Information

Company Name : Evonik Corporation
2 Turner Place
Piscataway, NJ 08854
USA

Telephone : +1 973 929 8000

Fax : +1 973 929 8040

E-mail : product-regulatory-services@evonik.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency : 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements

Product name: **ACEMATT® OK 520**

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | Common name and synonyms | CAS number | Content in percent (%) [*] |
|--|--------------------------|-------------|-------------------------------------|
| Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9) | | 112926-00-8 | 80 - 100% |
| Polyethylene | | 9002-88-4 | 1 - 5% |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

| | |
|--|---|
| Inhalation: | In case product dust is released: Possible discomfort: cough, sneezing Move victims into fresh air. |
| Skin Contact: | Wash off with plenty of water and soap. |
| Eye contact: | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes or until all material has been removed. Obtain medical attention. No information available. |
| Ingestion: | Clean mouth with water and drink afterwards plenty of water. After absorbing large amounts of substance / In case of discomfort: Supply with medical care. |
| Personal Protection for First-aid Responders: | As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear. In the event of fire, wear self-contained breathing apparatus. |

Most important symptoms/effects, acute and delayed

| | |
|------------------|--------------------|
| Symptoms: | None known. |
| Hazards: | No data available. |

Indication of immediate medical attention and special treatment needed

| | |
|-------------------|--|
| Treatment: | No hazards which require special first aid measures. |
|-------------------|--|

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

| | |
|--------------------------------------|--|
| Suitable extinguishing media: | Water spray, foam, CO ₂ , dry powder. Adapt fire-extinguishing measures to surroundings |
|--------------------------------------|--|

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical: May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear. In the event of fire, wear self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Methods and material for containment and cleaning up: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Environmental Precautions: Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice: Handle in accordance with good industrial hygiene and safety practice. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used. Use with adequate ventilation.

Contact avoidance measures: No data available.

Hygiene measures: When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

Storage

Safe storage conditions: Take precautionary measures against static discharges. Keep containers tightly closed in a dry, cool place. Avoid dust formation.

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|--|------|--|---|
| Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9) | PEL | 6 mg/m ³ | Source: 54 FR 2701 |
| | PEL | 20 millions of particles per cubic foot of air | Source: 54 FR 2701 |
| Polyethylene - Inhalable particles. | TWA | 10 mg/m ³ | US. ACGIH Threshold Limit Values, as amended (03 2016) |
| Polyethylene - Respirable particles. | TWA | 3 mg/m ³ | US. ACGIH Threshold Limit Values, as amended (03 2016) |
| Polyethylene - Respirable fraction. | PEL | 5 mg/m ³ | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016) |
| Polyethylene - Total dust. | PEL | 15 mg/m ³ | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016) |
| | TWA | 15 mg/m ³ | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| Polyethylene - Respirable fraction. | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| Polyethylene - Total dust. | TWA | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |
| Polyethylene - Respirable fraction. | TWA | 5 mg/m ³ | US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016) |

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear safety glasses with side shields. In case dusts are formed, wear close fitting protective goggles.

Skin Protection

Hand Protection: Additional Information: Use impermeable gloves.

Skin and Body Protection: A safety shower and eye wash fountain should be readily available. To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

Respiratory Protection: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hygiene measures: When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

| | |
|---|--|
| Physical state: | solid |
| Form: | Powder |
| Color: | White |
| Odor: | odourless |
| Odor Threshold: | Not applicable |
| pH: | approx. 6 (50 g/l, 20 °C) Suspension |
| Melting Point: | Not determined. |
| Boiling Point: | Not determined. |
| Flash Point: | Not applicable |
| Evaporation Rate: | Not applicable |
| Flammability (solid, gas): | Not determined. |
| Explosive limit - upper: | Not determined. |
| Explosive limit - lower: | Not determined. |
| Vapor pressure: | Not applicable |
| Vapor density (air=1): | Not applicable |
| Density: | Approximate 2 g/cm ³ (20 °C) (DIN / ISO 787 / 10) |
| Relative density: | No data available. |
| Solubility in Water: | hardly soluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | Not applicable |
| Self Ignition Temperature: | Not determined. |
| Decomposition Temperature: | > 230 °C |
| Kinematic viscosity: | Not applicable solid |
| Dynamic viscosity: | Not applicable solid |

Other information

| | |
|--------------------------------------|--|
| Explosive properties: | not to be expected, given the composition employed |
| Oxidizing properties: | not to be expected, given the composition employed |
| Minimum ignition energy: | Not determined. |
| Minimum ignition temperature: | approx. 460 °C |
| Dust explosion properties: | Not dust explosive |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | No dangerous reaction known under conditions of normal use. |
| Chemical Stability: | Stable under recommended storage conditions. |
| Possibility of hazardous reactions: | None if processed as per stipulations |
| Conditions to avoid: | None known. |

Incompatible Materials: None known.

Hazardous Decomposition Products: Carbon Monoxide. Carbon Dioxide. organic products of decomposition

11. Toxicological information

General information: Silicosis or other product specific illnesses of the respiratory tract were not observed in association with the product.

Information on likely routes of exposure

Inhalation: Information on effects are given below.

Skin Contact: Information on effects are given below.

Eye contact: Information on effects are given below.

Ingestion: Information on effects are given below.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 50,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity

Product: no evidence for hazardous properties

Skin Corrosion/Irritation

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation

Product: Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization

Product: Not known.

Carcinogenicity

Product name: **ACEMATT® OK 520**

Product: Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA. No evidence that cancer may be caused.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogens present or none present in regulated quantities

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogens present or none present in regulated quantities

Germ Cell Mutagenicity**In vitro**

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: no evidence of reproductiontoxic properties

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Components:

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9) no evidence for hazardous properties

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Components:

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9) no evidence for hazardous properties

Aspiration Hazard

Product: Not classified

Other effects:

An Expert Judgment stated that no classification is necessary based on present knowledge. No toxicological tests are available on the product.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:**

Product name: **ACEMATT® OK 520****Fish****Product:** No data available.**Components:**

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9) LC 50 ((Brachydanio rerio), 96 h): > 10,000 mg/l The reported toxic effects relate to the nominal concentration.

Polyethylene LC 50 (Leuciscus idus (Golden orfe), 96 h): > 100 mg/l

Aquatic Invertebrates**Product:** No data available.**Components:**

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9) EC 50 (Daphnia magna, 24 h): > 1,000 mg/l The reported toxic effects relate to the nominal concentration.

Chronic hazards to the aquatic environment:**Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** Not readily degradable.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** Not to be expected.**Partition Coefficient n-octanol / water (log Kow)****Product:** Log Kow: Not applicable**Mobility in soil:**

No remarkable mobility in soil is to be expected.

Other adverse effects:

An Expert Judgment stated that no classification is necessary based on present knowledge.

13. Disposal considerations

Disposal methods: Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method.

Contaminated Packaging: Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

14. Transport information

Domestic regulation

49 CFR

Not regulated as a dangerous good

Remarks : Not dangerous according to transport regulations.

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

Product name: **ACEMATT® OK 520****US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act**Chemical Identity**

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)

US. Massachusetts RTK - Substance List**Chemical Identity**


Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)

US. Pennsylvania RTK - Hazardous Substances**Chemical Identity**

Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)

US. Rhode Island RTK**Chemical Identity**

Polyethylene

16. Other information, including date of preparation or last revision**NFPA Hazard ID**

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 03/26/2020**Version #:** 1.1**Further Information:** No data available.**Revision Information** Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer:

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.