

Date Prepared: 01/08/2018

SAFETY DATA SHEET

1. IDENTIFICATION

Product Name: EBECRYL® 895 radiation curing resins

Synonyms: None

Product Description: Dipentaerythritol penta/hexa acrylate

Molecular Weight: Not available Intended/Recommended Use: Coatings and Inks

Uses advised against: Reason: sensitizing properties. This product should not be used in any application

where unreacted liquid product is intended to come in direct contact with skin or

nails.

Allnex USA Inc., 9005 Westside Parkway, Alpharetta, Georgia 30009, USA

For Product and all Non-Emergency Information call your local Allnex contact point or contact us at http://www.allnex.com/contact

EMERGENCY PHONE (24 hours/day) - For emergency only involving spill, leak, fire, exposure or accident call:

Asia Pacific:

Australia: +61 2801 44558 (Carechem 24) China (PRC): +86(0)532-8388-9090 (NRCC) Japan: +81 345 789 341 (Carechem 24) New Zealand: +64 9929 1483 (Carechem 24)

India: 000 800 100 7479 (toll free) or +65 3158 1198 (Carechem 24)

Korea: +82 2 3479 8401 (Carechem 24) Malaysia: +60 3 6207 4347 (Carechem 24) Philippines: +63 2 231 2149 (Carechem 24) All Others: +65 3158 1074 (Carechem 24) Europe/Africa/Middle East (Carechem 24):

Europe, Middle East, Africa, Israel: +44 (0) 1235 239 670

Middle East, Africa (Arabic speaking countries): +44 (0) 1235 239 671

Latin America:

Brazil: +55-800-707-7022 (toll free) or +55-11-98149-0850 (Suatrans 24)

Chile: +56 2 2582 9336 (Carechem 24)

Mexico and all others: +52-555-004-8763 (Carechem 24)

Canada and USA (Carechem 24 - Allnex29003-NCEC): +1-866-928-0789 (toll free) or +1-215-207-0061

Trademarks indicated with the ® or ™ are registered, unregistered or pending trademarks of Allnex IP S.à.r.l. or its directly or indirectly affiliated Allnex Group companies.

2. HAZARDS IDENTIFICATION

GHS Classification

Serious Eye Damage / Eye Irritation Hazard Category 2A Skin Sensitizer Hazard Category 1A Aquatic Environment Acute Hazard Category 3 Aquatic Environment Chronic Hazard Category 3

LABEL ELEMENTS



Signal Word WARNING

Hazard Statements

Causes serious eye irritation
May cause an allergic skin reaction
Harmful to aquatic life
Harmful to aquatic life with long lasting effects

Precautionary Statements

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local and national regulations.

Hazards Not Otherwise Classified (HNOC), Other Hazards

Polymerization may occur from excessive heat, contamination or exposure to direct sunlight.

Do not heat material above 60 C (140 F).

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

Component / CAS No.	%	GHS Classification	Carcinogen
Complex reaction product consisting primarily	~ 100	Eye Irrit. 2A (H319)	-
of dipentaerythritol hexaacrylate (CASRN 29570-58-9) and dipentaerythritol		Skin Sens. 1A (H317) Aquatic Acute 3 (H402)	
pentaacrylate (CASRN 60506-81-2)		Aquatic Chronic 3 (H412)	
-			

Additional GHS classification or other information may be included in this section but has not been adopted by OSHA. See Section 16 for full text of H phrases.

4. FIRST AID MEASURES

First-aid Measures

Inhalation:

Not an expected route of exposure.

Skin Contact:

Wash immediately with plenty of water and soap. Remove contaminated clothing and shoes without delay. Obtain medical attention. Do not reuse contaminated clothing without laundering. Destroy or thoroughly clean shoes before reuse.

Eye Contact:

Rinse immediately with plenty of water for at least 15 minutes. Obtain medical attention immediately.

Ingestion:

Material is not expected to be harmful by ingestion. No specific first aid measures are required.

Most Important Symptoms and Effects, Acute and Delayed

None known

Immediate Medical Attention and Special Treatment

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Notes To Physician:

No specific measures have been identified.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use water spray or fog, carbon dioxide or dry chemical.

Protective Equipment:

Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS Section 8 (Exposure Controls/Personal Protection).

Special Hazards:

Keep containers cool by spraying with water if exposed to fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Where exposure level is not known, wear approved, positive pressure, self-contained respirator. Where exposure level is known, wear approved respirator suitable for level of exposure. In addition to the protective clothing/equipment in Section 8 (Exposure Controls/Personal Protection), wear impermeable boots.

Methods For Cleaning Up:

Cover spills with some inert absorbent material; sweep up and place in a waste disposal container. Flush spill area with water.

Environmental Precautions:

Use appropriate containment to avoid environmental contamination. Avoid release to the environment.

References to other sections:

See Sections 7, 8 and 13 for additional information.

7. HANDLING AND STORAGE

HANDLING

Precautions: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye/face protection.

Date Prepared: 01/08/2018

Special Handling Statements: Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid excessive heat, contamination or exposure to direct sunlight to prevent polymerization.

STORAGE

Keep away from heat sources and direct sunlight. Store in a cool, dry, well ventilated place and keep container tightly closed.

Storage Temperature: Store at 4 - 40 °C

Reason: Quality.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:

Where this material is not used in a closed system, good enclosure and local exhaust ventilation should be provided to control exposure when spraying or curing at elevated temperatures.

Respiratory Protection:

For operations where inhalation exposure can occur use an approved respirator. Recommendations are listed below. Other protective respiratory equipment may be used based on user's own risk assessment. Recommended respirators include those certified by NIOSH.

Recommended:

Full Face Mask with organic vapor cartridge, Type A filter (BP >65°C)

Eve Protection:

Wear eye/face protection such as chemical splash proof goggles or face shield. Eyewash equipment and safety shower should be provided in areas of potential exposure.

Skin Protection:

Avoid skin contact. Wear impermeable gloves and suitable protective clothing. Barrier creams may be used in conjunction with the gloves to provide additional skin protection.

Hand Protection:

Wear protective gloves. Recommendations are listed below. Other protective materials may be used based on user's own risk assessment. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility etc.) is noticed.

Gloves for repeated or prolonged exposure - non exhaustive list:

Nitrile rubber (NBR), thickness: > 0.56 mm, break through time: up to 480 min

Gloves for short term exposure/splash protection - non exhaustive list:

Nitrile rubber (NBR), thickness: 0.1 mm, break through time: up to 30 min

The chemical resistance depends on the type of product and amount of product on the glove. Therefore gloves need to be changed when in contact with chemicals.

Not suitable gloves - non exhaustive list:

Latex gloves

Due to many conditions (e.g. temperature, abrasion) the practical usage of a chemical protective glove in practice may be much shorter than the permeation time determined through testing. Use PE gloves as under gloves for difficult situations like for instance: high exposure, unknown composition or unknown properties of the chemicals.

Additional Advice:

Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.

Exposure Limit(s)

No values have been established.

Biological Exposure Limit(s)

No values have been established.

SDS: 0058020

9. PHYSICAL AND CHEMICAL PROPERTIES

Color: yellowish **Appearance:** liquid

Odor:ester acrylateBoiling Point:> 100 °CMelting Point:Not available

Vapor Pressure: 0.013 hPa @ 25 °C

Specific Gravity/Density: 1.17 g/cm³ Vapor Density: Not available Percent Volatile (% by wt.): < 0.5 % pH: Not available

Saturation In Air (% By Vol.):

Evaporation Rate: Not available Solubility In Water: slightly soluble Volatile Organic Content: Not available

Flash Point: > 100 °C 212 °F Setaflash Closed Cup

Flammable Limits (% By Vol):
Autoignition Temperature:
Decomposition Temperature:
Not available
Not available
Not available

(n-octanol/water):

Odor Threshold: Not available Viscosity (Kinematic): Not available

Viscosity (Dynamic): 5000 - 10000 mPa.s @ 25 °C

10. STABILITY AND REACTIVITY

Reactivity: No information available

Stability: Stable

Conditions To Avoid: Avoid direct exposure to sunlight. Avoid temperatures higher than 60°C. Avoid

friction with temperature increase as result. Avoid exposure to strong UV sources. Loss of dissolved air. Loss of polymerization inhibitor. Avoid direct contact with

heat sources. Protect from direct sunlight.

Polymerization: May occur

Conditions To Avoid: Uncontrolled polymerization may cause rapid evolution of heat and increase in

pressure that could result in violent rupture of sealed storage vessels or containers Hazardous polymerization can occur when exposed to direct sunlight. Hazardous

exothermic polymerization can occur when heated.

Materials To Avoid: Avoid contact with peroxides.

Avoid free radical producing initiators. Avoid contact with reactive metals.

Contact with alkalis.

SDS: 0058020

They give an exothermic reaction with the product. Unintentional contact with them should be avoided.

Hazardous Decomposition Products:

Carbon dioxide

Carbon monoxide (CO)

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin, Eyes, Oral.

Acute toxicity - oral: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Acute toxicity - dermal: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Acute toxicity - inhalation: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Skin corrosion / irritation: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Serious eye damage / eye irritation: Causes serious eye irritation

Respiratory sensitization: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Skin sensitization: May cause an allergic skin reaction

Carcinogenicity: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Germ cell mutagenicity: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Reproductive toxicity: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure: Not Classified. - Based on available data and/or professional judgment, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure: Not Classified. - Based on available data and/or professional judgment, the classification criteria are not met.

Aspiration hazard: Not Classified - Based on available data and/or professional judgment, the classification criteria are not met.

PRODUCT TOXICITY INFORMATION

ACUTE TOXICITY DATA

oral	rat	Acute LD50	> 2000 mg/kg
dermal	rabbit	Acute LD50	> 2000 mg/kg
			Toxicological studies of a comparable product.
inhalation	rat	Acute LC50 4 hr	> 20 mg/l Not an expected route of exposure

LOCAL EFFECTS ON SKIN AND EYE

Acute Irritation	dermal	rabbit	Not irritating
Acute Irritation	eye	rabbit	Irritating

ALLERGIC SENSITIZATION

Sensitization Local Lymph Node Assay Skin mouse Sensitizing

SDS: 0058020

Sensitization respiratory Not an expected route of exposure

SUBACUTE/SUBCHRONIC TOXICITY

oral rat 75 mg/kg/day Negative

Toxicological studies of a comparable product.

GENOTOXICITY

Assays for Gene Mutations

Ames Salmonella Assay Negative

REPRODUCTIVE TOXICITY

oral (gavage) rat Negative

Toxicological studies of a comparable product.

OTHER INFORMATION

The toxicity data above are the results from Allnex sponsored studies or from the available public literature. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms such as redness, blistering, dermatitis, etc.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

HAZARDOUS INGREDIENT TOXICITY DATA

Complex reaction product consisting primarily of dipentaerythritol hexaacrylate (CASRN 29570-58-9) and dipentaerythritol pentaacrylate (CASRN 60506-81-2) has an acute oral (rat) LD50 value of > 2000 mg/kg. The dermal (rabbit) LD50 is > 2000 mg/kg (based on a similar substance). The substance is not irritating to skin but moderately irritating to eye and was found to be a skin sensitizer in the mouse local lymph node assay. Based on the results of in vitro and in vivo testing, the substance is not considered to be genotoxic. No fertility or developmental effects were seen in reproductive toxicity studies.

California Proposition 65 Warning (applicable in California only) - This product contains (a) chemical(s) known to the State of California to cause cancer and birth defects or other reproductive harm.

12. ECOLOGICAL INFORMATION

TOXICITY, PERSISTENCE AND DEGRADABILITY, BIOACCUMULATIVE POTENTIAL, MOBILITY IN SOIL, OTHER ADVERSE EFFECTS

Overall Environmental Toxicity: Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

This material is not readily biodegradable.

ECOTOXICITY

ALGAE TEST RESULTS

Test: Growth Inhibition (OECD 201)

Duration: 0-72 hr

Species: Pseudokirchneriella subcapitata

> 100 mg/l ErL50 As Water Accommodating Fraction.
> 36 mg/l ErC50 As Water Accommodating Fraction

Date Prepared: 01/08/2018

FISH TEST RESULTS

Test: Acute toxicity, freshwater (OECD 203) **Duration:** 96 hr. Procedure: Static.

Species: Carp (Cyprinus carpio) 13 mg/l

As Water Accommodating Fraction

INVERTEBRATE TEST RESULTS

Test: Acute Immobilization (OECD 202) **Duration:** 48 hr **Procedure:** Static **Species:** Water Flea (Daphnia magna)

35 ma/l As Water Accommodating Fraction EL50 8.4 mg/l **NOEC** As Water Accommodating Fraction

BACTERIA TEST RESULTS

Test: Respiration Inhibition (OECD 209)

Duration: 3 hr

Species: Activated Sludge - Bacterial

> 100 mg/lEC50 Information based on a structurally similar material

OTHER TEST RESULTS

Test: Soil Microorganisms: Nitrogen Transformation Test (OECD 216)

Duration: 28 day Procedure: Artificial soil test

1000 mg/kg **NOEC**

Test: Earthworm Reproduction Test (OECD 222) **Duration:** 56 day Procedure: Artificial soil test

Species: Earthworm (Eisenia andrei)

115 mg/kg EC50

DEGRADATION

Test: CO2 Evolution: Modified Sturm (OECD 301B)

Duration: 28 day Procedure: Ready biodegradability 0 - 2 % This material is not readily biodegradable.

RESULTS OF PBT AND vPvB ASSESSMENT

This product does not meet the criteria for PBT (Persistent, Bioaccumulative and Toxic substance) or for vPvB (Very Persistent and Very Bioaccumulative).

HAZARDOUS INGREDIENT TOXICITY DATA

Component / CAS No.	Toxicity to Fish
Complex reaction product consisting primarily of dipentaerythritol hexaacrylate (CASRN 29570-58-9) and dipentaerythritol pentaacrylate (CASRN 60506-81-2) (-)	LL50 = 13 mg/L - Carp (Cyprinus carpio) (96h)

Component / CAS No.	Toxicity to Water Flea
Complex reaction product consisting	EL50 = 35 mg/L - Daphnia magna (48h)
primarily of dipentaerythritol	NOEC = 8.4 mg/L - Daphnia magna (48h)
hexaacrylate (CASRN 29570-58-9)	
and dipentaerythritol pentaacrylate	
(CASRN 60506-81-2) (-)	

Component / CAS No.	Toxicity to Algae
Complex reaction product consisting	ErL50 = >100 mg/L - Pseudokirchneriella
primarily of dipentaerythritol	subcapitata (72h)
hexaacrylate (CASRN 29570-58-9)	ErC50 = >36 mg/l - Pseudokirchneriella subcapitata
and dipentaerythritol pentaacrylate	(72h)
(CASRN 60506-81-2) (-)	

Component / CAS No.	Partition coefficient
Complex reaction product consisting	Not available
primarily of dipentaerythritol	
hexaacrylate (CASRN 29570-58-9)	
and dipentaerythritol pentaacrylate	
(CASRN 60506-81-2) (-)	

13. DISPOSAL CONSIDERATIONS

The information on RCRA waste classification and disposal methodology provided below applies only to the product, as supplied. If the material has been altered or contaminated, or it has exceeded its recommended shelf life, the quidance may be inapplicable. Hazardous waste classification under federal regulations (40 CFR Part 261 et seg) is dependent upon whether a material is a RCRA "listed hazardous waste" or has any of the four RCRA "hazardous waste characteristics." Refer to 40 CFR Part 261.33 to determine if a given material to be disposed of is a RCRA "listed hazardous waste": information contained in Section 15 of this SDS is not intended to indicate if the product is a "listed hazardous waste." RCRA Hazardous Waste Characteristics: There are four characteristics defined in 40 CFR Section 261.21-61.24: Ignitability, Corrosivity, Reactivity, and Toxicity. To determine Ignitability, see Section 9 of this SDS (flash point). For Corrosivity, see Sections 9 and 14 (pH and DOT corrosivity). For Reactivity, see Section 10 (incompatible materials). For Toxicity, see Section 3 (composition). Federal regulations are subject to change. State and local requirements, which may differ from or be more stringent than the federal regulations, may also apply to the classification of the material if it is to be disposed. The Company encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste. The Company recommends that organic materials classified as RCRA hazardous wastes be disposed of by thermal treatment or incineration at EPA approved facilities. The Company has provided the foregoing for information only; the person generating the waste is responsible for determining the waste classification and disposal method.

14. TRANSPORT INFORMATION

This section provides basic shipping classification information. Refer to appropriate transportation regulations for specific requirements.

US DOT

Dangerous Goods? Not applicable/Not regulated

TRANSPORT CANADA

Dangerous Goods? Not applicable/Not regulated

ICAO / IATA

Dangerous Goods? Not applicable/Not regulated

IMO

Dangerous Goods? Not applicable/Not regulated

SDS: 0058020

Date Prepared: 01/08/2018

15. REGULATORY INFORMATION

Inventory Information

United States (USA): All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.

Canada: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

European Economic Area (including EU): When purchased from an Allnex legal entity based in the EEA (EU or Norway), this product is compliant with the registration of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, pre-registered and/or registered.

Australia: All components of this product are included in the Australian Inventory of Chemical Substances (AICS) or are not required to be listed on AICS.

China: All components of this product are included on the Chinese inventory or are not required to be listed on the Chinese inventory.

Japan: All components of this product are included on the Japanese (ENCS) inventory or are not required to be listed on the Japanese inventory.

Korea: All components of this product are included on the Korean (ECL) inventory or are not required to be listed on the Korean inventory.

Philippines: All components of this product are included on the Philippine (PICCS) inventory or are not required to be listed on the Philippine inventory.

Taiwan: All components of this product are included in the Taiwan chemical substance inventory or are not required to be listed on the Taiwan chemical substance inventory (TCSI).

Switzerland: All components of this product are exempt from the new substance notification requirements for Switzerland (SR 813.11 art. 24-26).

OTHER ENVIRONMENTAL INFORMATION

The following components of this product may be subject to reporting requirements pursuant to Section 313 of CERCLA (40 CFR 372), Section 12(b) of TSCA, or may be subject to release reporting requirements (40 CFR 307, 40 CFR 311, etc.) See Section 13 for information on waste classification and waste disposal of this product.

This product does not contain any components regulated under these sections of the EPA

PRODUCT HAZARD CATEGORY UNDER SECTIONS 311 AND 312 OF EPCRA

Physical Hazards Not applicable

140t applicable

Health Hazards

Date Prepared: 01/08/2018

Respiratory or Skin Sensitization Serious eye damage or eye irritation

SDS: 0058020

16. OTHER INFORMATION

NFPA Hazard Rating (National Fire Protection Association)

Health: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

Fire: 1 - Materials that must be preheated before ignition can occur.

Instability: 1 - Materials that in themselves are normally stable, but that can become unstable at elevated temperatures and pressures.

Reasons For Issue: Revised Section 15

Date Prepared: 01/08/2018 **Date of last significant revision:** 05/19/2017

Complex reaction product consisting primarily of dipentaerythritol hexaacrylate (CASRN 29570-58-9) and dipentaerythritol pentaacrylate (CASRN 60506-81-2)

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H402 - Harmful to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Described Described Observables Observables Mississ Described the Management of the

Prepared By: Product Stewardship & Regulatory Affairs Department, http://www.allnex.com/contact

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation, and verification. Before using any product, read its label.