

Safety Data Sheet

LOTRYL® Alkyl Acrylate

Publication: 2019-01-23

Document type	Name	Last data update	Version	Page
Safety data sheets	LOTRYL® Alkyl Acrylate	2019-01-22	4.2	<u>3</u>
Inventories	<u>Inventory</u>	2019-01-22	1.2	9



SAFETY DATA SHEET

accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

Product: LOTRYL® Alkyl Acrylate Page: 1 / 6

SDS No.: 001129-001 (Version 4.2) Date 22.01.2019 (Cancel and replace : 06.01.2017)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Generic Safety Data Sheet

1.1. Identification of the product

Identification of the mixture: LOTRYL® Alkyl Acrylate

Grades: LOTRYL® 17BA04 / LOTRYL® 17BA07 / LOTRYL® 17BA07N / LOTRYL® 17BA07T / LOTRYL® 18MA02 / LOTRYL® 18MA02N / LOTRYL® 20MA08 / LOTRYL® 20MA08N / LOTRYL® 20MA08T / LOTRYL® 24MA005 / LOTRYL® 24MA02 / LOTRYL® 24MA02N / LOTRYL® 24MA02T / LOTRYL® 24MA07T / LOTRYL® 28BA175 / LOTRYL® 28BA175T / LOTRYL® 28BA700T / LOTRYL® 28MA07 / LOTRYL® 29MA03 / LOTRYL® 29MA03T / LOTRYL® 30BA02 / LOTRYL® 30BA02T / LOTRYL® 35BA320 / LOTRYL® 35BA320T / LOTRYL® 35BA40 / LOTRYL® 35BA40T / LOTRYL® BESTPEEL 2407 / LOTRYL® HMA / LOTRYL® HMA-LV / LOTRYL® 35MA05T (product under development) / LOTRYL® 40MA05T (product under development)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Hotmelt adhesives and coatings, Films, Coextrusion, Compounds

1.3. Details of the supplier of the safety data sheet

Supplier SK FP

Tour CB21 - 16, Place de l'Iris 92400 Courbevoie - FRANCE E-mail address: info.sds@sk-fp.mo

1.4. <u>Emergency telephone number</u> + 1 703-741-5970 / 1-800-424-9300

European emergency phone number: 112

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008):

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Label elements (REGULATION (EC) No 1272/2008):

No label necessary for this product.

2.3. Other hazards

Potential health effects:

Acute exposure: Contact with the product, when handled at high temperatures, can cause serious burns.

Inhalation: At high temperature, products of thermal decomposition can be irritating to respiratory system

Possible irritation of respiratory system (by dust inhalation).

Skin contact: At high temperature, products of thermal decomposition can be irritating to skin

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Possible cross sensitization with other acrylates and methacrylates

Eye contact: At high temperature, products of thermal decomposition can be irritating to eyes

Environmental Effects:

Not biodegradable.

Physical and chemical hazards:

Thermal decomposition giving toxic products Decomposition products: See chapter 10 SDS No.: 001129-001 (Version 4.2)

Date 22.01.2019 (Cancel and replace : 06.01.2017)

Other:

Results of PBT and vPvB assessment: Based on the available information, it is not possible to conclude on PBT and vPvB criteria according to REACH regulation, annex XIII.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical nature of the mixture1:

Ethylene and methyl acrylate copolymer (EMA) or Ethylene and Butyl Acrylate copolymer (EBA)

Presence of additives (anti-oxidant - slip additives - antiblock additives)

Possible presence of : Mineral load

- 1: See chapter 14 for Proper Shipping Name
- ²:See the text of the regulation for applicable exceptions or provisions -

4. FIRST AID MEASURES

4.1. Description of necessary first-aid measures:

General advice:

No hazards which require special first aid measures.

Inhalation:

Dust inhalation Inhalation of vapours from heated product: Inhalation of vapours due to thermal decomposition: Move to fresh air. Oxygen or artificial respiration if needed. In case of persistent problems: Consult a physician.

Skin contact:

Cool skin rapidly with cold water after contact with molten material. Remove product with vegetable oil or paraffin. In case of adhesion, do not try to remove the product. Treat the affected areas as thermal burns.

Eye contact:

Remove particles remaining under the eyelids. Wash well-open eyes immediately, abundantly and thoroughly with water. If irritation persists, consult an ophthalmologist.

Ingestion:

In case of problems: Consult a doctor.

4.2. Most important symptoms/effects, acute and delayed: No data available.

4.3. Indication of immediate medical attention and special treatment needed, if necessary: No data available.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Water spray, Foam, Carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture:

Thermal decomposition giving toxic products, Carbon monoxide, Carbon dioxide (CO2), Organic vapours, Nitrogen oxides (NOx)

5.3. Advice for firefighters:

Specific methods:

Ensure a system for the rapid emptying of containers. In case of fire nearby, remove exposed containers.

Special protective actions for fire-fighters:

In the event of fire, wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid contact with the skin and the eyes. Avoid breathing dust. Wear a dust mask and safety glasses/goggles if necessary. In case of insufficient ventilation, wear suitable respiratory equipment.

6.2. Environmental precautions:

Do not release into the environment. Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up:

SDS No.: 001129-001 (Version 4.2) Date 22.01.2019 (Cancel and replace: 06.01.2017)

Recovery:

Shovel or sweep up. Shovel into suitable container for disposal.

Elimination:

Destroy the product by incineration (in accordance with local and national regulations). Recycle or incinerate at an approved waste disposal site. In accordance with local and national regulations.

6.4. Reference to other sections: None.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

Hygiene measures:

Avoid contact with the skin and the eyes. Avoid breathing dust. Product handled when hot: Avoid inhalation of vapours. When using do not eat, drink or smoke.

Wash hands after handling. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities:

Remove all sources of ignition. Do not stack pallets on top of one another. Store away from moisture and heat to maintain the technical properties of the product. Provide earthing and safe electrical equipment.

Packaging material:

Recommended: Waterproof polyethylene bags, Cardboard containers

7.3. Specific end use(s): None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters:

Exposure Limit Values Not relevant

Derived No Effect Level (DNEL):

This information is not required.

Predicted No Effect Concentration:

This information is not required.

8.2. Exposure controls:

General protective measures: Ensure ventilation of work areas and extraction of dust or vapours likely to be given off during

conversion operations (product handled when hot).

Personal protective equipment:

Skin and body protection:

Respiratory protection: Wear a mask, if necessary. Gloves (product handled when hot) Hand protection:

Safety glasses/goggles (product handled in molten state) - Wear face-shield and protective Eye/face protection:

clothing in case of problems during processing Protective clothing (product handled when hot)

Environmental exposure controls: See chapter 6

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance:

Physical state (20°C): solid Form: granules Colour: natural colour Odour: ester-like

Olfactory threshold: No data available pH: Not applicable Melting point/range: 60 - 100 °C Softening point: VICAT 30 - 65 °C Boiling point/boiling range: Not applicable Flash point: Not applicable **Evaporation rate:** Not relevant

Product: LOTRYL® Alkyl Acrylate Page: 4 / 6

SDS No.: 001129-001 (Version 4.2)

Date 22.01.2019 (Cancel and replace: 06.01.2017)

Flammability (solid, gas):

Vapour pressure:

Not applicable

Vapour density:

Not applicable

Density: 920 - 980 kg/m3 , at 20 °C

Bulk density: approximately 500 kg/m3, at 20 °C

Water solubility: insoluble at 20 °C

Partition coefficient: n-octanol/water: No data available

Auto-ignition temperature: approximately 350 °C (Standard ASTM 19-29)

Decomposition temperature: > 350 °C **Viscosity, dynamic:** Not applicable

Explosive properties:

Explosivity: Not relevant (due to physical form)

Oxidizing properties: Not relevant (due to its chemical structure)

9.2. Other data: None.

10. STABILITY AND REACTIVITY

10.1. Reactivity: No data available.

10.2. Chemical stability:

The product is stable under normal handling and storage conditions.

10.3. Possibility of hazardous reactions: No data available.

10.4. Conditions to avoid:

Store protected from moisture and heat.

Temperatures above 30 °C

(to maintain the technical properties of the product).

10.5. Incompatible materials to avoid: No data available.

10.6. Hazardous decomposition products:

Thermal decomposition:

Decomposition temperature: > 350 °C

Thermal decomposition giving toxic products, Carbon monoxide, Carbon dioxide (CO2), Organic vapours, Nitrogen oxides (NOx)

11. TOXICOLOGICAL INFORMATION

All available data on this product and/or the components quoted in section 3 and/or the analogue substances/metabolites have been taken into account for the hazard assessment.

11.1. Information on toxicological effects:

Acute toxicity:

Ingestion: Polymer: Can be considered as : Slightly harmful by ingestion

Dermal: Polymer: Can be considered as : Slightly harmful in contact with skin

Local effects (Corrosion / Irritation / Serious eye damage):

Skin contact: Polymer: Can be considered as : Non irritating to skin

Contact with the product, when handled at high temperatures, can cause serious burns., At high

temperature, products of thermal decomposition can be irritating to skin

Eye contact: Polymer: Can be considered as: Not irritating to the eyes.

Contact with the product, when handled at high temperatures, can cause serious burns., At high

temperature, products of thermal decomposition can be irritating to eyes

Respiratory or skin sensitisation:

Inhalation: No data available.

Skin contact:

Traces of:, Residual monomers

• In man : Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Possible cross sensitization with other acrylates and methacrylates

Product: LOTRYL® Alkyl Acrylate Page: 5 / 6

SDS No.: 001129-001 (Version 4.2) Date 22.01.2019 (Cancel and replace : 06.01.2017)

CMR effects:

Mutagenicity: No data available.

Carcinogenicity: Polymer: No particular problems for man

Reproductive toxicity: No data available.

Specific target organ toxicity:

Single exposure :

Inhalation:

Dust inhalation: , Possible irritation of respiratory system

At high temperature, products of thermal decomposition can be irritating to respiratory system

Repeated exposure: Polymer: No particular problems for man

Aspiration hazard:

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicology Assessment: All available and relevant data on this product and/or the components quoted in section 3 and/or the

analogue substances/metabolites have been taken into account for the hazard assessment.

12.1. Acute toxicity:

Fish:

No data available

Aquatic invertebrates:

No data available

Aquatic plants:

No data available

Microorganisms:

No data available

12.2. Persistence and degradability:

Biodegradation (In water): Inert polymer Not biodegradable on the basis of its structure

12.3. Bioaccumulative potential:

No data available

12.4. Mobility in soil - Distribution among environmental compartments:

Vapor pressure: Not applicable,

12.5. Results of PBT and vPvB assessment :

Based on the available information, it is not possible to conclude on PBT and vPvB criteria according to REACH regulation, annex XIII.

12.6. Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment:

Disposal of product: Destroy the product by incineration (in accordance with local and national regulations).

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Product:

SDS No.: 001129-001 (Version 4.2) Date 22.01.2019 (Cancel and replace : 06.01.2017)

Safety data sheets: accordance with Annex II of Regulation (EC) No 1907/2006 and its amendment(s)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2. Chemical safety assessment:

This information is not required.

INVENTORIES:

For the inventory details, see Appendix.

16. OTHER INFORMATION

Update:

Safety	Type:	
1	Grades	Additions
2	2. HAZARDS IDENTIFICATION	Additions
12	12. ECOLOGICAL INFORMATION	Revisions
15	Inventories	Additions

Thesaurus:

NOAEL: No Observed Adverse Effect Level (NOAEL) LOAEL: Lowest Observed Adverse Effect Level (LOAEL)

bw : Body weight food : oral feed dw : Dry weight

vPvB : very Persistent and very Bioaccumulative PBT : Persistent, Bioaccumulative and Toxic

This information applies to the PRODUCT AS SUCH and conforming to specifications of SK FP. In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear. The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. Users are advised of possible additional hazards when the product is used in applications for which it

was not intended. This sheet shall only be used and reproduced for prevention and security purposes. The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive. It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product. It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product (usage, storage, cleaning of containers, other processes) the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma).



INVENTORIES DOCUMENT

Product: LOTRYL® Alkyl Acrylate Page: 1/3

SDS No.: 001129-001 (Version 1.2)

Date 22.01.2019 (Cancel and replace : 21.12.2016)

Name Inventory	EINECS / REACH	TSCA	DSL / NDSL	IECSC	ENCS	ISHL	KECI	PICCS	AICS	NZIOC
LOTRYL® 17BA04	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 17BA07	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 17BA07N	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 17BA07T	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 18MA02	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 18MA02N	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 20MA08	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 20MA08N	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 20MA08T	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 24MA005	Conforms to	Conforms to	Conforms to (F)	Conforms to						
LOTRYL® 24MA02	Conforms to	Conforms to	Conforms to (F)	Conforms to						

(A) The product contains ELINCS substances.	(I) This product contains at least one component covered by an exemption available only for SK FP - Please consult SK FP for more information					
(B) This substance has been registered according to Regulation (EC) No. 1907/2006 (REACH).	(J) This product contains at least one component covered by a polymer exemption available only for SK FP - Please consult SK FP for more information.					
(C) This substance is exempt from registration according to Regulation (EC) No. 1907/2006 (REACH).	(K) Consult SK FP.					
(D) This product contains at least one component registered according to Regulation (EC) N° 1907/2006 (REACH)	(L) This product contains a NLP (No Longer Polymer)					
(E) This product contains at least one component exempt according to Regulation (EC) N° 1907/2006 (REACH)	(M) The mixture contains a polymer. All the monomers for this polymer & other substances are listed on the inventory, Consult SK FP.					
(F) All components of this product are on the Canadian DSL (N) Consult SK FP	isted of the inventory, consult of the					
(G) This product contains one or several components listed in the Canadian NDSL list. All other components are on the DSL list.	(O) Based on alternate CAS number(s).					
(H) This product contains one or several components that are not on the Canadian DSL nor NDSL lists.						
In case of empty inventory, Consult SK FP.						
SK FP Tour CB21 - 16, Place de l'Iris - 92400 Courbevoie - FRANCE						

Product:

LOTRYL® Alkyl Acrylate

SDS No.: 001129-001 (Version 1.2)

Date 22.01.2019 (Cancel and replace: 21.12.2016)

Page: 2 / 3

| LOTRYL® 24MA02N | Conforms to | Conforms to | Conforms to (F) | Conforms to |
|------------------|-------------|-------------|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| LOTRYL® 24MA02T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 24MA07T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 28BA175 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 28BA175T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 28BA700T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 28MA07 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 29MA03 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 29MA03T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 30BA02 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 30BA02T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 35BA320 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 35BA320T | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 35BA40 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® 35BA40T | Conforms to | Conforms to | Conforms to (F) | Conforms to |

(A) The product contains ELINCS substances.	(I) This product contains at least one component covered by an exemption available only for SK FP - Please consult SK FP for more information					
(B) This substance has been registered according to Regulation (EC) No. 1907/2006 (REACH).	(J) This product contains at least one component covered by a polymer exemption available only for SK FP - Please consult SK FP for more information.					
(C) This substance is exempt from registration according to Regulation (EC) No. 1907/2006 (REACH).	(K) Consult SK FP.					
(D) This product contains at least one component registered according to Regulation (EC) N° 1907/2006 (REACH)	(L) This product contains a NLP (No Longer Polymer)					
(E) This product contains at least one component exempt according to Regulation (EC) N° 1907/2006 (REACH)	(M) The mixture contains a polymer. All the monomers for this polymer & other substances are listed on the inventory, Consult SK FP.					
(F) All components of this product are on the Canadian DSL (N) Consult SK FP						
(G) This product contains one or several components listed in the Canadian NDSL list. All other components are on the DSL list.	(O) Based on alternate CAS number(s).					
(H) This product contains one or several components that are not on the Canadian DSL nor NDSL lists.						
In case of em	pty inventory, Consult SK FP.					
SK FP Tour CB21 - 16, Place de l'Iris - 92400 Courbevoie - FRANCE						

 Product:
 LOTRYL® Alkyl Acrylate
 Page: 3 / 3

 SDS No.: 001129-001 (Version 1.2)
 Date 22.01.2019 (Cancel and replace : 21.12.2016)

| LOTRYL® BESTPEEL 2407 | Conforms to | Conforms to | Conforms to (F) | Conforms to |
|-----------------------|-------------|-------------|-----------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| LOTRYL® HMA | Conforms to | Conforms to | Conforms to (F) | Conforms to |
| LOTRYL® HMA-LV | Conforms to | Conforms to | Conforms to (F) | Conforms to |

(A) The product contains ELINCS substances.	(I) This product contains at least one component covered by an exemption available only for SK FP - Please consult SK FP for more information						
(B) This substance has been registered according to Regulation (EC) No. 1907/2006 (REACH).	(J) This product contains at least one component covered by a polymer exemption available only for SK FP - Please consult SK FP for more information.						
(C) This substance is exempt from registration according to Regulation (EC) No. 1907/2006 (REACH).	(K) Consult SK FP.						
(D) This product contains at least one component registered according to Regulation (EC) N° 1907/2006 (REACH)	(L) This product contains a NLP (No Longer Polymer)						
(E) This product contains at least one component exempt according to Regulation (EC) N° 1907/2006 (REACH)	(M) The mixture contains a polymer. All the monomers for this polymer & other substances are listed on the inventory, Consult SK FP.						
(F) All components of this product are on the Canadian DSL (N) Consult SK FP							
(G) This product contains one or several components listed in the Canadian NDSL list. All other components are on the DSL list.	(O) Based on alternate CAS number(s).						
(H) This product contains one or several components that are not on the Canadian DSL nor NDSL lists.							
In case of empty inventory, C	onsult SK FP.						
SK FP Tour CB21 - 16, Place de l'Iris - 92400 Courbevoie - FRANCE							