

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixture
Trade name	: PA12 2153N00
Product code	: 2153N00
Type of product	: Polymers
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: Non-dispersive use
Use of the substance/mixture	: Resin for moulding and/or extrusion
Function or use category	: injection moulding and/or extrusion applications

1.2.2. Uses advised against

Recommended use are listed above; other uses are not recommended unless an assessment has provided that risks are controlled.

1.3. Details of the supplier of the safety data sheet**Supplier**

Agiplast Italy Srl
Via Leonardo Da Vinci 40
26011 Casalbuttano, Cremona (CR) – Italy
T +39 0374 872480 - F +39 0374 872479
deborah.aglio@arkema.com giovanni.musilli@arkema.com

1.4. Emergency telephone number

Emergency number : +39 0374 872480


SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to GHS Regulation**

Skin sensitisation, Category 1 H317
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Prolonged and repeated skin contact may cause reddening, irritation and dermatitis. May cause sensitisation by skin contact. For specific information about the toxicological/ecotoxicological properties and classification of this product, see Sect. 11 and/or Sect. 12.

2.2. Label elements**Labelling according to GHS Regulation**

Hazard pictograms	:	
		GHS07
Signal word	:	Warning
Contains	:	Maleic anhydride
Hazard statements	:	H317 - May cause an allergic skin reaction.
Precautionary statements	:	P261 - Avoid breathing dust, mist. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves, eye protection, face protection. P333+P313 - If skin irritation or rash occurs, get medical advice/attention.

PA12 2153N00

Safety Data Sheet

P362+P364 - Take off contaminated clothing and wash before reuse.
P501 - Dispose of contents and container according to national regulations.

2.3. Other hazards (not relevant for classification)

Other hazards which do not result in classification : If the product is handled or used at high temperature, contact with hot product or vapours may cause burns. At high concentrations, the vapours can be irritating to the respiratory system. Prolonged and repeated skin contact may cause reddening, irritation and dermatitis.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Notes : Composition/Information on ingredients:
Polymers
Additives

Name	Product identifier	%	Classification according to GHS Regulation
Continuous filament glass fiber, non-respirable (*) See Note [*]	CAS-No.: N/D	30	Not classied
Maleic anhydride	CAS-No.: 108-31-6	< 0.002	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1A, H317 STOT RE 1, H372

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Maleic anhydride	CAS-No.: 108-31-6 EC-No.: 203-571-6 EC Index-No.: 607-096-00-9 REACH-no: 01-2119472428-31-0045	(0.001 \leq C \leq 100) Skin Sens. 1A; H317

Comments : Note [*]:
substance with national workplace exposure limit(s)

Full text of H -statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : No special measures required. In all cases of doubt, or when symptoms persist, seek medical attention.

PA12 2153N00

Safety Data Sheet

First-aid measures after inhalation	: In case of disturbances owing to inhalation of dust, remove the victim from exposure; keep at rest; if necessary, seek medical attention. Inhalation of mists or vapours at elevated temperatures may cause respiratory irritation. Move the affected person away from the contaminated area and into the fresh air. If symptoms persist call a doctor.
First-aid measures after skin contact	: Wash skin with soap and water. If inflammation or irritation persists, seek medical advice. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Hold the burned area under cold running water for at least five minutes, or until the pain subsides.
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids. If dust particles remain in the eye, do not rub the eye as mechanical abrasion due to the dust may damage the cornea. Continue rinsing. If irritation, blurred vision or swelling occurs and persists, obtain medical advice from a specialist. In case the hot product comes into contact with the eyes, rinse the injured part with water to dissipate the heat. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do not give anything to drink. Do not induce vomiting. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions at ambient temperatures. In case of disturbances owing to inhalation of dust, remove the victim from exposure; keep at rest; if necessary, seek medical attention. Inhalation of fumes or oil mists produced at high temperatures may cause irritation of the respiratory tract.
Symptoms/effects after skin contact	: Prolonged and repeated skin contact may cause reddening, irritation and dermatitis. May cause sensitization by skin contact.
Symptoms/effects after eye contact	: Not irritating to eyes.
Symptoms/effects after ingestion	: Accidental ingestion of small quantities of the product may cause nausea, discomfort and gastric disturbances.
Symptoms/effects upon intravenous administration	: No information available.
Chronic symptoms	: None known.

4.3. Indication of any immediate medical attention and special treatment needed

Obtain medical attention if casualty has an altered state of consciousness or if symptoms do not resolve. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO ₂). Dry chemical. Foam. Other extinguishing gases (according to regulations).
Unsuitable extinguishing media	: None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable. No fire hazard.
Explosion hazard	: None known.
Hazardous decomposition products in case of fire	: Thermal decomposition generates : Carbon oxides (CO, CO ₂). Sulfur oxides (SO _x). Nitrogen oxides. PO _x . On burning formation of metallic fumes. Silicon oxides.

5.3. Advice for firefighters

Firefighting instructions	: Shut off source of product, if possible. Move containers from fire area if it can be done without personal risk. Fight fire from safe distance and protected location.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: In case of fire, do not discharge residual product, waste materials and runoff water: collect separately and use a proper treatment.

PA12 2153N00

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop or contain leak at the source, if safe to do so. Avoid direct contact with released material. Keep upwind. Spill area may be slippery.

6.1.1. For non-emergency personnel

Protective equipment : Wear personal protective equipment.
Emergency procedures : Alert emergency personnel. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Except in case of small spillages, the feasibility of any actions should always be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Notify local authorities according to relevant regulations. In case of large spillages, alert occupants in downwind areas.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow product to spread into the environment.

6.3. Methods and material for containment and cleaning up

For containment : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.
Methods for cleaning up : Prevent runoff from entering drains, sewers or waterways. Wash contaminated area with large amounts of water. This material and its container must be disposed of in a safe way, and as per local legislation. Transfer recovered product and other materials to suitable tanks or containers and store/dispose according to relevant regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Provide adequate ventilation. Avoid dust formation. Do not breathe fumes from hot product. When heated, material emits highly irritating vapours, affecting the eyes. Risk of splashing of hot material. Avoid contact with skin and eyes.
Hygiene measures : Use adequate personal protective equipment as needed. Do not breathe fume/ mist/ vapours. Avoid contact with skin. Wash the hands thoroughly after handling. Do not ingest. Do not smoke. Do not eat and do not drink during use. Do not re-use clothes, if they are still contaminated. Contaminated work clothing should not be allowed out of the workplace. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from moisture. Provide equipment/receptacles with earthing. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible products : Keep away from strong acids and strong oxidizers. Strong bases.
Storage area : Storage area layout, tank design, equipment and operating procedures must comply with the relevant national or local legislation. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills. Cleaning, inspection and maintenance of internal structure of storage tanks must be done only by properly equipped and qualified personnel as defined by national, local or company regulations.
Packages and containers: : If the product is supplied in containers: Keep containers tightly closed and properly labelled. Keep only in the original container or in a suitable container for this kind of product.
Packaging materials : For containers, or container linings use materials specifically approved for use with this product.

PA12 2153N00

Safety Data Sheet

7.3. Specific end use(s)

No available data.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Continuous filament glass fiber, non-respirable	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 fibers/cm ³ (A4, ACGIH 2021)

Maleic anhydride (108-31-6)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Maleic anhydride
ACGIH OEL TWA	0.01 mg/m ³
Remark (ACGIH)	DSEN; RSEN; A4
Regulatory reference	ACGIH TLV 2021

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:


Ensure good ventilation of the work station. Avoid contact with skin and eyes. Comply with the safety procedures. Where hot product is handled in confined spaces, effective local ventilation must be provided.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective clothing. Safety glasses. Gas mask. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Not required for normal conditions of use. Wear a face shield when working with molten material. If exposed to splashes or splashes in relation to the workmanship, adequate mucous membrane protection (mouth, nose, eyes) should be provided to avoid accidental absorption. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure

8.2.2.2. Skin protection

Skin and body protection:

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather). Antistatic non-skid safety shoes or boots, chemical resistant, if necessary heat resistant and insulated. Long-sleeved antistatic clothing, if necessary heat-resistant. If necessary, refer to the NIOSH-USA and related standards, for definition of characteristics and performance according to the risk rating of the area. Coveralls should be changed at the end of the work shift and cleaned as necessary to avoid transfer of product to clothes or underwear.

PA12 2153N00

Safety Data Sheet

Hand protection:

Wear suitable gloves tested to NIOSH-USA standard. Adequate materials: nitrile (NBR) or neoprene with a protection index ≥ 5 (permeation time ≥ 240 mins). Butyl rubber gloves. Protective gloves made of PVC. When material is heated, wear gloves to protect against thermal burns. Use gloves respecting all the conditions and within the limits set by the manufacturer. Replace gloves immediately in case of cuts, holes or other signs of damages or degradation. If necessary, refer to the NIOSH-USA standard. Personal hygiene is a key element for an effective hand care. Gloves must be worn only with clean hands. After wearing gloves, hands must be carefully washed and dried.

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use. Wear suitable respiratory equipment in case of insufficient ventilation. Dust mask is required when a considerable amount of dust is presented in the environment during use (filter P2). Combination filter device (Refer to NIOSH-USA standard). If appropriate ventilation is not available use face mask when handling the molten product. Filter type: Type A - High-boiling (>65 °C) organic compounds.

8.2.2.4. Thermal hazards

Thermal hazard protection:

If contact with hot product is possible or anticipated, gloves should be heat-resistant and thermally insulated.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Storage areas/installations should be designed with adequate bunds so as to prevent ground and water pollution in case of leaks or spills.

Consumer exposure controls:

Not applicable.

Other information:

None.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: characteristic
Appearance	: granules.
Odour	: Mild.
Odour threshold	: Lack of data (on mixture / components of the mixture) - Data not available
Melting point	: 168 – 178 °C
Freezing point	: Lack of data (on mixture / components of the mixture) - Data not available
Boiling point	: 314 °C
Flammability	: Not flammable
Explosive properties	: None (according to composition).
Oxidising properties	: None (according to composition).
Lower explosion limit	: Lack of data (on mixture / components of the mixture) - Data not available
Upper explosion limit	: Lack of data (on mixture / components of the mixture) - Data not available
Flash point	: Lack of data (on mixture / components of the mixture) - Data not available
Auto-ignition temperature	: Lack of data (on mixture / components of the mixture) - Data not available
Decomposition temperature	: Lack of data (on mixture / components of the mixture) - Data not available
pH	: Not applicable
pH solution	: Not applicable
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Solubility	: Insoluble in water. Soluble in phenol. Soluble in benzyl alcohol. Soluble in formic acid. Soluble in sulfuric acid.
Partition coefficient n-octanol/water (Log Kow)	: Not applicable for mixtures
Partition coefficient n-octanol/water (Log Pow)	: Not applicable for mixtures
Vapour pressure	: Not applicable
Vapour pressure at 50°C	: Not applicable
Density	: 1.02 g/l
Relative density	: Lack of data (on mixture / components of the mixture) - Data not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Lack of data (on mixture / components of the mixture) - Data not available

PA12 2153N00

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid: High temperature. Moisture.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Combustion produces toxic gases. Carbon monoxide. Carbon dioxide. Sulfur oxides (SOx). Nitrogen oxides. Phosphorus compounds. On burning formation of metallic fumes. Zinc oxide. Silicon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Dependent on the composition

Maleic anhydride (108-31-6)	
LD50 oral rat	485 – 1050 mg/kg bodyweight
LD50 dermal rat	2620 mg/kg bodyweight

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Additional information	: Dependent on the composition

Maleic anhydride (108-31-6)	
pH	Not applicable

Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Additional information	: Dependent on the composition

N-butylbenzenesulphonamide (3622-84-2)	
pH	Not applicable

Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Additional information	: Dependent on the composition

This product contains :
Maleic anhydride
Causes sensitisation

Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Dependent on the composition
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

PA12 2153N00

Safety Data Sheet

Additional information	: Dependent on the composition
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Dependent on the composition
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Dependent on the composition
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Dependent on the composition

Maleic anhydride (108-31-6)

NOAEL (oral, rat, 90 days)	≈ 10 mg/kg bodyweight
NOAEC (inhalation, rat, 90 days)	≈ 0.0033 mg/l air

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Additional information	: Dependent on the composition

PA12 2153N00

Viscosity, kinematic	Not applicable
----------------------	----------------

Maleic anhydride (108-31-6)

Viscosity, kinematic	Not applicable
----------------------	----------------

Potential adverse human health effects and symptoms	: Prolonged and repeated skin contact may cause reddening, irritation and dermatitis,May cause sensitization by skin contact,Direct contact with the eyes is likely slightly irritating,Contact with hot product or vapours may cause burns,May cause respiratory irritation,Do not breathe fumes from hot product.
---	---

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Handle in accordance with good industrial hygiene and safety practice.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

Maleic anhydride (108-31-6)

LC50 - Fish [1]	75 mg/l
EC50 - Crustacea [1]	330 mg/l
EC50 72h - Algae [1]	> 150 mg/l

12.2. Persistence and degradability

PA12 2153N00

Persistence and degradability	Not rapidly degradable.
-------------------------------	-------------------------

Continuous filament glass fiber, non-respirable (N/A)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Maleic anhydride (108-31-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

PA12 2153N00

Partition coefficient n-octanol/water (Log Pow)	Not applicable for mixtures
Partition coefficient n-octanol/water (Log Kow)	Not applicable for mixtures

PA12 2153N00

Safety Data Sheet

PA12 2153N00	
Bioaccumulative potential	Not established.
Maleic anhydride (108-31-6)	
Bioconcentration factor	< 100

12.4. Mobility in soil

PA12 2153N00	
Ecology - soil	No data available.
Maleic anhydride (108-31-6)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.63

12.5. Results of PBT and vPvB assessment

PA12 2153N00	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Results of PBT assessment	The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Prevent runoff from entering water courses, sewers and basements. Sludge should be incinerated, contained or reclaimed. Discharging into rivers and drains is forbidden.
Product/Packaging disposal recommendations : Do not dispose of the packaging without first carrying out the necessary cleaning.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

PA12 2153N00

Safety Data Sheet

ADR	IMDG	IATA	ADN	RID
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1 US Federal Regulations

EPCRA Section 302 Extremely Hazardous Substances:

None listed.

EPCRA 311/312 Hazard Classifications:

Maleic anhydride (CAS 108-31-6)

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

Maleic anhydride (CAS 108-31-6)

15.2 State regulations

Toxic Substances Control Act (TSCA):

Azacyclotridecan-2-one, homopolymer (CAS 25038-74-8)

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS 2082-79-3)

Dimethyl succinate-1-(2-hydroxyethyl)-2,2,6,6-tetramethyl-4-piperidinol copolymer (CAS 65447-77-0)

Tris(2,4-ditert-butylphenyl) phosphite (CAS 31570-04-4)

Maleic anhydride (CAS 108-31-6)

2024 CDR TSCA Inv Active:

Azacyclotridecan-2-one, homopolymer (CAS 25038-74-8)

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS 2082-79-3)

Dimethyl succinate-1-(2-hydroxyethyl)-2,2,6,6-tetramethyl-4-piperidinol copolymer (CAS 65447-77-0)

Tris(2,4-ditert-butylphenyl) phosphite (CAS 31570-04-4)

Maleic anhydride (CAS 108-31-6)

FIFRA-Inerts:

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS 2082-79-3)

Dimethyl succinate-1-(2-hydroxyethyl)-2,2,6,6-tetramethyl-4-piperidinol copolymer (CAS 65447-77-0)

Tris(2,4-ditert-butylphenyl) phosphite (CAS 31570-04-4)

Maleic anhydride (CAS 108-31-6)

SARA 110 Priority List of Hazardous Substances:

None listed

PA12 2153N00

Safety Data Sheet

CERCLA Hazardous Substances:

Maleic anhydride (CAS 108-31-6)

CAA 112(r) Regulated Chemicals For Accidental Release Prevention:

None listed

Green Chemistry Expert System (GCES):

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS 2082-79-3)

Tris(2,4-ditert-butylphenyl) phosphite (CAS 31570-04-4)

Maleic anhydride (CAS 108-31-6)

15.3 National regulations

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

15.4 International Regulations

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2.1	Adverse physicochemical, human health and environmental effects	Modified
2.1	Classification according to GHS Regulation	Added
2.2	Precautionary statements	Added
2.2	Hazard statements	Added
2.2	Signal word	Added
2.2	Hazard pictograms	Added
3	Composition/information on ingredients	Modified
4.1	First-aid measures after skin contact	Modified
4.2	Symptoms/effects after skin contact	Modified
8	Occupational Exposure Limits	Modified
8.2	Respiratory protection	Modified
8.2	Hand protection	Modified
8.2	Personal protective equipment (for industrial or professional use)	Modified
9	Density	Modified
9	Melting point	Modified
10.6	Hazardous decomposition products	Modified

PA12 2153N00

Safety Data Sheet

Indication of changes		
Section	Changed item	Comments
11.1	Potential adverse human health effects and symptoms	Modified
11.1	Skin sensitization	Modified
11.1	Reason for no classification	Removed
15.1	Regulatory information	Modified
16	Indication of changes	Modified

Abbreviations and acronyms:	
	N/D = not available
	N/A = not applicable
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS-No.	Chemical Abstract Service number
EC50	Effective concentration for 50 percent of test population (median effective concentration)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals.
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Lethal concentration for 50 percent of test population (median lethal concentration)
LD50	Lethal dose for 50 percent of test population (median lethal dose)
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
NIOSH	The National Institute for Occupational Safety and Health
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organization for Economic Cooperation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006
RID	Regulation concerning the International Carriage of Dangerous Goods by Railways
SDS	Safety Data Sheet
STP	Sewage treatment plant

PA12 2153N00

Safety Data Sheet

Abbreviations and acronyms:

TRGS	Technical Rules for Hazardous Substances
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: The regulatory information given in this part only indicate the principal regulations specifically applicable to the product described in the Safety Data Sheet. This Safety Data Sheet has been established in accordance with GHS Regulation.
Training advice	: Provide adequate training to professional operators for the use of PPEs, according to the information contained in this Safety Data Sheet. Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: Do not use the product for any purposes that have not been advised by the manufacturer.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.

Classification and procedure used to derive the classification for mixtures according to GHS Regulation:

Skin Sens. 1	H317	Concentration limits
--------------	------	----------------------

Safety Data Sheet (SDS), USA