

SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

SECTION 1. IDENTIFICATION

Product name : SURFONIC® L24-7 MB

Product code : 2000002693

Manufacturer or supplier's details

Company name of supplier : Indorama Ventures Oxides LLC

Address : 24 Waterway Ave., Suite 1100, The Woodlands, Texas 77380

United States of America (USA)

Telephone : (256) 3405200

E-mail address of person responsible for the SDS

oxide.sds.global@indorama.net

Emergency telephone number :

CHEMTREC – United States (English)

Local (City) Northern Virginia: +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : Surfactant

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Serious eye damage : Category 1

Short-term (acute) aquatic

hazard

Category 1

Chronic aquatic toxicity : Category 3

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor. P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C12-16, ethoxylated	68551-12-2	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed. Causes serious eye damage.

2/15



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Notes to physician : Treat symptomatically.

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Materials to avoid : For incompatible materials please refer to Section 10 of this

SDS

Further information on stor-

age stability

: Stable under normal conditions.

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : Wear respiratory protection when its use is identified for cer-

tain contributing scenario.

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate

protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

orobiems

Eye wash bottle with pure water Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Appearance : liquid

Color : Clear

Odor : slight

pH : 6-7

Melting point : 55 - 63 °F / 13 - 17 °C

Boiling point/boiling range : $> 212 \, ^{\circ}\text{F} / > 100 \, ^{\circ}\text{C}$

Flash point : 374.9 °F / 190.5 °C

Method: open cup

Vapor pressure

Relative vapor density : 17

Relative density : 0.97

Viscosity

Viscosity, kinematic : 33 mm2/s (100.0 °F / 37.8 °C)

Molecular weight : ca. 505.4 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

No decomposition if stored and applied as directed.

Chemical stability : Stable under normal conditions.

No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

No decomposition if stored and applied as directed.

Conditions to avoid : None known.

No data available

Incompatible materials : None known.

Not applicable

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,391 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 2,525 mg/kg

Method: Calculation method



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Components:

Alcohols, C12-16, ethoxylated:

Acute oral toxicity : LD50 (Rat, male): 1,376.3 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat, female): 1,788.9 mg/kg Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1600 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): 2,500 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

Alcohols, C12-16, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

Alcohols, C12-16, ethoxylated:

Species : Rabbit

Result : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Components:

Alcohols, C12-16, ethoxylated:

Routes of exposure : Skin

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vivo : Application Route: Intraperitoneal injection

Dose: 75 mg/kg

Method: OECD Test Guideline 474

Result: negative

Components:

Alcohols, C12-16, ethoxylated:

Genotoxicity in vitro : Concentration: .5 - 500 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Application Route: Intraperitoneal injection

Dose: 75 mg/kg

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: > 250 mg/kg body weight General Toxicity F1: NOAEL: > 250 mg/kg body weight

Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on fetal development : Species: Rat, male and female



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Application Route: Dermal Dose: 250 milligram per kilogram

General Toxicity Maternal: > 250 mg/kg body weight

Teratogenicity: > 250 mg/kg body weight

Result: No teratogenic effects

Components:

Alcohols, C12-16, ethoxylated:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

General Toxicity Parent: NOAEL: > 250 mg/kg body weight General Toxicity F1: NOAEL: > 250 mg/kg body weight

Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on fetal development : Species: Rat, male and female

Application Route: Dermal Dose: 250 milligram per kilogram

General Toxicity Maternal: > 250 mg/kg body weight

Teratogenicity: > 250 mg/kg body weight

Result: No teratogenic effects

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Species : Rat, male and female

NOAEL : 100 mg/kg/d Application Route : Ingestion Exposure time : 2,160 h

Species : Rat, male and female

NOAEL : > 100 mg/kg/d
Application Route : Ingestion
Exposure time : 336 h

Species : Rat, male and female

NOAEL : 519 mg/kg/d Application Route : Ingestion Exposure time : 504 h

Components:

Alcohols, C12-16, ethoxylated:

Species : Rat, male and female

NOAEL : 100 mg/kg/d Application Route : Ingestion Exposure time : 2,160 h



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Species : Rat, male and female

NOAEL : > 100 mg/kg/d
Application Route : Ingestion
Exposure time : 336 h

Species : Rat, male and female

NOAEL : 519 mg/kg/d Application Route : Ingestion Exposure time : 504 h

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 3 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.9 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 0.137 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to fish (Chronic tox-

icity)

EC20 (Pimephales promelas (fathead minnow)): 1.58 mg/l

Exposure time: 30 d

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

EC20 (Daphnia magna (Water flea)): 0.98 mg/l

Exposure time: 21 d

Toxicity to microorganisms : (Pseudomonas putida): > 10 g/l

Exposure time: 16.9 h Method: DIN 38 412 Part 8

Components:

Alcohols, C12-16, ethoxylated:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 3 mg/l

Exposure time: 96 h

Test substance: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.9 mg/l

Exposure time: 48 h



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Test Type: static test

Test substance: Fresh water

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 2.2 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water

ErC50 (Desmodesmus subspicatus (green algae)): 0.137 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water

Toxicity to fish (Chronic tox-

icity)

EC20 (Pimephales promelas (fathead minnow)): 1.58 mg/l

Exposure time: 30 d

Test substance: Fresh water

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC20 (Daphnia magna (Water flea)): 0.98 mg/l Exposure time: 21 d

Test substance: Fresh water

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 10

Exposure time: 16.9 h Test substance: Fresh water Method: DIN 38 412 Part 8

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Components:

Alcohols, C12-16, ethoxylated:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Bioaccumulative potential

Components:

Alcohols, C12-16, ethoxylated:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF): 12.7

Exposure time: 3 d

Test substance: Fresh water



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

Method: flow-through test

Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.24 - 5.14

Mobility in soil

Components:

Alcohols, C12-16, ethoxylated:

Distribution among environmental compartments

Other adverse effects

Koc: 27134.54 - 71865.83

Product:

Ozone-Depletion Potential

Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents. Contaminated packaging

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
acetic acid	64-19-7	5000	*
ethylene oxide	75-21-8	10	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ethylene oxide	75-21-8	10	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

acetic acid 64-19-7 >= 0.1 - < 1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

acetic acid 64-19-7 >= 0.1 - < 1 %



SURFONIC® L24-7 MB

Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

ethylene oxide 75-21-8 1,4-dioxane 123-91-1

Pennsylvania Right To Know

Alcohols, C12-16, ethoxylated 68551-12-2 acetic acid 64-19-7

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

1,4-dioxane 123-91-1

Washington Chemicals of High Concern

1,4-dioxane 123-91-1

California Prop. 65

WARNING: This product can expose you to chemicals including ethylene oxide, 1,4-dioxane, which is/are known to the State of California to cause cancer, and ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



SURFONIC® L24-7 MB


Version Revision Date: SDS Number: Date of last issue: 06/16/2022 1.3 06/20/2022 400041002038 Date of first issue: 01/12/2022

Print Date 06/28/2022

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;



SURFONIC® L24-7 MB

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06/16/2022

 1.3
 06/20/2022
 400041002038
 Date of first issue: 01/12/2022

Print Date 06/28/2022

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/20/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN