

HOSTANOX P-EPQ P Page 1

Substance key: KS14592 Revision Date: 07/29/2023

Version: 4 - 5 / USA Date of printing: 10/05/2023

SECTION 1. IDENTIFICATION

Identification of the Clariant Plastics & Coatings

company: (Deutschland) GmbH Frankfurt am Main, 65926

Telephone No.: +49 69 305 18000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: HOSTANOX P-EPQ P

Material number: 103416

CAS number: 119345-01-6

Primary product use: Antioxidant

Chemical family: Aryl Phosphonite

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

Other hazards

Dust can form an explosive mixture in air.

Does not require a hazard warning label, but the normal safety precautions for handling chemicals must be observed.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Aryl Phosphonite



HOSTANOX P-EPQ P Page 2

Substance key: KS14592 Revision Date: 07/29/2023 Version: 4-5/USA Date of printing: 10/05/2023

CAS-No. 119345-01-6

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

General advice Get medical advice/ attention if you feel unwell.

If inhaled Move the victim to fresh air.

> Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact Flush eyes with water at least 15 minutes. Get medical

attention if eye irritation develops or persists.

If swallowed IF SWALLOWED: Immediately call a POISON CENTER/

doctor.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media :

Water spray jet Dry powder

Unsuitable extinguishing

media

High volume water jet Carbon dioxide (CO2)

Specific hazards during Carbon oxides

firefighting

Oxides of phosphorus

Further information Cool containers/tanks with water spray.

Exercise caution when fighting any chemical fire. Use NIOSH

approved self-contained breathing apparatus and full

protective clothing.

Special protective equipment: Impervious clothing



HOSTANOX P-EPQ P Page 3

Substance key: KS14592 Revision Date: 07/29/2023 Version: 4-5/USA Date of printing: 10/05/2023

for firefighters Protective helmets

Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wearing appropriate personal protective equipment, contain

spill and collect into a suitable container.

Prevent from entering into soil, ditches, sewers, waterways

and/or groundwater.

The product should not be allowed to enter drains, water Environmental precautions

courses or the soil.

Methods and materials for containment and cleaning up Take up mechanically Avoid dust formation.

Take measures to prevent the build up of electrostatic charge.

Risk of dust explosion.

Treat recovered material as described in the section "Disposal

considerations".

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Take precautionary measures against static discharges.

Avoid dust formation.

Keep away sources of ignition.

Avoid dust formation. Keep away from sources of ignition. Advice on safe handling

Lead off electrostatic charges.

Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Further information on storage conditions

Store in original container.

Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures Use adequate exhaust ventilation and/or dust collection to

keep dust levels below exposure limits.

Personal protective equipment

Respiratory protection Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be



HOSTANOX P-EPQ P

Page 4

Substance key: KS14592 Revision Date: 07/29/2023

Version: 4 - 5 / USA Date of printing: 10/05/2023

generated.

Hand protection

Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : Observe the usual precautions for handling chemicals.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash hands before breaks and immediately after handling

the product.

Avoid contact with the skin and the eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : yellow

Odour : not specified

Odour Threshold : cannot be determined

pH : approx. 8 (68 °F / 20 °C)

Concentration: < 1 mg/l

Method: OECD Test Guideline 105

GLP: yes

saturated aqueous solution

Melting range : 185 - 217 °F / 85 - 103 °C

Method: OECD Test Guideline 102

GLP: yes

Drop point 212 - 230 °F / 100 - 110 °C

GLP: yes

Boiling point : $> 536 \, ^{\circ}\text{F} / > 280 \, ^{\circ}\text{C}$

(1,013 hPa)

Decomposition: yes

Method: OECD Test Guideline 103

GLP: yes

Decomposes below the boiling point.

Flash point : Not applicable

Evaporation rate : Non-Volatile



HOSTANOX P-EPQ P Page 5

Substance key: KS14592	Revision Date: 07/29/2023
Version: 4 - 5 / USA	Date of printing :10/05/2023

Flammability (solid, gas) The product is not flammable.

GLP: yes

Self-ignition Method: Expert judgement

The substance or mixture is not classified as pyrophoric.

> 752 °F / > 400 °C

GLP: yes

The substance or mixture is not classified as self heating.

Burning number 2 (68 - 212 °F / 20 - 100 °C)

Method: Combustibility test safety laboratory

GLP: no

Short flaring up without spreading

Upper explosion limit / upper

flammability limit

not tested.

Lower explosion limit / Lower : not tested.

flammability limit

< 0.000001 Pa (approx. 77 °F / 25 °C) Vapour pressure

Method: OECD Test Guideline 104

GLP: no

Relative vapour density : Not applicable

Relative density 1.04 (68 °F / 20 °C, 1,013 hPa)

Method: OECD Test Guideline 109

GLP: yes

1.04 g/cm3 (68 °F / 20 °C) Density

Method: OECD Test Guideline 109

GLP: yes

Bulk density 530 kg/m3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : < 1 mg/l (68 °F / 20 °C, approx. 1,013 hPa)

pH: 8

Method: OECD Test Guideline 105

GLP: yes

Solubility in other solvents not tested.

Solvent: fat

Partition coefficient: n-

octanol/water

 $\log Pow: > 6 (77 °F / 25 °C)$

Method: OECD Test Guideline 117

GLP: yes

Auto-ignition temperature Not applicable



HOSTANOX P-EPQ P Page 6

Substance key: KS14592 Revision Date: 07/29/2023

Version: 4 - 5 / USA Date of printing: 10/05/2023

Decomposition temperature : $> 932 \, ^{\circ}\text{F} / > 500 \, ^{\circ}\text{C}$

Heating rate: 3 K/min

Method: OECD Test Guideline 113

Viscosity

Viscosity, dynamic : 3,270 mPa.s (266 °F / 130 °C)

386 mPa.s (302 °F / 150 °C)

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

GLP: yes

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Reference substance: Potassium bromate/Cellulose

GLP: yes

Self-heating substances : Not applicable

Impact sensitivity : Not impact sensitive.

Method: 92/69/EC (L383) A.14 * Explosive properties

Sublimation point : Not applicable

Dust deflagration index (Kst) : 248 m.b_/s

Method: VDI 2263 GLP: no data available

Dust explosion class : St2

Minimum ignition energy : 13 - 30 mJ

Method: Mike 3 apparatus

with inductive electrical resistance

Particle size : approximately 35 µm

Method: Laser diffraction with dispersion in dry air.

Median value

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if used as directed.

Chemical stability : Stable

Possibility of hazardous

reactions

Reactions with strong alkalies and oxidising agents.

The substance or mixture does not emit flammable gases in

contact with water.
Not corrosive to metals



HOSTANOX P-EPQ P Page 7

Substance key: KS14592 Revision Date: 07/29/2023
Version: 4 - 5 / USA Date of printing: 10/05/2023

Risk of dust explosion.

Conditions to avoid : Strong oxidizing agents

Strong bases

Incompatible materials : See under section "Conditions to avoid"

Hazardous decomposition

products

: Carbon oxides

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Exposure time : 72 h

Method : OECD Test Guideline 405

GLP : yes



HOSTANOX P-EPQ P

Page 8

Substance key: KS14592 Revision Date: 07/29/2023 Version: 4-5/USA Date of printing: 10/05/2023

Respiratory or skin sensitisation

Product:

Test Type **Maximisation Test**

Species Guinea pig

Method **OECD Test Guideline 406** Result Not a skin sensitizer.

GLP yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Concentration: 3,1 - 100 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Test Type: Ames test

Test system: Salmonella typhimurium Concentration: 33 - 5000 µg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Genotoxicity in vivo Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Erythrocytes

Application Route: oral (gavage)

Exposure time: 24 h

Dose: 2500 - 5000 - 10000 mg/kg

Method: Other Result: negative

GLP: no

Germ cell mutagenicity -

In vitro tests did not show mutagenic effects, In vivo tests did

not show mutagenic effects

Carcinogenicity

Product:

IARC

Assessment

Carcinogenicity -

No evidence of carcinogenicity in animal studies.

Assessment

No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.



HOSTANOX P-EPQ P

Page 9

Substance key: KS14592 Revision Date: 07/29/2023
Version: 4 - 5 / USA Date of printing: 10/05/2023

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

identified as a known of anticipated carcinogen by Ni

Reproductive toxicity

Product:

Effects on fertility : Test Type: One generation study

Species: Rat, male and female Application Route: oral (feed) Dose: 50 - 150 - 300 mg/kg

General Toxicity - Parent: NOAEL: 150 mg/kg body weight General Toxicity F1: NOAEL: 150 mg/kg body weight

Method: Other GLP: no

Effects on foetal : Species: Rat, male and female

development Strain: wistar

Application Route: Oral Dose: 100 mg/kg Futter

Duration of Single Treatment: 730 d

Method: Other GLP: no

Remarks: Based on available data, the classification criteria

are not met.

Reproductive toxicity -

Assessment

Weight of evidence does not support classification for

reproductive toxicity

STOT - single exposure

Product:

Remarks : not available

STOT - repeated exposure

Product:

Remarks : not available

Repeated dose toxicity

Product:

Species : Dog, male and female

NOAEL : 150 mg/kg
Application Route : oral (gavage)
Exposure time : 93 - 97 d
Number of exposures : daily

Dose : 30 - 150 - 500 mg/kg

Control Group : yes

Method : OECD Test Guideline 409

GLP : yes



HOSTANOX P-EPQ P

Page 10

Substance key: KS14592 Revision Date: 07/29/2023

Version: 4 - 5 / USA Date of printing: 10/05/2023

Aspiration toxicity

Product:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information : When used as intended, no effects to health are expected.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 18.65 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: No toxicity at the limit of solubility

NOEC (Oncorhynchus mykiss (rainbow trout)): >= 1.2 mg/l

Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 204

GLP: yes

Remarks: No toxicity at the limit of solubility

LOEC (Oncorhynchus mykiss (rainbow trout)): > 1.2 mg/l

Exposure time: 21 d

Test Type: flow-through test Method: OECD Test Guideline 204

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 12.7 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): >=

78.6 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: No toxicity at the limit of solubility

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 78.6



HOSTANOX P-EPQ P

Page 11

Substance key: KS14592 Revision Date: 07/29/2023
Version: 4 - 5 / USA Date of printing: 10/05/2023

mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: ves

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic

toxicity)

NOEC (Oncorhynchus mykiss (rainbow trout)): >= 1.2 mg/l

End point: mortality Exposure time: 21 d

Test Type: flow-through test

Analytical monitoring: no data available Method: OECD Test Guideline 204

GLP: ves

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.307 mg/l

End point: mortality Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Remarks: No toxicity at the limit of solubility

NOEC (Daphnia magna (Water flea)): >= 0.307 mg/l

End point: Reproduction rate

Exposure time: 21 d
Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms

IC50 (activated sludge): > 1,000 mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

Remarks: No toxicity at the limit of solubility

Toxicity to soil dwelling

organisms

Test Type: artificial soil

NOEC (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 14 d End point: Body weight

Method: OECD Test Guideline 207

GLP: yes

Plant toxicity : EC50: > 100 mg/kg

Exposure time: 21 d End point: Growth Test period: 21 d

Species: Avena sativa (oats) Method: OECD Guide-line 208

GLP: yes



HOSTANOX P-EPQ P

Page 12

Substance key: KS14592 Revision Date: 07/29/2023 Version: 4-5/USA Date of printing: 10/05/2023

> NOEC: >= 100 mg/kgExposure time: 21 d End point: Growth Test period: 21 d

Species: Avena sativa (oats) Method: OECD Guide-line 208

GLP: yes

LOEC: > 100 mg/kg Exposure time: 21 d End point: Growth Test period: 21 d

Species: Avena sativa (oats) Method: OECD Guide-line 208

GLP: yes

EC50: > 100 mg/kg Exposure time: 21 d End point: Growth Test period: 21 d Species: Brassica rapa Method: OECD Guide-line 208

GLP: yes

NOEC: >= 100 mg/kgExposure time: 21 d End point: Growth Test period: 21 d Species: Brassica rapa Method: OECD Guide-line 208

GLP: yes

LOEC: > 100 mg/kg Exposure time: 21 d End point: Growth Test period: 21 d Species: Brassica rapa Method: OECD Guide-line 208 GLP: yes

EC50: > 100 mg/kg Exposure time: 21 d End point: Growth Test period: 21 d

Species: Lepidium sativum (cress) Method: OECD Guide-line 208

GLP: yes

NOEC: >= 100 mg/kgExposure time: 21 d End point: Growth Test period: 21 d

Species: Lepidium sativum (cress)



HOSTANOX P-EPQ P

Page 13

Substance key: KS14592 Revision Date: 07/29/2023
Version: 4 - 5 / USA Date of printing: 10/05/2023

Method: OECD Guide-line 208

GLP: yes

LOEC: > 100 mg/kg Exposure time: 21 d End point: Growth Test period: 21 d

Species: Lepidium sativum (cress) Method: OECD Guide-line 208

GLP: yes

Persistence and degradability

Product:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 30 mg/l

Result: Not readily biodegradable.

Biodegradation: 24.5 % (Biochemical Oxygen Demand

(BOD))

Exposure time: 28 d

Method: OECD Test Guideline 302C

GLP: yes

Test Type: aerobic

Inoculum: activated sludge, domestic

Concentration: 100 mg/l Result: Not biodegradable

Biodegradation: 0 % (Biochemical Oxygen Demand (BOD))

Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Physico-chemical

removability

Remarks: Not readily biodegradable.

The product is slightly soluble in water. It can be eliminated

from water by abiotic processes.

Stability in water : Test Type: abiotic

Method: OECD Test Guideline 111

GLP: yes

Remarks: Not applicable

Bioaccumulative potential

Product:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 103

Exposure time: 42 d

Temperature: 76.5 °F / 24.7 °C Concentration: 0.79 mg/l Elimination: no data available

Method: Other GLP: yes



HOSTANOX P-EPQ P Page 14

Substance key: KS14592 Revision Date: 07/29/2023
Version: 4 - 5 / USA Date of printing: 10/05/2023

Remarks: Accumulation in aquatic organisms is unlikely.

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 112

Exposure time: 42 d

Temperature: 76.5 °F / 24.7 °C Concentration: 0.05 mg/l Elimination: no data available

Method: Other GLP: yes

Remarks: Accumulation in aquatic organisms is unlikely.

Mobility in soil no data available

Other adverse effects

Product:

Additional ecological

information

The product should not be allowed to enter drains, water

This product, if discarded as sold, is not a Federal RCRA

courses or the soil.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act

Waste Code

: NONE

Waste from residues : Small quantities may be treated in aerobic wastewater

hazardous waste.

treatment systems. Larger quantities may be incinerated or

landfilled after solidification in permitted systems.

Contaminated packaging : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

DOT not restrictedIATA not restrictedIMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



HOSTANOX P-EPQ P

Page 15

Substance key: KS14592	Revision Date: 07/29/2023
Version: 4 - 5 / USA	Date of printing :10/05/2023

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information




HOSTANOX P-EPQ P

Page 16

Substance key: KS14592	Revision Date: 07/29/2023
Version: 4 - 5 / USA	Date of printing :10/05/2023

NFPA 704:



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United



HOSTANOX P-EPQ P

Page 17

Substance key: KS14592 Revision Date: 07/29/2023 Version: 4 - 5 / USA Date of printing: 10/05/2023

Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

On the basis of an extensive test program, which had to be submitted to the competent authority on the occasion of the Notification of the substance in the European Community, this product was found to be toxicologically not dangerous within the meaning of the EC Directives. Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Revision Date : 07/29/2023

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN