

SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: SILIKOPHEN P80/MPA

Chemical name:

Solution of a phenylmethyl polysiloxane resin in MPA

Other means of identification

None.

Recommended restrictions

Recommended use: Industrial use

Restrictions on use: None known.

Manufacturer/Importer/Distributor Information

Company Name : Evonik Corporation
Nutrition & Care
PO Box 34628
Richmond, VA 23234
USA

Telephone : +1 804 727 0700

Fax : +1 804 727 0845

E-mail : product-regulatory-services@evonik.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency : 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 3

Health Hazards

Serious Eye Damage/Eye Irritation Category 1

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Flammable liquid and vapor.
 Causes serious eye damage.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC): Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.

3. Composition/information on ingredients

Chemical name:
 Solution of a phenylmethyl polysiloxane resin in MPA

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) [*]
2-methoxy-1-methylethyl acetate		108-65-6	10 - <20%
isobutanol		78-83-1	3 - <5%
propylidynetrimehanol		77-99-6	0.1 - <1%
octamethylcyclotetrasiloxane		556-67-2	0.01 - <0.1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

General information:	Remove soiled or soaked clothing immediately
Inhalation:	fresh air supply, consult a doctor if feeling unwell.
Skin Contact:	In case of contact with skin wash off immediately with soap and water In case of discomfort: Supply with medical care.
Eye contact:	In case of contact with eyes rinse thoroughly with plenty of lukewarm water and seek medical advice.
Ingestion:	Thoroughly clean the mouth with water In case of discomfort: Supply with medical care.
Personal Protection for First-aid Responders:	No data available.

Most important symptoms and effects, both acute and delayed

Symptoms:	Risk of serious damage to eyes.
Hazards:	No data available.

Indication of immediate medical attention and special treatment needed

Treatment:	Treat symptomatically.
-------------------	------------------------

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: foam, carbon dioxide, dry powder, water spray.

Unsuitable extinguishing media: High volume water jet.

Special hazards arising from the substance or mixture: In the event of fire the following can be released: - Carbon monoxide, carbon dioxide, silicon dioxide - Formaldehyde Under certain conditions of combustion traces of other toxic substances cannot be excluded

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Keep away from sources of ignition. Take action to prevent static discharges. Vapours may form explosive mixtures with air. Cool endangered containers by water spray

Special protective equipment for fire-fighters: Do not inhale explosion and/or combustion gases. Self-contained breathing apparatus.

6. Accidental release measures

Product name: SILIKOPHEN P80/MPA

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Keep away sources of ignition. Ensure adequate ventilation.
Methods and material for containment and cleaning up:	Take up with absorbent material (eg sand, kieselguhr, universal binder) Dispose of absorbed material in accordance with the regulations.
Environmental Precautions:	Do not allow to enter drains or waterways Prevent product from getting into subsoil/soil.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):	No data available.
Safe handling advice:	Provide good ventilation of working area (local exhaust ventilation if necessary). Use respiratory protection during spraying. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes.
Contact avoidance measures:	No data available.

Storage

Safe storage conditions:	Keep container tightly closed in a cool, well-ventilated place. Keep away from heat. Do not store together with oxidizing agents.
Safe packaging materials:	No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
isobutanol	TWA	50 ppm	US. ACGIH Threshold Limit Values, as amended (03 2016)
	REL	50 ppm 150 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	PEL	100 ppm 300 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

Appropriate Engineering Controls	No data available.
---	--------------------

Individual protection measures, such as personal protective equipment

Eye/face protection:	Safety glasses
-----------------------------	----------------

Skin Protection

Hand Protection: Material: Fluorinated rubber
 Break-through time: 480 min

Skin and Body Protection: protective clothing

Respiratory Protection: in case of formation of vapours/aerosols: Short term: filter apparatus, combination filter A-P2

Hygiene measures: Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Remove soiled or soaked clothing immediately.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: Colorless
Odor: Characteristic
Odor Threshold: not measured
Freezing point: not measured
Boiling Point: not measured
Flammability: not measured

Upper/lower limit on flammability or explosive limits

Explosive limit - upper: not measured
Explosive limit - lower: not measured
Flash Point: 77 °F/25 °C (DIN EN ISO 2719)
Self Ignition Temperature: not measured
Decomposition Temperature: not measured
pH: Not applicable

Viscosity

Dynamic viscosity: Approximate 3,000 mPa.s (77 °F/25 °C, DIN 53019)
Kinematic viscosity: Approximate 2586 mm²/s (77 °F/25 °C, calculated)
Flow Time: No data available.

Solubility(ies)

Solubility in Water: (77 °F/25 °C) Insoluble
Solubility (other): not measured
Partition coefficient (n-octanol/water): not measured
Vapor pressure: not measured
Relative density: not measured
Density: 1.16 g/cm³ (77 °F/25 °C) (DIN 51757)
Bulk density: No data available.
Relative vapor density: not measured

Particle characteristics

Product name: SILIKOPHEN P80/MPA

Particle Size:	No data available.
Particle Size Distribution:	No data available.
Specific surface area:	No data available.
Surface charge/Zeta potential:	No data available.
Shape:	No data available.
Crystallinity:	No data available.
Surface treatment:	No data available.

Other information

Explosive properties:	not measured
Oxidizing properties:	not oxidizing
Minimum ignition temperature:	not measured
Metal Corrosion:	Not corrosive to metals
Evaporation Rate:	not measured

10. Stability and reactivity

Reactivity:	see section "Possibility of hazardous reactions".
Chemical Stability:	The product is stable under normal conditions.
Possibility of hazardous reactions:	No hazardous reactions with proper storage and handling
Conditions to avoid:	Open flames, sparks or input of much heat
Incompatible Materials:	Oxidizing agents.
Hazardous Decomposition Products:	in the presence of air small amounts of formaldehyde are evolved due to oxidative decomposition when heated to and above 150°C. experiments indicate that small amounts of benzene are evolved when heated to approx. 180°C and above. Possibility of splitting-off of small amounts of formaldehyde.

11. Toxicological information**Information on toxicological effects****Information on likely routes of exposure**

Inhalation:	Information on effects are given below.
Skin Contact:	Information on effects are given below.
Eye contact:	Information on effects are given below.
Ingestion:	Information on effects are given below.

Acute toxicity (list all possible routes of exposure)

Oral Product:	LD 50 (ATEmix): 2,425 mg/kg
----------------------	-----------------------------

Product name: SILIKOPHEN P80/MPA

Dermal**Product:** LD 50 (ATEmix): > 5,000 mg/kg**Inhalation****Product:** LC 50 (ATEmix, 4 h): > 40 mg/l Vapour**Repeated dose toxicity****Product:** No data available.**Skin Corrosion/Irritation****Product:** No data available.**Serious Eye Damage/Eye Irritation****Product:** No data available.**Respiratory or Skin Sensitization****Product:** No data available.**Carcinogenicity****Product:** No data available.**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogens present or none present in regulated quantities

ACGIH: US.ACGIH Threshold Limit Values:

No carcinogens present or none present in regulated quantities

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogens present or none present in regulated quantities

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogens present or none present in regulated quantities

Germ Cell Mutagenicity

No data available.

In vitro**Product:** No data available.**Components:**

propylidyntrimethanol	Ames test (OECD 471): negative Chromosomal aberration (OECD 473): negative gene mutation test (OECD 476): negative
octamethylcyclotetrasiloxane	Ames test (OECD 471): negative Chromosomal aberration (OECD 473): negative gene mutation test (OECD 476): negative

In vivo**Product:** No data available.**Components:**

octamethylcyclotetrasiloxane	Micronucleus test (OECD 474) Inhalation - vapor (Rat): negative Chromosomal aberration (OECD 478) Oral (Rat): negative Chromosomal aberration (OECD 475) Inhalation - vapor (Rat, Female, Male): negative
------------------------------	---

Reproductive toxicity**Product:** No data available.**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure**

Product name: SILIKOPHEN P80/MPA

Product: No data available.

Aspiration Hazard

Product: Not classified

Information on health hazards
Other hazards

Product: No data available.

12. Ecological information

Ecotoxicity:
Acute hazards to the aquatic environment:
Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Components:

2-methoxy-1-methylethyl acetate EC 50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 1,000 mg/l (OECD 201)

isobutanol EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): 632 mg/l (OECD 201) Literature

EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): 1,799 mg/l (OECD 201)

propylidynetrimehanol EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 1,000 mg/l

octamethylcyclotetrasiloxane EC 50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 22 µg/l (US-EPA-method)

EC 50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 22 µg/l (US-EPA-method)

Toxicity to microorganisms

Product: No data available.

Chronic hazards to the aquatic environment:
Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Components:

2-methoxy-1-methylethyl acetate NOEC (Algae (Pseudokirchneriella subcapitata), 96 h): 1,000 mg/l (OECD 201)

isobutanol NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): 53 mg/l (OECD 201) Literature

octamethylcyclotetrasiloxane NOEC (Algae (Pseudokirchneriella subcapitata), 96 h): < 22 µg/l (US-EPA-method)

Toxicity to microorganisms

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: not measured

Mobility in soil:

Product No data available.

Results of PBT and vPvB assessment:

Product No data available.

Other adverse effects:

Other hazards

Product: Do not allow to enter soil, waterways or waste water canal.

13. Disposal considerations

Disposal methods: In accordance with local authority regulations, take to special waste incineration plant

Contaminated Packaging: If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.

14. Transport information

Domestic regulation

49 CFR

UN/ID/NA number : UN 1866
Proper shipping name : Resin solution

Class : 3
Packing group : III
Labels : 3
ERG Code : 127
Marine pollutant : no

International Regulations

IATA-DGR

UN/ID No. : UN 1866

Product name: SILIKOPHEN P80/MPA

Proper shipping name : Resin solution
Class : 3
Packing group : III
Labels : 3
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number or ID number : UN 1866
Proper shipping name : RESIN SOLUTION

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. Regulatory information**US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**Hazard categories**

Flammable (gases, aerosols, liquids, or solids), Serious eye damage or eye irritation, Reproductive toxicity, Hazards Not Otherwise Classified (HNOC)

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including, Ethane-1,2-diol, methanol, which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

isobutanol

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

isobutanol

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

US TSCA Inventory:	On or in compliance with the inventory	
Canada DSL Inventory List:	On or in compliance with the inventory	

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health		2
Flammability		3
Physical Hazards		0
PERSONAL PROTECTION		B

B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 02/15/2022

Version #: 2.0

Further Information: No data available.

Revision Information Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer:

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.