

Technical Instructions for Material Safety (SDS)

1. Item & Company profile

Item : multi-functional modular

Product model : SS-03

Company name:Yantai Kebaida Environmental & Technical Materials Co.,Ltd

Add:No.20 Hefei Road ETDZ Yantai city,Shandong province,China

[Tel:0086-535-6353678](tel:0086-535-6353678) Fax:0086-535-6964678

Distributed by: Palmer Holland, Inc.
25000 Country Club Blvd., Suite 444
North Olmsted, OH 44070-5331

Emergency Telephone No.:
Palmer Holland: 800-635-4822
Chemtrec: 800-424-9300

2.Hazard information

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Stand, 29 CFR 1910.1200

2.2 Label elements

Signal word

Not applicable

●Notice :

P260 : Do not breathe dust.

P285 : Wear personal protective equipment with good air permeability during production.

P501 : Processing packages in accordance with local statutory regulations.

●Invasion pathway :

Inhalation, ingestion and absorption.

●Environmental hazards :

No particularly adverse effects have yet been found.

●Explosion hazard :

Non-flammable and non-explosive.

3. Component:

Chemical Composition	Mineral Properties	CAS (NO.)	EINECS NO.	Quality(%)
Amorphous silicon(SiO2)	Inorganic white powder	7631-86-9	238-878-4	65
Other additives	/	/	/	35

4. First aid measures

Inhalation : Transfer to fresh air as soon as possible ;

If dyspnea or other symptoms occur, please consult a doctor immediately.

Skin contact : Rinse with soap and water.

Eye contact : Rinse with flowing water and saline. If you have allergies or discomforts, see a doctor immediately..

Intake: Drink plenty of warm water to induce vomiting or consult a doctor.

5. Fire protection

Hazard characteristics :

It can react violently with chlorine trifluoride, manganese trifluoride and oxygen trifluoride.

Harmful combustion products : Non combustion.

Fire extinguishing methods and medium : water spray.

Fire-fighting instructions: none

6. Accidental release measures

Personal Attention: To prevent dust diffusion and contact with dust, please wear dust mask and protective equipment..

Cleaning methods: do not dry sweep, use a ventilation dust system or sprinkler to prevent dust production.

Environmental Protection: No Special Requirements.

7. Operation and storage methods

Disposal: Avoid dust generation.

Install ventilation and exhaust facilities in places with dust.
Respiratory protective equipment should also be worn.
It is suggested that pipeline transportation or vacuum system be used to eliminate the problem of dust.

As for protection, please contact us. We can give you feasible suggestions according to the situation.

Storage: Store in the warehouse to prevent damage to product packaging. Ventilation, moisture proof, away from heat source. Special Purpose: When the combination of texture modules is mixed with other

substances, the above submitted operation and storage methods are also applicable.

8.Exposure Control and Personal Protection

Exposure control:

The production process is sealed to ensure the circulation of fresh air. Dust limit: At present, the allowable concentration of silica dust in the workplace has not been stipulated separately in the national standard, so the dust hazard can be prevented and cured with reference to it.

According to the requirements of the Occupational Contact Limit of Hazardous Factors in the Workplace (GBZ2.1-2007) of the People's Republic of China, the permissible concentration of dust in the air of the workplace is 0.5 mg/m³ for total dust and 0.2 mg/m³ for respirable dust.

- Dust control and occupational protection in workplace: install exhaust ventilation and filtration facilities in dust-prone workplaces; wash hands with soap and other clean water before and after work, remove and clean contaminated clothes.

- ◎Respiratory protection: protective equipment for dust work must be worn.

- ◎Eye protection: Wear protective glasses.

- ◎Hand protection: Wear latex gloves.

- ◎Other protection: after work, keep good hygienic habits.

- Environmental Dust Prevention: No Special Requirements.

9.Physical and chemical characteristics

Physical and Chemical Characteristics

Appearance	Solid powder
Colour	White
Density(g/cm³)	0.8-1
Melting point	1830°C
Odor	None
Boiling point	2230°C
PH	5.0-8.5
Solubility	Insoluble in water,acid,soluble in hydrofluoric acid

10.Safety and reactivity

Safety: Stability.

Hazardous Reactions in Special Situations : It can react violently with chlorine trifluoride, manganese trifluoride and oxygen trifluoride.

Avoidable substances : Chlorine trifluoride, manganese trifluoride and oxygen trifluoride.

Hazardous decomposition products: Non-decomposition.

11.Toxicity

Acute toxicity : None ;

Sensitivities : None ;

Chronic or long-term toxicity : None.

12.Ecology Information

Potential environmental impacts: no particularly adverse impacts have been identified.

13.Waste disposal

●Waste/Unused Products

Processing may be carried out in accordance with the provisions of the locality.

●Package

Recycling of paper bags, woven bags and PE bags should be handled by professional waste companies.

Reuse of packaging bags is not recommended.

14.Transportation information

Hazard number: not classified

DN number : /

Packing mark : /

Packaging category : /

Packaging method :Moisture-proof paper bags, coated plastic woven bags, container bags,

etc.

Transport caution : It is strictly forbidden to mix with chlorine trifluoride, manganese trifluoride and oxygen trifluoride. During transportation, explosion-proof, sunshine-proof, high temperature-proof and rain-proof should be adopted.

15.Regulatory

Regulatory Information: Reference to the local, national, US, EU,CA and international regulations.

IECSC:	CAS# 7631-86-9 is listed.
TSCA :	CAS# 7631-86-9 is listed.
DSL/NDSL:	CAS# 7631-86-9 is listed.
WHMIS:	CAS# 7631-86-9 is listed.
OSHA:	CAS# 7631-86-9 is listed.
California Prop 65:	CAS# 7631-86-9 is listed.
REACH:	CAS# 7631-86-9 is listed.
AICS:	CAS# 7631-86-9 is listed.
METI/ENCS:	CAS# 7631-86-9 is listed.
KECI:	CAS# 7631-86-9 is listed.
HSNO:	CAS# 7631-86-9 is listed.
OICCS:	CAS# 7631-86-9 is listed.
NCSR:	CAS# 7631-86-9 is listed.

16.Other information:

First publish date: Dec 9 th ,2017

快·简·易®
KUAIJIANYI

烟台科百达环保材料科技有限公司
Yantai Kebaida Environmental & Technical Materials Co.,Ltd

Add:No 20 Hefei Road ETDZ Yantai city Shandong province China

Tel: 0086-535-6953678 Fax: 0086-535-6964678

Email:info@kbdmodular.com Website: www.kbdmodular.com

Made by:QC Department

Latest version date: Feb 7th,2021

Version:2

SDS Provided by: Yantai Kebaida Environmental & Technical Materials Co.,Ltd

Explanation: With the continuous expansion of the product application and the increase of knowledge, we will regularly modify and improve SDS without prior notification. The data is not the product manual, therefore we can not foresee and control the specific circumstance of its products, which we can not guarantee the applicability and accuracy of the products In any particular case. The industrial health and safety treatment procedure is only based on our experience and general consensus in the industry. Customers should read the data and product instructions carefully to determine whether they are suitable for your application.