



## COPRO® CP-505

<b>Type of Adhesive</b>	Carboxylated Styrene-Butadiene Latex
<b>Product Benefits</b>	Medium to firm hand/flexibility High binding strength Excellent wet strength and water resistance Excellent cohesive bonding strength Excellent filler acceptance and formulation stability
<b>Typical Applications</b>	Commercial and residential carpet backings Adhesive formulations Coating formulations
<b>Suitable Substrates</b>	Multiple substrates and uses.

### Typical Properties

Property	Value
APPEARANCE	White Liquid
SOLIDS	52 – 54 %
pH	6.5 – 8.5
VISCOSITY	100 – 700 cps
ODOR	Sweet
WT / GAL	8.3 – 8.5 lb.
GLASS TRANSITION TEMPRATURE	11 C

<b>Application Instructions</b>	Application temp: See table above.
<b>Cleaning Instructions</b>	Consult the equipment manufacturer for cleanup procedures. This product is dilutable with water. Dilute and Clean-Up before the product dries and film forms.
<b>Typical Packaging</b>	Please contact your local Sales Office for available packaging options.
<b>Storage Conditions</b>	For best performance, the product should be stored and used at 65 - 85F. Do not freeze.

## Disposal Advice

Please refer to the SDS for disposal instructions.

## Safety Advice

Avoid contact with skin and eyes. Product will irritate eyes if contact occurs. Skin irritation is possible on prolonged or repeated contact.

Please refer to the SDS for additional safety advice.

**NOTE TO USER:** by ordering/receiving product you accept the H.B. Fuller General Terms and Conditions of Sale applicable in the region. Please request a copy if you have not received these. These Terms and Conditions contain disclaimers of implied warranties (including but not limited to disclaiming warranties of fitness for a particular purpose) and limits of liability. All other terms are rejected. In any event, the total aggregate liability of H.B. Fuller for any claim or series of related claims however arising, in contract, tort (including negligence), breach of statutory duty, misrepresentation, strict liability or otherwise, is limited to replacement of affected products or refund of the purchase price for affected products. H.B. Fuller shall not be liable for loss of profit, loss of margin, loss of contract, loss of business, loss of goodwill or any indirect or consequential losses arising out of or in connection with product supply.

**IMPORTANT:** The information, specifications, procedures and recommendations herein (together "information") are based on our experience and we believe these to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or that the information will avoid losses or damages or give desired results. It is purchaser's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. No employee, distributor or agent has any right to change these facts and offer a guarantee of performance, goodwill or any indirect or consequential losses arising out of or in connection with product supply.  
Technical Data Sheet last updated: 7/21/2021

North America  
+888-HBFULLER  
+888-423-8553

[inquiry@hbfuller.com](mailto:inquiry@hbfuller.com)  
[www.hbfuller.com](http://www.hbfuller.com)

