

LICOMONT BS 100 GR

0025

Page 1

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

SECTION 1. IDENTIFICATION

Identification of the company:	Clariant Plastics & Coatings (Deutschland) GmbH Frankfurt am Main, 65926 Telephone No.: +49 69 305 18000
Information of the substance/preparation:	Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com
Emergency tel. number:	+1 800-424-9300 CHEMTREC

Trade name:	LICOMONT BS 100 GR	0025
Material number:	198425	
CAS number:	110-30-5	
Primary product use:	Additive Modification of asphalt and bitumen for road construction.	
Chemical family:	Bisstearoylethylenediamide	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word	:	Warning
Hazard statements	:	May form combustible dust concentrations in air.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P243 Take precautionary measures against static discharge. P233 Keep container tightly closed.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	Bisstearoylethylenediamide

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

CAS-No. : 110-30-5

Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N'-Ethylenedi(stearamide)	110-30-5	90 - 100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Get medical advice/ attention if you feel unwell.
- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash with soap and water. Contact physician if irritation or other symptoms occur. If hot wax strikes skin, drench or immerse the area in water to assist cooling. Do not remove wax from a burn after it cools. Consult a physician.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- If swallowed : If conscious, give the victim plenty of water to drink.
Consult a physician.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water mist
Carbon dioxide (CO₂)
Foam
Dry powder
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated,

LICOMONT BS 100 GR

0025

Page 3

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

organic powders have the potential to be explosive with static spark or flame initiation.

- Further information : Exercise caution when fighting any chemical fire. Use NIOSH approved self-contained breathing apparatus and full protective clothing.
- Special protective equipment for firefighters : Wear personal protective equipment. In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment. Keep away sources of ignition. Contain spill. Small spills may be flushed to the sewer or absorbed on suitable absorbants. Larger spills should be collected as liquid or absorbed. Clean-up may be accomplished by flushing with water if appropriate or remove contaminated soils. place in appropriate containers.
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Take up mechanically

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge. Electrical equipment should be protected to the appropriate standard.
- Observe the general rules of industrial fire protection
- Combustible material
- Advice on safe handling : Avoid dust formation. Keep away from sources of ignition. Lead off electrostatic charges. Avoid inhalation, ingestion and contact with skin and eyes. Wash thoroughly after handling.
- Further information on storage conditions : Store in original container. Keep container tightly closed. Store in a cool, dry, well-ventilated area.

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N'-Ethylenedi(stearamide)	110-30-5	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH

Engineering measures : A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OEL).

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.

Hand protection
Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : When working with hot material, avoid contact with skin.

Hygiene measures : Observe the usual precautions for handling chemicals.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Colour : off-white

Odour : not specified

Odour Threshold : not determined

LICOMONT BS 100 GR

0025

Page 5

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

pH	:	Not applicable
Drop point	:	approx. 284 °F / 140 °C Method: DIN/ISO 2176
Melting point	:	291 °F / 144 °C Method: DSC
Flammability (solid, gas)	:	not determined
Vapour pressure	:	0.000023 Pa (68 °F / 20 °C) Method: OECD Test Guideline 104 0.000042 Pa (77 °F / 25 °C) Method: OECD Test Guideline 104 0.00062 Pa (122 °F / 50 °C) Method: OECD Test Guideline 104
Density	:	approx. 1 g/cm ³ (73 °F / 23 °C) Method: ISO 1183
Solubility(ies) Water solubility	:	insoluble (68 °F / 20 °C)
Partition coefficient: n- octanol/water	:	Not applicable
Decomposition temperature	:	> 572 °F / > 300 °C Method: DSC No decomposition if used as directed.
Viscosity Viscosity, dynamic	:	approx. 10 mPa.s (302 °F / 150 °C) Method: DIN 53019

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. The substance or mixture does not emit flammable gases in contact with water. Not corrosive to metals Stable
Conditions to avoid	:	Keep away from heat and sources of ignition.

LICOMONT BS 100 GR

0025

Page 6

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Incompatible materials : no data available

Hazardous decomposition products : Possible in traces:
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Eye contact
Skin contact
Inhalation

Acute toxicity**Product:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Components:**N,N'-Ethylenedi(stearamide):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Product:**

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Components:**N,N'-Ethylenedi(stearamide):**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation**Product:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Components:**N,N'-Ethylenedi(stearamide):**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation**Product:**

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

Components:**N,N'-Ethylenedi(stearamide):**

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

Germ cell mutagenicity**Product:**

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Result: negative

Test Type: Mammalian cell gene mutation assay
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Components:**N,N'-Ethylenedi(stearamide):**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: Mammalian cell gene mutation assay
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity**Product:**

Carcinogenicity - Assessment : No information available.

Components:**N,N'-Ethylenedi(stearamide):**

Carcinogenicity - Assessment : No information available.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Product:**

Effects on foetal development

: Test Type: Pre-natal
Species: Rat
Strain: Sprague-Dawley
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment

: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Components:**N,N'-Ethylenedi(stearamide):**

Effects on foetal development

: Test Type: Pre-natal
Species: Rat
Strain: Sprague-Dawley
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment

: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure**Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:**N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

STOT - repeated exposure**Product:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:**N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Product:**

Species: Rat, male and female
NOEL: >= 1000 mg/kg bw/day
Application Route: oral (gavage)
Method: OECD Test Guideline 408

Components:**N,N'-Ethylenedi(stearamide):**

Species: Rat, male and female
NOEL: >= 1000 mg/kg bw/day
Application Route: oral (gavage)
Method: OECD Test Guideline 408

Aspiration toxicity**Product:**

no data available

Components:**N,N'-Ethylenedi(stearamide):**

no data available

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

- Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): 0.027 mg/l
End point: mortality
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0022 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility
- Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (algae)): 0.053 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : Remarks: no data available
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (*Daphnia magna* (Water flea)): 0.0056 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): >= 1,000 mg/kg
Exposure time: 56 d
Method: OECD Test Guideline 222
- Sediment toxicity : NOEC: >= 1000 mg/kg dry weight (d.w.)
Test Type: static test
Sediment: Artificial sediment
Exposure duration: 28 d
Method: OECD Test Guideline 218

Components:**N,N'-Ethylenedi(stearamide):**

- Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): 0.027 mg/l
End point: mortality
Exposure time: 96 h

SAFETY DATA SHEET

LICOMONT BS 100 GR

0025

Page 12

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0022 mg/l
Exposure time: 48 h

Test Type: semi-static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (algae)): 0.053 mg/l
Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): 0.0056 mg/l
Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h

Test Type: static test

Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg
Exposure time: 56 d

Method: OECD Test Guideline 222

Sediment toxicity : NOEC: >= 1000 mg/kg dry weight (d.w.)
Test Type: static test

Sediment: Artificial sediment

Exposure duration: 28 d

Method: OECD Test Guideline 218

Persistence and degradability

Product:

Biodegradability

: Test Type: aerobic

Inoculum: activated sludge

Result: Not readily biodegradable.

Biodegradation: 5.5 % (Carbon dioxide (CO₂))

Exposure time: 28 d

Method: OECD Test Guideline 301B

Components:

N,N'-Ethylenedi(stearamide):

Biodegradability

: aerobic

SAFETY DATA SHEET

LICOMONT BS 100 GR

0025

Page 13

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Inoculum: activated sludge
Carbon dioxide (CO₂)
Result: Not readily biodegradable.
Biodegradation: 5.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

N,N'-Ethylenedi(stearamide):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

Product:

Distribution among environmental compartments : log K_{oc}: 8.6 - 8.91
Method: calculated

Components:

N,N'-Ethylenedi(stearamide):

Distribution among environmental compartments : log K_{oc}: 8.6 - 8.91
Method: calculated

Other adverse effects

Product:

Additional ecological information : no data available

Components:

N,N'-Ethylenedi(stearamide):

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- RCRA - Resource Conservation and Recovery Act Authorization Act Waste Code : This product, if discarded as sold, is not a Federal RCRA hazardous waste.
- Waste from residues : Small quantities may be treated in aerobic wastewater treatment systems. Larger quantities may be incinerated or landfilled after solidification in permitted systems.
- Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste
- Completely empty packaging may be treated as household waste

SECTION 14. TRANSPORT INFORMATION

- DOT not restricted
- IATA not restricted
- IMDG not restricted

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The components of this product are reported in the following inventories:

TSCA : All components are compliant with the TSCA Inventory


Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Notification (Active) rule.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise

SAFETY DATA SHEET



LICOMONT BS 100 GR

0025

Page 16

Substance key: 000000163121

Revision Date: 05/11/2022

Version : 1 - 6 / USA

Date of printing :05/28/2022

Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

On the basis of an extensive test program, which had to be submitted to the competent authority on the occasion of the Notification of the substance in the European Community, this product was found to be toxicologically not dangerous within the meaning of the EC Directives.

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

Observe national and local legal requirements

Revision Date : 05/11/2022

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN