BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : BAYFERROX 320 (YORK) US

Material number : 56755156

Chemical family : inorganic

Recommended use : Colorants (pigments and dyestuffs), inorganic

Manufacturer or supplier's details

Supplier : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive PittsburghPA 15275-1112

USA

Telephone : +1800LANXESS

+14128091000 (international)

Emergency telephone : CHEMTREC (800) 424 9300

International (703) 527 3887

Lanxess Emergency Phone (800) 410-3063

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Hazard Not Otherwise Classified (HNOC)

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : C.I. Pigment black 11, Fe3O4

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : No special actions required.

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

In case of eye contact : Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids.

If easy to do, remove contact lens, if worn. Continue to rinse for at least 10 minutes. Get medical attention if symptoms appear.

If swallowed : Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : Skin: May cause irritation with symptoms of reddening and

itching

Eye: May cause irritation with symptoms of reddening, tear-

ing and stinging.

Effects : May cause mechanical irritation (abrasion).

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or

 CO_2 .

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

No information available.

Hazardous combustion prod: :

ucts

The product itself does not burn.

Further information : Standard procedure for chemical fires.

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Keep unnecessary and unprotected personnel from entering.

Avoid breathing dust.

Use personal protective equipment.

Avoid dust formation.

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up

Move containers from spill area.

Vacuum or sweep up material and place in a designated, la-

beled waste container.

Dispose of wastes in an approved waste disposal facility.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Workers should wash hands and face before eating, drinking

and smoking.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Electrical installations / working materials must comply with

the technological safety standards.

Do not store near sources of heat (furnaces, kilns, boilers,

etc.).

Exposure to excessive heat may cause this product to become unstable (slowly auto-oxidize) which generates additional heat. Under certain circumstances this heat generation may be sufficient to cause combustible materials to ignite. Do not store near strong oxidizers, sources of heat, or near flam-

mable or combustible materials.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
calcium carbonate	1317-65-3	TWA (total	15 mg/m3	OSHA Z-1
		dust)		
		TWA (respir-	5 mg/m3	OSHA Z-1
		able fraction)		

Engineering measures : This information is not available.

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

Personal protective equipment

Respiratory protection : Dust-protection mask if there is a risk of dust formation.

Hand protection

Material : Gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : General industrial hygiene practice.

When using do not eat, drink or smoke.

Wash face, hands and any exposed skin thoroughly after

handling.

Wash contaminated clothing before reusing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Appearance : powder

Color : black

Odor : odorless

Odor Threshold : No data available

pH : 4-8

Concentration: 5 %

Melting point/range : $> 1,832 \, ^{\circ}F \, (> 1,000 \, ^{\circ}C)$

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

Relative density : No data available

Density : 4.6 g/cm³ (68 °F (20 °C))

Bulk density : 300 - 1,000 kg/m³

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : No data available

Decomposition temperature : > 176 °F (> 80 °C)

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Excessive temperatures. At temperatures greater than 176 F

(80 C), this product may become unstable and slowly autooxidize into Fe2O3 which generates additional heat. Under certain conditions this heat may be sufficient to cause com-

bustible materials to ignite.

Incompatible materials : No specific data.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l

Exposure time: 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Disposal methods

SECTION 13. DISPOSAL CONSIDERATIONS

RCRA - Resource Conservation and Recovery Authorization Act

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

: The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA

None

Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

calcium carbonate	1317-65-3	1 - 10
Crystalline Quartz Silica	14808-60-7	< 0.1

Pennsylvania Right To Know

C.I. Pigment Black 11	1317-61-9	90 - 100
calcium carbonate	1317-65-3	1 - 10
Sodium-/calcium-/chloride/sulfate +Carbon	Not Assigned	1 - 5

California Prop. 65

WARNING: This product can expose you to chemicals including Crystalline Quartz Silica, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL).

TSCA inventory

TSCA : On TSCA Inventory

BAYFERROX 320 (YORK) US



Version Revision Date: SDS Number: Date of previous issue: - 1.0 10/26/2018 103000012915 Country / Language: US / EN

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 10/26/2018

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.