



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

SECTION 1. IDENTIFICATION

Product identifier

Trade name : **BAEROSTAB MC 93362 P**

Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Manufacture of plastics products
Polymer additive
Stabilizer

Recommended restrictions on use : None known.

Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC
5890 Highland Ridge Drive
Cincinnati, OH 45232
Telephone : Day 330-602-1528 or 330-602-1531
: Night 513-207-1620 or 513-604-2327
E-mail address : Hotline.PS@baerlocher.com
Responsible/issuing person : Product Safety Department

Emergency telephone number (0 - 24 h)

Tel.: 800-424-9300 USA or 703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage : Category 1

Combustible dust

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.
May form combustible dust concentrations in air.

Precautionary statements : **Prevention:**
P280 Wear eye protection/ face protection.

Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

CENTER/ doctor.

Other hazards

Combustible material
Dust can form an explosive mixture in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Zinc compounds*	Trade Secret	< 20*
Zinc Compounds*	Trade Secret	< 25*

*Trade Secret - The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.
In case of skin contact : Wash off with soap and plenty of water.
In case of eye contact : Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Call a physician immediately.
If swallowed : Clean mouth with water and drink afterwards plenty of water.
Call a physician immediately.
Show this safety data sheet to the doctor in attendance.
Most important symptoms and effects, both acute and delayed : No information available.
Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
Sand
Unsuitable extinguishing media : High volume water jet
Specific hazards during fire-fighting : Smoke and fumes, toxic.
Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Remove all sources of ignition.



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

- tive equipment and emergency procedures : Avoid dust formation.
Provide adequate ventilation.
Avoid contact with skin and eyes.
For personal protection see section 8.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.
- Methods and materials for containment and cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Take precautionary measures against static discharges.
Keep away from sources of ignition - No smoking.
Avoid formation and buildup of dust.
- Conditions for safe storage : Store at room temperature in the original container.
Keep in a dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zinc compounds	Trade Secret	PEL	15 mg/m ³ (total dust)	OSHA Z-1
		PEL	5 mg/m ³ (Respirable fraction)	OSHA Z-1
		TWA	10 mg/m ³ (total dust)	NIOSH REL
		TWA	5 mg/m ³ (Respirable fraction)	NIOSH REL
		TWA	10 mg/m ³ (Respirable dust)	ACGIH
		TWA	5 mg/m ³ (Respirable fraction)	ACGIH
General limits for air contaminants (PNOC)	Not Assigned	air 8 h (total dust)	15 mg/m ³	OSHA Z-3
		air 8 h (Respirable fraction)	5 mg/m ³	OSHA Z-3
		air 8 h (inhalable dust)	10 mg/m ³	ACGIH
		air 8 h (Respirable fraction)	3 mg/m ³	ACGIH



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : P1 filter respirator for inert particles

Hand protection

Remarks : protective gloves acc. to EN 374, e.g. neoprene

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing

Protective measures : antistatic shoes

Hygiene measures : When using do not eat or drink.

Do not smoke.

Wash hands before breaks and at the end of workday.

Shower or bathe at the end of working.

Keep working clothes separately.

Handle in accordance with good industrial hygiene and safety practice.

Regular cleaning of equipment, work area and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : off-white

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/range : > 100 °C

Boiling point/boiling range : No data available

Flash point : >> 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : practically insoluble



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable at normal ambient temperature and pressure.
Chemical stability	:	No decomposition if stored normally.
Possibility of hazardous reactions	:	Applies to granules (R), pastilles (TX) and flakes (SMS): The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. Applies to powder and remaining product forms: Dust can form an explosive mixture in air.
Conditions to avoid	:	Avoid dust formation. Keep away from heat and sources of ignition.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

Zinc compounds:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Read-across (Analogy) LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	LC50 (Rat): > 200 mg/l



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Exposure time: 1 h
Test atmosphere: dust/mist

LC50 (Rat): > 50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on available data, the classification criteria are not met.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Acute oral toxicity : Remarks: Read-across (Analogy)

LD50 (Rat): > 2,000 mg/kg
Remarks: Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Remarks: Read-across (Analogy)

LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on available data, the classification criteria are not met.

Acute dermal toxicity : Remarks: Read-across (Analogy)

LD50 (Rabbit): > 2000 mg/kg bw
Remarks: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Components:

Zinc compounds:

Species: Rabbit
Method: OECD Test Guideline 404
Result: not irritating
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Species: Rabbit
Method: OECD Test Guideline 404
Result: not irritating
GLP: yes
Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Serious eye damage/eye irritation

Components:

Zinc compounds:

Species: Rabbit

Result: not irritating

Method: OECD Test Guideline 405

Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Species: Rabbit

Result: Causes serious eye damage.

Method: OECD Test Guideline 405

GLP: yes

Respiratory or skin sensitization

Components:

Zinc compounds:

Remarks: Skin sensitization

Patch test on human volunteers did not demonstrate sensitization properties.

Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitization

Based on available data, the classification criteria are not met.

Zinc Compounds:

Remarks: Skin sensitization

Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitization

Remarks: Not classified due to lack of data.

Germ cell mutagenicity

Components:

Zinc compounds:

Genotoxicity in vitro : Remarks: Read-across (Analogy)

: Method: standardized international/national methodology

Result: negative

Remarks: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Remarks: Read-across (Analogy)



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Method: standardized international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Genotoxicity in vitro : Remarks: Read-across (Analogy)
: Method: standardized international/national methodology
Result: negative
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

Components:

Zinc compounds:

Remarks: Read-across (Analogy)
Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Remarks: Read-across (Analogy)
Remarks: Based on available data, the classification criteria are not met.

Reproductive toxicity

Components:

Zinc compounds:

Effects on fertility : Remarks: Read-across (Analogy)
Remarks: Based on available data, the classification criteria are not met.
Remarks: Read-across (Analogy)
Remarks: Based on available data, the classification criteria are not met.
Effects on fetal development : Remarks: Read-across (Analogy)



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Remarks: Based on available data, the classification criteria are not met.

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Effects on fertility

: Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Effects on fetal development

: Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

STOT - single exposure

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Zinc Compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

Zinc compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Zinc Compounds:

Remarks: Read-across (Analogy)

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Components:

Zinc compounds:

Based on available data, the classification criteria are not met.

Zinc Compounds:

Based on available data, the classification criteria are not met.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Zinc compounds:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.

Remarks: Read-across (Analogy)

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,169 mg Zn/L
Exposure time: 96 h
Test Type: static test
Method: standardised international/national methodology

Remarks: Read-across (Analogy)

(Pimephales promelas (fathead minnow)): 0,330 - 0,780 mg Zn/L

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Remarks: Read-across (Analogy)

LC50 (Ceriodaphnia dubia (water flea)): 0.147 - > 0,53 mg



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

	Zn/l
Toxicity to algae	: NOEC (Pseudokirchneriella subcapitata (green algae)): 19.3 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: semi-static test Method: OECD Test Guideline 201 GLP: yes Remarks: Value referred to the Water accumulated fraction (WAF). EC10 (Pseudokirchneriella subcapitata (green algae)): 3.31 mg/l Exposure time: 72 h Test Type: semi-static test Method: OECD Test Guideline 201 GLP: yes Remarks: Value referred to the Water accumulated fraction (WAF).
Toxicity to fish (Chronic toxicity)	: Remarks: Read-across (Analogy) NOEC: 0,044 - 0,530 mg Zn/L Test Type: Fresh water Remarks: Read-across (Analogy) NOEC: 0,025 mg Zn/L Test Type: Marine water
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: Read-across (Analogy) NOEC: 0,037 - 0,400 mg Zn/L Test Type: Fresh water Remarks: Read-across (Analogy) NOEC: 0,0056 - 0,9 mg Zn/L Test Type: Marine water
Toxicity to bacteria	: NOEC (Photobacterium phosphoreum): 1,560 mg/l Exposure time: 0.5 h Test Type: static test Method: DIN 38412 T 34 GLP: GLP:



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Remarks: Read-across (Analogy)

EC50 (activated sludge): 5,2 mg Zn/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209
GLP: no

Zinc Compounds:

Toxicity to algae : EC50 (*Pseudokirchneriella subcapitata* (algae)): 0.199 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

(*Pseudokirchneriella subcapitata* (algae)): 0.065 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

Zinc compounds:

Biodegradability : Ready biodegradability
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: closed bottle test according to OECD 301 D

Remarks: Read-across (Analogy)

Ready biodegradability
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 29 d
Method: OECD Test Guideline 301

Zinc Compounds:

Biodegradability : Result: Readily biodegradable.



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Remarks: The organic components of the product are biodegradable.

Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

Zinc compounds:

Bioaccumulation : Remarks: Not applicable

Zinc Compounds:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

Components:

Zinc compounds:

Mobility : Remarks: According to experience not expected

Zinc Compounds:

Mobility : Remarks: No data available

Other adverse effects

Components:

Zinc compounds:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

Zinc Compounds:

Results of PBT and vPvB assessment : Based on available data, the classification criteria are not met.

Endocrine disrupting potential : No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Consult an expert on the disposal of recovered material. Ensure disposal in compliance with government requirements and ensure conformity to local disposal regulations.

Dispose in accordance with local, state and federal regula-



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

Contaminated packaging : tions.
Empty containers must be handled with care due to product residue.

SECTION 14. TRANSPORT INFORMATION

National Regulations

DOT

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 313 : This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

Components	CAS-No.	Wt.
Zinc Compounds (N982)	Not Assigned	20.0

The components of this product are reported in the following inventories:

EINECS listed
TSCA listed
DSL listed
AICS listed
ENCS listed
ECL listed
CHINA listed

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensa-



BAEROSTAB MC 93362 P


Version 1.0

Revision Date 03/17/2021

tion, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 03/17/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not



BAEROSTAB MC 93362 P

Version 1.0

Revision Date 03/17/2021

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN