

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

1 Identification

- **Product identifier**
- **Trade name:** **DERCOLYTE® A 125**
- **Substance name:** Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane
- **Common CAS No.:** 31393-98-3
- **Application of the substance / the mixture** Relevant identified uses: Adhesives
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Manufacturer / Supplier:
D.R.T
30 rue Gambetta
BP 90206
F-40105 DAX Cedex
FRANCE
Tel: 33 (0)558 566 200
Email: fds@drt.fr
- **Supplier:**
PINOVA Inc.
2801 Cook Street
Brunswick, Georgia,
USA 31520
Email: msds@pinovasolutions.com
- **Emergency telephone number:**
NCEC (24/24 – 7/7):
United States : +1 866 928 0789 (Toll free)
United States : +1 215 207 0061 (involves operator intervention to identify language)
Others countries : See section 16

2 Hazard(s) identification

- **Classification of the substance or mixture**
Combustible Dust May form combustible dust concentrations in air.
- **Label elements**
- **US label elements** The substance is classified and labeled according to the US system.
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**
May form combustible dust concentrations in air.
- **Information pertaining to particular dangers for man and environment:**
Prolonged or repeated exposure to vapours/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or breathing difficulty.
HOT MOLTEN product: Burns may cause irreversible eye injury and blindness. Causes skin burns.
Product may burn if ignited.

(Contd. on page 2)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0-4)**



- **HMIS ratings (scale 0-4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not determined.
- **vPvB:** Not determined.

3 Composition/information on ingredients

- **Chemical characterization:** Substance polymer
- **CAS Number:** 31393-98-3
- **Additional information:**

This product is considered hazardous according to the OSHA Hazard Communication Standard 29CFR1910.1200 due to flammable dust potential.
If this product is heated or used at temperatures sufficient to produce smoke or fumes, refer to SDS Section 8, Exposure Controls/Personal Protection
- **Description:**

alpha-pinene, beta-pinene copolymer
CAS name : Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane

4 First-aid measures

- **After inhalation:**

Supply fresh air. If symptoms are experienced, get medical attention.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**

Immediately rinse with plenty of water.
Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Get medical attention if irritation occurs.
In case of hot product splashes on the skin, cool immediately with plenty of water during 15 minutes and seek medical advice.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 2)

· **After eye contact:**

Immediately rinse with plenty of water. Remove contact lenses, if present and easy to do. Hold eyelids apart and flush eyes with plenty of cool low-pressure water for 15 minutes. Consult an ophthalmologist.

If eye contact with hot product: Do not open eyelids if covered with resins. Immediately flush eyes with large amounts of water for at least 15 minutes. Do not remove solidified material from burned eye as the damaged tissues can be easily torn. Transfer immediately to hospital.

· **After swallowing:**

Do not induce vomiting. If the person is conscious, immediately rinse out mouth with water.

- No adverse health effects are expected from accidental ingestion of small amounts of this product. In case of lasting symptoms, consult a doctor.

- For ingestion of large amounts: do not induce vomiting and get medical attention.

· **Most important symptoms and effects, both acute and delayed** No data available.

· **Indication of any immediate medical attention and special treatment needed**

For HOT MOLTEN or HOT LIQUID product: Material should not be forcibly removed from the skin.

Mineral oil may be used to loosen and soften the material.

5 Fire-fighting measures

· **Suitable extinguishing agents:**

Carbon dioxide (CO₂), foam, fire-extinguishing powder, water spray.

Fight large fires with water spray or foam.

· **Special hazards arising from the substance or mixture** In case of fire, may release irritant and acrid fumes.

· **Advice for firefighters**

· **Protective equipment:**

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus.

· **Additional information:** Cool endangered receptacles with water spray.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Provide adequate ventilation

Avoid formation of dust.

· **Environmental precautions:**

Do not allow product to reach soil, waterways, drains and sewers.

Inform the relevant authorities if the product has caused environmental pollution (soil, waterways, drains or sewers).

· **Methods and material for containment and cleaning up**

Pick up mechanically.

Avoid as much as you can the formation of dust.

Collect and seal in an appropriate container properly labelled for disposal.

· **Reference to other sections**

See section 8 for information on personal protection equipment.

See section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:** Substance is not listed.

· **PAC-2:** Substance is not listed.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

· **PAC-3:** Substance is not listed.

(Contd. of page 3)

7 Handling and storage

· **Precautions for safe handling**

Wear appropriate personal protective equipment. Provide adequate ventilation in the workplace.

Prevent formation of dust.

Provide suction extractors if dust is formed.

For HOT MOLTEN or HOT LIQUID product: Use personal protective equipment as indicated in Section 8.

· **Information about protection against explosions and fires**

Protect against electrostatic charges.

Use only non-sparking tools.

Protect from heat.

Keep ignition sources away.

· **Conditions for safe storage**

Store if possible under cover in a cool well-ventilated location.

Store only in the original receptacle.

Avoid dust formation close to sources of ignition.

Protect from heat and direct sunlight.

Provide storage areas with suitable ventilation to eliminate dusts.

Ground all equipment.

Blanket vessel with inert gas when emptying bags where flammable vapors may be present.

Ground operator and pour material slowly into conductive, grounded chute.

For large bags (1000 lbs or greater) a ground cable MUST be attached to the bag ground connection.

· **Further information about storage conditions**

· **Recommended storage temperature:**

Store at a temperature between 5 and 35 °C.

This product can be spoiled irreversibly if subjected to freezing temperatures or to prolonged heat.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

Occupational Exposure Values for dust, particulates

ACGIH TLV TWA

- total dust 10 mg/m³

- respirable dust 3 mg/m³

OSHA PEL TWA

- total dust 15 mg/m³

- respirable dust 5 mg/m³

· **Additional information:** This sheet is based on the current valid lists.

· **Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 4)

Provide local exhaust or general room ventilation to minimize exposure to dust.

Immediately remove all soiled and contaminated clothing.

Avoid contact with eyes and skin.

· **Protection of hands:**

Protective, impervious gloves resistant to chemicals (standard EN 374-1). They should be replaced regularly and if there is any indication of degradation or chemical breakthrough.

· **Eye protection:** Safety Goggles

· **Body protection:**

Protective work clothing

Personnel exposed to HOT MOLTEN or HOT LIQUID material should wear protective clothing that

provides protection against thermal burns. Required Protective Equipment: a) Long-sleeved protective shirt, long pants

and work shoes; b) Hard hat and face shield; c) Long-cuff impervious gloves (Gauntlet type extending beyond wrist); d)

Lined rain suit with protective hood or shoulder shroud or e) Full aluminized or thermal suit with hood.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

Form: Solid

Color: Yellowish

· **Odor:** Odorless

· **Odor threshold:** Not applicable

· **pH-value:** Not applicable.

· **Change in condition**

Boiling point/Boiling range: Not determined.

Softening point R&B: 121 - 129 °C (249.8 - 264.2 °F) (Ring & Ball)
Method : like ASTM E28

· **Flash point:** >200 °C (>392 °F) (closed cup)
Method : like A9, Reg (EC) No 440/2008

· **Auto-ignition temperature:** Not determined

· **Decomposition temperature:** Not determined

· **Danger of explosion:** The substance does not contain any chemical groups associated with explosive properties. In the form supplied, the product is not explosive. However fine dust clouds may form explosive mixtures with air.

· **Oxidizing properties** The substance does not contain any chemical groups associated with oxidising properties.

· **Vapor pressure:** Not determined.

· **Specific gravity:**
Relative density at 20 °C (68 °F) 1.0

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 5)

- | | |
|---|----------------------------------|
| · Solubility in / Miscibility with Water: | Not soluble or slightly soluble. |
| · Partition coefficient (n-octanol/water): | Not determined |
| · Viscosity: Dynamic: | Not applicable. |
| · Additional information | No other data |

10 Stability and reactivity

- **Reactivity** No data from specific reactivity tests are available for this product or this class of product.
- **Chemical stability** Product stable under storage and handling conditions according to specifications (see section 7).
- **Possibility of hazardous reactions**
In the form supplied, the product is not explosive; however, dust production may induce risk of explosion.
- **Conditions to avoid** Keep away from heat and sources of ignition.
- **Incompatible materials:** No data available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD₅₀/LC₅₀ values that are relevant for classification:**

31393-98-3 Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane

Oral	LD ₅₀	>2,000 mg/kg (rat) OECD 401
------	------------------	--------------------------------

- **Primary irritant effect:**
- **on the skin:**
The substance was very slightly irritating in rabbit (OECD 404). However, based on available data, the classification criteria are not met.
- **on the eye:**
Fine particles and powder may cause eye irritation by mechanical effect. However, based on available data, the classification criteria are not met.
- **Sensitization:**
The substance is not classified as no evidence of a skin sensitization response was observed with a structurally related substance in a Guinea Pig Maximisation Test (GPMT - OECD 406)
- **Mutagenicity/genotoxicity:** No data available.
- **Carcinogenicity:** No data available.
- **Reproductive toxicity:** No data available.
- **Specific target organ toxicity - single exposure:** No data available.
- **Specific target organ toxicity - repeated exposure:** No data available.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 6)

- **Aspiration hazard:** Not applicable (solid).
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

12 Ecological information

- **Aquatic toxicity:**
Tests carried out with a structurally related substance:
Reliable short-term aquatic toxicity values have been determined in tests conducted with water-accommodated fractions (WAFs). This method was developed for slightly soluble substances; the initial loading rate of the substance is significantly higher than the solubility in water. LL₅₀ and EL₅₀, similar to LC₅₀ and EC₅₀, are obtained.
EL₅₀ (48 h), Daphnia magna: > 100 mg/L (nominal concentration - OECD 202)
NOELr (48 h), Daphnia magna: > 100 mg/L (nominal concentration - OECD 202)
- **Persistence and degradability**
The substance is not readily biodegradable (OECD 301 B conducted with a structurally related substance).
- **Bioaccumulative potential** No data available.
- **Mobility in soil** No data available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not determined.
- **vPvB:** Not determined.
- **Other adverse effects** No data available.

13 Disposal considerations

- **Waste treatment methods** National and regional regulations have to be adhered to.
- **Recommendation:**
Dispose of waste material in accordance with all federal, state and local regulations.
The product has to be disposed of in an authorised incinerator, according to regulation.
- **Uncleaned packagings:**
- **Recommendation:** Packaging has to be sent to an authorised waste treatment facility, for recycling or disposal.

14 Transport information

- | | |
|----------------------------------|--|
| · UN-Number | Not classified as a dangerous good under transport regulation. |
| · DOT | Void |
| · UN proper shipping name | Not classified as a dangerous good under transport regulation. |
| · DOT | Void |

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 7)

- **Transport hazard class(es)**
- **DOT**
- **Class** Void
- **ADR, IMDG, IATA**
- **Class** Not classified as a dangerous good under transport regulation.
- **Packing group** Not applicable.
- **DOT** Void
- **Environmental hazards:** Not classified as a dangerous good under transport regulation.
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

15 Regulatory information

- **SARA Section 355 (extremely hazardous substances)** Substance is not listed.
- **SARA Section 313 (specific toxic chemical listings)** Substance is not listed.

· **TSCA (Toxic Substances Control Act)**

31393-98-3	Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	ACTIVE
------------	--	--------

- **Prop 65 - Chemicals known to cause cancer or reproductive toxicity** Substance is not listed.
- **Carcinogenicity categories**
- **EPA (Environmental Protection Agency) - 12th Report on Carcinogens** Substance is not listed.
- **TLV (Threshold Limit Value)** Substance is not listed.
- **US label elements** The substance is classified and labeled according to the US system.
- **Hazard pictograms** Void
- **Signal word** Warning
- **Hazard statements**
May form combustible dust concentrations in air.
- **National regulations:** Canadian Domestic substances List (DSL): Substance is listed

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

NCEC In-Country Numbers (24/24 - 7/7):

Global / English speaking countries : +44 1865 407333

Middle East/Africa : +44 1235 239671* (English, Arabic, French, Portuguese, Farsi)

Americas : +1 215 207 0061* (English, Spanish, French, Portuguese)

East/South East Asia : +65 3158 1074* (English, Bengali, Cantonese, Indonesian, Hindi, Japanese, Korean, Malay,

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/29/2023

Reviewed on 05/24/2023

Trade name: DERCOLYTE® A 125

(Contd. of page 8)

Mandarin, Sinhalese, Urdu, Tagalog, Thai, Vietnamese)

Europe : +44 1235 239670*

*(involves operator intervention to identify language)

- **Version** 1.0
- **Contact:** fds@drt.fr
- **Date of preparation / last revision** 06/29/2023 / -
- **Abbreviations and acronyms:**
 - NTP: National Toxicology Program
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - OSHA: Occupational Safety and Health Administration (Department of Labour)
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - TWA: 8-hour Time Weighted Average
- **Sources** Literature and company data
- **Data compared to the previous version:** Not applicable - first version