

SAFETY DATA SHEET

G-2243-2



Version Revision Date: SDS Number: Date of last issue: 08/15/2022
3.1 07/12/2023 203000014524 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : G-2243-2
Product code : 000000000058257378

Manufacturer or supplier's details

Company : LANXESS Corporation
 Product Safety & Regulatory Affairs
 111 RIDC Park West Drive
 Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS
 (412) 809-1000
 lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or
 (703) 527-3887 (Outside U.S.A) and mention CCN12916.
 Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms : The GHS hazard pictogram for acute toxicity, showing a black silhouette of a person with a star on their chest, enclosed in a red diamond-shaped border.

Signal Word : Warning

Hazard Statements : Suspected of damaging fertility.

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Precautionary Statements : **Prevention:**
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
IF exposed or concerned: Get medical advice/ attention.

Storage:
Store locked up.

Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : calcium sulfonate grease

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 50 - < 70
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	>= 5 - < 10
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	>= 5 - < 10
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	>= 1 - < 5
Calcium dodecylbenzenesulfonate	26264-06-2	>= 1 - < 5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 1 - < 5
Calcium Petroleum Sulfonate	61789-86-4	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

- In case of skin contact : Wash off with soap and water.
Get medical attention if symptoms occur.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Continue rinsing eyes during transport to hospital.
Get medical attention if symptoms appear.
- If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

- Symptoms : Adverse symptoms sometimes include the following:
Effects on fertility.
- Effects : Suspected of damaging fertility.
- Protection of first-aiders : First Aid responders should pay attention to self-protection
and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific
personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Metal oxides
Sulfur oxides
Nitrogen oxides (NO_x)
- Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.

SAFETY DATA SHEET

G-2243-2



Version Revision Date: SDS Number: Date of last issue: 08/15/2022
3.1 07/12/2023 203000014524 Country / Language: US / EN

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate unnecessary personnel.
Keep unnecessary and unprotected personnel from entering.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Stop leak if safe to do so.
Move containers from spill area.
Wash spillages into an effluent treatment plant or proceed as follows.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Dispose of wastes in an approved waste disposal facility.
Do not allow into the sewerage system, surface waters or groundwater or into the soil.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Avoid exposure during pregnancy.

Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep container closed when not in use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	TWA (Mist)	5 mg/m ³	OSHA Z-1
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Material : Neoprene

Material : Nitrile rubber - NBR

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Physical state : solid

Color : tan

Odor : oily

Odor Threshold : No data available

pH : Not applicable

Melting point/range : Not applicable

Boiling point/boiling range : No data available

Flash point : > 356 °F / > 180 °C
Method: open cup

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : < 0.0008 hPa (68 °F / 20 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 0.95 - 1.05 g/cm³ (77 °F / 25 °C)

Solubility(ies)
Water solubility : negligible

Solubility in other solvents : partly soluble

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Solvent: organic solvent

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerization does not occur. Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Extremes of temperature and direct sunlight. Exposure to moisture.

Incompatible materials : Strong oxidizing agents
Strong acids and strong bases

Hazardous decomposition products : Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.
Sulfur oxides
Oxides of calcium

Version Revision Date: SDS Number: Date of last issue: 08/15/2022
3.1 07/12/2023 203000014524 Country / Language: US / EN

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Skin contact
Eye contact
Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: Test results on an analogous product

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Remarks: Test results on an analogous product

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: Test results on an analogous product

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Dosage caused no mortality

LD50 (Rat, male): > 16,000 mg/kg
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPP 81-3 Acute Inhalation Toxicity
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: 40 CFR, Section 163.81-5, Federal Register, August 22, 1978 as modified in accordance with the revised EPA Pesticide Assessment Guidelines November 1982

GLP: yes

SAFETY DATA SHEET

G-2243-2



Version Revision Date: SDS Number: Date of last issue: 08/15/2022
3.1 07/12/2023 203000014524 Country / Language: US / EN

Calcium dodecylbenzenesulfonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
GLP: no

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
GLP: yes
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: no
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

Calcium Petroleum Sulfonate:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OPP 81-3 Acute Inhalation Toxicity
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Dosage caused no mortality

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : No skin irritation
Remarks : Information given is based on data obtained from similar substances.

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Components:

White mineral oil (petroleum):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rabbit
Exposure time : 24 h
Result : No skin irritation
GLP : yes
Remarks : Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit
Method : Draize Test
Result : No skin irritation
GLP : yes
Remarks : Test results on an analogous product

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Calcium dodecylbenzenesulfonate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Mild skin irritation
GLP : no

Calcium Petroleum Sulfonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation
Remarks : Information given is based on data obtained from similar substances.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rabbit
Result : No eye irritation
GLP : yes
Remarks : Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes
Remarks : Test results on an analogous product

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Calcium dodecylbenzenesulfonate:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Method : OECD Test Guideline 405
GLP : no

Calcium Petroleum Sulfonate:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Result : Does not cause skin sensitization.
Remarks : Information given is based on data obtained from similar substances.

Components:

White mineral oil (petroleum):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.
GLP : yes
Remarks : Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : yes
Remarks : Test results on an analogous product

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Routes of exposure : Dermal
Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Calcium dodecylbenzenesulfonate:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : yes

Calcium Petroleum Sulfonate:

Routes of exposure : Dermal
Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Result: negative
Remarks: Information given is based on data obtained from similar substances.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with metabolic activation
Result: negative
GLP: No information available.
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative
GLP: no
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Genotoxicity in vitro : Test Type: Ames test
Test system: TA98
Metabolic activation: with metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Result: negative
GLP: no
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: positive
GLP: yes
Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow

Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Application Route: Oral
Result: negative
GLP: yes

Calcium dodecylbenzenesulfonate:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: QSAR
Result: negative

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Genotoxicity in vitro : Test Type: Micronucleus test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Ames test
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Test results on an analogous product

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Result: negative
GLP: yes
Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Oral
Method: OECD Test Guideline 478
Result: negative
GLP: no
Remarks: Test results on an analogous product

Calcium Petroleum Sulfonate:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
Remarks: Test results on an analogous product

Carcinogenicity

Not classified based on available information.

Components:

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Mouse, female
Application Route : Dermal
Exposure time : 78 weeks
Frequency of Treatment : various
Result : negative
GLP : No information available.
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Mouse, female
Application Route : Dermal
Exposure time : 18 month(s)

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Method : OECD Test Guideline 451
Result : negative
GLP : No information available.
Remarks : Test results on an analogous product

Species : Mouse, male
Application Route : Dermal
Exposure time : 24 month(s)
Method : OECD Test Guideline 453
Result : positive
GLP : No information available.
Remarks : Test results on an analogous product

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility.

Components:

White mineral oil (petroleum):

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: > 4350 milligram per kilogram
Symptoms: No effect level.
Method: OECD Test Guideline 415

Effects on fetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 5000 milligram per kilogram
General Toxicity Maternal: NOAEL: >= 5,000 mg/kg bw/day
Developmental Toxicity: NOAEL: >= 5,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: No adverse effects.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Effects on fertility : Species: Rat, male and female

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Application Route: Oral
Fertility: NOAEL: \geq 1,000 mg/kg bw/day
Early Embryonic Development: NOAEL: \geq 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
GLP: yes
Remarks: Based on data from similar materials

Effects on fetal development : Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOAEL: \geq 5,000 mg/kg bw/day
Developmental Toxicity: NOAEL: \geq 5,000 mg/kg bw/day
GLP: No information available.
Remarks: Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 0 - 1000 milligram per kilogram
General Toxicity Parent: NOAEL: \geq 1,000 mg/kg body weight
Fertility: NOAEL: \geq 1,000 mg/kg body weight
Early Embryonic Development: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 421
Result: Animal testing did not show any effects on fertility.
GLP: yes
Remarks: Test results on an analogous product

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Dermal
Dose: 0 - 125 - 500 milligram per kilogram
General Toxicity Maternal: NOAEL: \geq 2,000 mg/kg body weight
Teratogenicity: NOAEL: \geq 2,000 mg/kg body weight
Developmental Toxicity: NOAEL: \geq 2,000 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: \geq 2,000 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Duration of Single Treatment: 28 Days
General Toxicity Parent: NOAEL: \geq 500 mg/kg body weight

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Fertility: NOAEL: \geq 500 mg/kg body weight
Method: OECD Test Guideline 415
GLP: yes
Remarks: Test results on an analogous product

Calcium dodecylbenzenesulfonate:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 350 milligram per kilogram
Duration of Single Treatment: 2 yr
General Toxicity Parent: 350 mg/kg body weight
General Toxicity F1: 350 mg/kg body weight
General Toxicity F2: 350 mg/kg body weight
Remarks: No known significant effects or critical hazards.

Effects on fetal development : Species: Rat, female
Application Route: Oral
Dose: 300 milligram per kilogram
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Result: No adverse effects.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 25-75-225 milligram per kilogram
General Toxicity Parent: NOAEL: 25 mg/kg bw/day
Fertility: NOEL: 225 mg/kg bw/day
Method: OECD Test Guideline 422
Result: Animal testing did not show any effects on fertility.
GLP: yes

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
Dose: 10-30-100 milligram per kilogram
General Toxicity Maternal: NOAEL: 30 mg/kg bw/day
Teratogenicity: NOAEL: 100 mg/kg bw/day
Developmental Toxicity: NOEL: 30 mg/kg bw/day
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
GLP: yes

Reproductive toxicity - As- : Some evidence of adverse effects on sexual function and

SAFETY DATA SHEET



G-2243-2

Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2022
3.1	07/12/2023	203000014524	Country / Language: US / EN

assessment fertility, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

White mineral oil (petroleum):

Assessment : May cause respiratory irritation.

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Assessment : May cause respiratory irritation.

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat, male and female
NOAEL : 1,800 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 1800 mg/kg
Method : OECD Test Guideline 408
Remarks : Chronic toxicity

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Number of exposures : 5 days/week
Dose : 0, 125, 500 mg/kg bw/day
GLP : No information available.
Remarks : Based on data from similar materials

SAFETY DATA SHEET

G-2243-2



Version Revision Date: SDS Number: Date of last issue: 08/15/2022
3.1 07/12/2023 203000014524 Country / Language: US / EN

Species : Rat, male and female
NOAEL : >= 980 mg/m³
Application Route : Inhalation
Exposure time : 4 Weeks
Number of exposures : 6 hours/day, 5 days/week
GLP : No information available.
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : >= 2,000 mg/kg
Application Route : Dermal
Exposure time : 13 Weeks
Number of exposures : 5 days/week
Method : OECD Test Guideline 411
GLP : No information available.
Remarks : Based on data from similar materials

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : 5 days/week
Dose : 0 - 125 - 500 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.
Remarks : Subchronic toxicity
 : Test results on an analogous product

Species : Rat, male and female
NOAEC : >= 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 20 d
Number of exposures : 6 hours/day
Dose : 0 - 0.05 - 0,22
Method : OECD Test Guideline 412
GLP : No information available.
Remarks : Subacute toxicity
 : Test results on an analogous product

Species : Rat, male and female
NOAEL : >= 2000 mg/kg
Application Route : Skin contact
Exposure time : 90 d
Number of exposures : 5 days/week
Dose : 0 - 2000 mg/kg bw/d
Method : OECD Test Guideline 411
GLP : No information available.
Remarks : Subchronic toxicity

SAFETY DATA SHEET

G-2243-2



Version Revision Date: SDS Number: Date of last issue: 08/15/2022
3.1 07/12/2023 203000014524 Country / Language: US / EN

Test results on an analogous product

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 28 Days
Number of exposures : daily
Method : OECD Test Guideline 407
GLP : yes
Remarks : Test results on an analogous product

Calcium dodecylbenzenesulfonate:

Species : Rat, male and female
LOAEL : 115 mg/kg
Application Route : Oral
Exposure time : 6 Months
Number of exposures : 7 days/week
Dose : 115 mg/kg
Remarks : Subchronic toxicity

Species : Rat, male and female
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 1 Months
Number of exposures : 7 days/week
Dose : 250 mg/kg
Remarks : Subacute toxicity

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rat, male and female
NOAEL : 25 mg/kg
Application Route : Oral
Exposure time : 28 d
Number of exposures : daily
Dose : 25-75-225 mg/kg bw/d
Method : OECD Test Guideline 422
GLP : yes
Remarks : Subacute toxicity

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Components:

White mineral oil (petroleum):

No aspiration toxicity classification

Further information

Product:

Remarks : The product itself has not been tested.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: No data available

Components:

White mineral oil (petroleum):

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: no
Method: OECD Test Guideline 203
Remarks: water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Analytical monitoring: no
Method: OECD Test Guideline 202
Remarks: water extractable fraction

Toxicity to algae/aquatic plants : NOELR (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
Remarks: water extractable fraction

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
End point: Immobilization
Exposure time: 48 h
Analytical monitoring: no
GLP: No information available.

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Remarks: Based on data from similar materials (WAF)

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: (WAF)

NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: (WAF)

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l
End point: mortality
Exposure time: 28 d
Method: calculated
GLP: no
Remarks: The value is calculated

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Daphnia magna (Water flea)): 10 mg/l
End point: Reproduction
Exposure time: 21 d
GLP: yes
Remarks: water extractable fraction

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: nominal concentration
Test results on an analogous product
water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: No information available.
Remarks: nominal concentration
Test results on an analogous product

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

water extractable fraction

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: nominal concentration
Test results on an analogous product
water extractable fraction

NOELR (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: nominal concentration
Test results on an analogous product
water extractable fraction

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l
End point: Reproduction
Exposure time: 21 d
Analytical monitoring: no
Method: OECD Test Guideline 211
GLP: yes
Remarks: nominal concentration
Test results on an analogous product
water extractable fraction

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
End point: mortality
Exposure time: 96 h
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 48 h
Analytical monitoring: yes
Method: OPPTS 797.1300
GLP: yes

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Remarks: water extractable fraction
Test results on an analogous product

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: yes
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

NOAEL (No observed adverse effect level) (Pseudokirchneriella subcapitata (green algae)): >= 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Analytical monitoring: yes
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
GLP: yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: water extractable fraction

Calcium dodecylbenzenesulfonate:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 2.8 - 4.2 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Test results on an analogous product

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 29 mg/l
Exposure time: 96 h
GLP: no
Remarks: Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
GLP: no
Remarks: Fresh water

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Test results on an analogous product

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: no
Remarks: Fresh water
nominal concentration

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes
Remarks: Fresh water
nominal concentration

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: no
Remarks: Fresh water
nominal concentration

NOEC (Desmodesmus subspicatus (green algae)): > 10 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: no
Remarks: Fresh water
nominal concentration

Toxicity to daphnia and other aquatic invertebrates (Chronic) : EL10 (Daphnia magna (Water flea)): 1.69 mg/l
End point: Reproduction

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

ic toxicity) Exposure time: 21 Days
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 211
GLP: yes
Remarks: Fresh water
nominal concentration
water extractable fraction

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: no
Remarks: Fresh water
nominal concentration

Calcium Petroleum Sulfonate:

Toxicity to fish : LL50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OPPTS 797.1300
Remarks: water extractable fraction

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)
Remarks: Test results on an analogous product
water extractable fraction

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,000 mg/l
End point: Growth rate
Exposure time: 96 h
Method: OTS 797.1050 (Algal Toxicity, Tiers I and II)

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Remarks: water extractable fraction
Test results on an analogous product

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: water extractable fraction

Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

White mineral oil (petroleum):

Biodegradability : aerobic
Concentration: 44 mg/l
Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Biodegradability : aerobic
Concentration: 44 mg/l
Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Stability in water : Remarks: The product is insoluble and floats on water.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 8.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Remarks: Test results on an analogous product

Calcium dodecylbenzenesulfonate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic
Inoculum: activated sludge, non-adapted
Concentration: 20.1 mg/l
Result: Not readily biodegradable.
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Calcium Petroleum Sulfonate:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 8.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: Test results on an analogous product

Bioaccumulative potential

Components:

White mineral oil (petroleum):

Partition coefficient: n-octanol/water : log Pow: > 6

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Partition coefficient: n-octanol/water : log Pow: > 3.90
Method: Calculated value

Calcium dodecylbenzenesulfonate:

Partition coefficient: n-octanol/water : log Pow: 4.77 (77 °F / 25 °C)

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-octanol/water : log Pow: 6.66 (73 °F / 23 °C)
pH: 6.67
Method: OECD Test Guideline 123
GLP: yes
Remarks: Based on data from similar materials

Mobility in soil

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic:

Mobility : Remarks: The product is insoluble and floats on water.
Known distribution to environmental compartments

Other adverse effects

Product:

Additional ecological information : The product itself has not been tested.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(CALCIUM DODECYLBENZENESULPHONATE)
Class : 9
Packing group : III
Labels : 9



ERG Code : 171
RQ : 46,082.95 lb
Marine pollutant : no

Hazard and Handling Notes.

Keep separated from foodstuffs
When in individual containers of less than the Product RQ, this material ships as non-regulated.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium dodecylbenzenesulfonate	26264-06-2	1000	46082

SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

White mineral oil (petroleum)	8042-47-5	50 - 70
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	5 - 10
Calcium dodecylbenzenesulfonate	26264-06-2	1 - 5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	1 - 5
Crystalline Quartz Silica	14808-60-7	< 0.01

Pennsylvania Right To Know

White mineral oil (petroleum)	8042-47-5	50 - 70
calcium carbonate	471-34-1	> 1
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified	64742-70-7	5 - 10
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	5 - 10
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	1 - 5
Calcium dodecylbenzenesulfonate	26264-06-2	1 - 5

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


SAFETY DATA SHEET

G-2243-2



Version 3.1 Revision Date: 07/12/2023 SDS Number: 203000014524 Date of last issue: 08/15/2022
Country / Language: US / EN

NFPA 704:



HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA : 8-hour, time-weighted average
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

SAFETY DATA SHEET

G-2243-2



Version	Revision Date:	SDS Number:	Date of last issue: 08/15/2022
3.1	07/12/2023	203000014524	Country / Language: US / EN

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/12/2023

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.