

SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: ACEMATT® OK 607

Other means of identification

Recommended restrictions

Recommended use: Matting agents

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Company Name : Evonik Corporation
2 Turner Place
Piscataway, NJ 08854
USA

Telephone : +1 732 981 5000

E-mail : product-regulatory-services@evonik.com

Emergency telephone number:

24-Hour Health : +1 800 424 9300 (CHEMTREC - US & CANADA)

Emergency : 800 681 9531 (CHEMTREC MEXICO)

+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: Not applicable

Precautionary Statements

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%) [*]
polyethylene	9002-88-4	
Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)	112926-00-8	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: A new CAS , 112926-00-8, has been assigned to Amorphous Precipitated Silica to distinguish it from crystalline. According to EPA this product meets TSCA requirements and is listed on the TSCA Inventory as Silica, CAS 7631-86-9.
 The exact concentration has been withheld as a trade secret.

4. First-aid measures
Description of necessary first-aid measures

Inhalation: In case product dust is released: Possible discomfort: cough, sneezing Move victims into fresh air.

Skin Contact: Wash off with plenty of water and soap.

Eye contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes or until all material has been removed. Obtain medical attention.

Ingestion: Clean mouth with water and drink afterwards plenty of water. After absorbing large amounts of substance / In case of discomfort: Supply with medical care.

Personal Protection for First-aid Responders: As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No hazards which require special first aid measures.

5. Fire-fighting measures
Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, foam, CO₂, dry powder. Adapt fire-extinguishing measures to surroundings

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical: May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Methods and material for containment and cleaning up: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Environmental Precautions: Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice: Handle in accordance with good industrial hygiene and safety practice. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used. If necessary: Local ventilation.

Contact avoidance measures: No data available.

Hygiene measures: When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

Storage

Safe storage conditions: Take precautionary measures against static discharges. Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Silicon dioxide, chemically prepared (CAS 112926-00-8 resp. 7631-86-9)	REL	6 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
	TWA	0.8 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
exposure limit for dust - Respirable particles.	TWA	3 mg/m ³	US. ACGIH Threshold Limit Values (03 2016)

exposure limit for dust - Inhalable particles.	TWA	10 mg/m ³	US. ACGIH Threshold Limit Values (03 2016)
exposure limit for dust - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
exposure limit for dust - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
exposure limit for dust - Total dust.	TWA	15 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
exposure limit for dust - Respirable fraction.	TWA	5 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
exposure limit for dust - Total dust.	TWA	15 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
exposure limit for dust - Respirable fraction.	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
exposure limit for dust - Total dust.	TWA	15 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
exposure limit for dust - Respirable fraction.	TWA	5 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
exposure limit for dust - Total dust.	TWA PEL	10 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)
exposure limit for dust - Respirable fraction.	TWA PEL	5 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (01 2015)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment
Eyeface protection:

Wear safety glasses with side shields. In case dusts are formed, wear close fitting protective goggles.

Skin Protection
Hand Protection:

Additional Information: Wear protective gloves made of the following materials: material, rubber, plastics. Additional Information: The above mentioned hand protection is based on knowledge of the chemistry and anticipated uses of this product but it may not be appropriate for all workplaces. A hazard assessment should be conducted prior to use to ensure suitability of gloves for specific work environments and processes prior to use., Use impermeable gloves.

Skin and Body Protection:

A safety shower and eye wash fountain should be readily available. To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

Respiratory Protection:

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hygiene measures:

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

9. Physical and chemical properties
Appearance
Physical state:

solid

Form:

Powder

Color:	White
Odor:	Odorless
Odor Threshold:	No data available.
pH:	approx. 6 (50 g/l, 20 °C) Suspension
Melting Point:	not determined
Boiling Point:	Not applicable Decomposition
Flash Point:	Not applicable
Evaporation Rate:	Not applicable
Flammability (solid, gas):	not determined
Explosive limit - upper (%):	not determined
Explosive limit - lower (%):	not determined
Vapor pressure:	Not applicable
Vapor density (air=1):	Not applicable
Density:	approx. 2 g/cm ³ (20 °C) (DIN / ISO 787 / 10)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	hardly soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable
Self Ignition Temperature:	not determined
Decomposition Temperature:	> 230 °C
Kinematic viscosity:	Not applicable solid
Dynamic viscosity:	Not applicable solid
Other information	
Explosive properties:	not determined
Oxidizing properties:	not determined
Minimum ignition energy:	not determined
Minimum ignition temperature:	460 °C (VDI Guideline 2263 sheet 1)

10. Stability and reactivity

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical Stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	No hazardous reactions are known if properly handled and stored.
Conditions to avoid:	No further information available
Incompatible Materials:	No further information available
Hazardous Decomposition Products:	Carbon Monoxide. Carbon Dioxide. organic products of decomposition

11. Toxicological information

General information: Silicosis or other product specific illnesses of the respiratory tract were not observed in association with the product.

Information on likely routes of exposure

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.
Ingestion: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.
Ingestion: No data available.

Information on toxicological effects**Acute toxicity (list all possible routes of exposure)****Oral**

Product: Acute toxicity estimate: > 2,000 mg/kg Based on available data, the classification criteria are not met.

Dermal

Product: Based on available data, the classification criteria are not met.

Inhalation**Product:****Components:**

polyethylene Vapour Dusts, mists and fumes

Silicon dioxide,
chemically prepared
(CAS 112926-00-8 resp.
7631-86-9) LC0 (Rat): 0.69 mg/l
Vapour Dusts, mists and fumes

Repeated dose toxicity

Product: no evidence for hazardous properties

Skin Corrosion/Irritation

Product: non-irritant Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation

Product: non-irritant Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization

Product: Not known.

Carcinogenicity

Product: Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA. No evidence that cancer may be caused.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**US. National Toxicology Program (NTP) Report on Carcinogens:**

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**Germ Cell Mutagenicity****In vitro****Product:** No data available.**In vivo****Product:** No data available.**Reproductive toxicity****Product:** no evidence of reproductiontoxic properties**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Components:**

polyethylene	Not classified
Silicon dioxide, chemically prepared	no evidence for hazardous properties
(CAS 112926-00-8 resp. 7631-86-9)	Not classified

Specific Target Organ Toxicity - Repeated Exposure**Product:** No data available.**Components:**

polyethylene	Not classified
Silicon dioxide, chemically prepared	no evidence for hazardous properties
(CAS 112926-00-8 resp. 7631-86-9)	Not classified

Aspiration Hazard**Product:** Not classified**Other effects:**

An Expert Judgment stated that no classification is necessary based on present knowledge.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** LC 50 ((Brachydanio rerio), 96 h): > 10,000 mg/l The reported toxic effects relate to the nominal concentration. tested substance: Silicon dioxide, derived from chemical synthesis**Aquatic Invertebrates****Product:** EC 50 (Daphnia magna, 24 h): > 1,000 mg/l The reported toxic effects relate to the nominal concentration. tested substance: Silicon dioxide, derived from chemical synthesis

Chronic hazards to the aquatic environment:

Fish
Product: No data available.

Aquatic Invertebrates
Product: No data available.

Toxicity to Aquatic Plants
Product: No data available.

Persistence and Degradability

Biodegradation
Product: The methods designed to assess persistence and biodegradability are not applicable to this product, in analogy to inorganic substances.

BOD/COD Ratio
Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)
Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: Not applicable

Mobility in soil: No data available.

Other adverse effects: An Expert Judgment stated that no classification is necessary based on present knowledge.

13. Disposal considerations

Disposal methods: No waste key number as per the European Waste Types List can be assigned to this product, since such classification is based on the (as yet undetermined) use to which the product is put by the consumer. The waste key number must be determined as per the European Waste Types List (decision on EU Waste Types List 2000/532/EC) in cooperation with the disposal firm / producing firm / official authority. Waste must be disposed of in accordance with federal, state, provincial and local regulations.

Contaminated Packaging: Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

14. Transport information
Domestic regulation
49 CFR

Not regulated as a dangerous good

Remarks : Not dangerous according to transport regulations.

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

SARA 311/312 Hazardous Chemical

Chemical Identity

Threshold Planning Quantity

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Silicon dioxide, chemically prepared

US. Massachusetts RTK - Substance List

Chemical Identity

Silicon dioxide, chemically prepared

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Silicon dioxide, chemically prepared


US. Rhode Island RTK

Chemical Identity

polyethylene

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 03/15/2019

Version #: 1.0

Further Information: No data available.

Revision Information: Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer:

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.