

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : BAYFERROX 3242 X PIGMENT
Material number : 05541220
Chemical family : inorganic
Recommended use : Colorants (pigments and dyestuffs), inorganic

Manufacturer or supplier's details

Supplier : LANXESS Corporation
Product Safety & Regulatory Affairs
111 RIDC Park West Drive
PittsburghPA 15275-1112
USA
Telephone : +1800LANXESS
+14128091000 (international)
Emergency telephone : CHEMTREC (800) 424 9300
International (703) 527 3887
Lanxess Emergency Phone (800) 410-3063

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Hazard Not Otherwise Classified (HNOC)

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled : Move to fresh air.
Get medical attention if symptoms occur.
In case of skin contact : Wash off with plenty of water.
Continue to rinse for at least 10 minutes.
Wash contaminated clothing before re-use.
In case of eye contact : Immediately flush eyes with plenty of water, occasionally lifting

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	06/14/2019	103000021161	Country / Language: US / EN

the upper and lower eyelids.
If easy to do, remove contact lens, if worn.
Continue to rinse for at least 10 minutes.
Get medical attention if symptoms appear.

If swallowed : Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : Skin: May cause irritation with symptoms of reddening and itching.
Eye: May cause irritation with symptoms of reddening, tearing and stinging.

Effects : May cause mechanical irritation (abrasion).

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : No information available.

Hazardous combustion products : The product itself does not burn.

Further information : Standard procedure for chemical fires.
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Keep unnecessary and unprotected personnel from entering.
Avoid breathing dust.
Use personal protective equipment.
Avoid dust formation.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

soil, waterways, drains and sewers.

Methods and materials for containment and cleaning up : Move containers from spill area.
Vacuum or sweep up material and place in a designated, labeled waste container.
Dispose of wastes in an approved waste disposal facility.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage : Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Do not store near sources of heat (furnaces, kilns, boilers, etc.).
Exposure to excessive heat may cause this product to become unstable (slowly auto-oxidize) which generates additional heat. Under certain circumstances this heat generation may be sufficient to cause combustible materials to ignite. Do not store near strong oxidizers, sources of heat, or near flammable or combustible materials.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron (III) Oxide	1309-37-1	TWA (Respirable fraction)	5 mg/m ³	ACGIH
		TWA (Fumes)	10 mg/m ³	OSHA Z-1
		TWA (total dust)	15 mg/m ³	OSHA Z-1

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
calcium carbonate	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : The following respirator is recommended if airborne concentrations exceed the appropriate standard/guideline.
see user defined free text

Dust-protection mask if there is a risk of dust formation.

Hand protection

Material : Gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : General industrial hygiene practice.
When using do not eat, drink or smoke.
Wash face, hands and any exposed skin thoroughly after handling.
Wash contaminated clothing before reusing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Appearance : powder

Color : brown

Odor : odorless

Odor Threshold : No data available

pH : 4 - 8
Concentration: 5 %

Melting point/range : > 1,832 °F (> 1,000 °C)

Boiling point/boiling range : No data available

Flash point : No data available

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version	Revision Date:	SDS Number:	Date of previous issue: -
1.0	06/14/2019	103000021161	Country / Language: US / EN

Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	300 - 1,000 kg/m ³
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Excessive temperatures. At temperatures greater than 176 F (80 C), this product may become unstable and slowly auto-oxidize into Fe ₂ O ₃ which generates additional heat. Under certain conditions this heat may be sufficient to cause combustible materials to ignite.
Incompatible materials	:	No specific data.

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Product:

Remarks: Long-term exposure to high concentrations of dust containing iron oxide can cause a benign condition termed "pulmonary siderosis". This condition is not associated with any physical

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

impairment of lung function.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Disposal methods : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

DOT

Not permitted for transport

International Regulations

IATA-DGR

Not permitted for transport

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT



Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

IMDG-Code

Not permitted for transport

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

CERCLA

None

Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

Iron (III) Oxide	1309-37-1	> 1
calcium carbonate	1317-65-3	> 1
Crystalline Quartz Silica	14808-60-7	< 0.1

Pennsylvania Right To Know

C.I. Pigment Yellow 42	51274-00-1	> 1
Iron (III) Oxide	1309-37-1	> 1
calcium carbonate	1317-65-3	> 1
C.I. Pigment Black 11	1317-61-9	> 1

California Prop. 65

WARNING: This product can expose you to chemicals including Crystalline Quartz Silica, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level (NSRL).

TSCA inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET

BAYFERROX 3242 X PIGMENT




Version 1.0 Revision Date: 06/14/2019 SDS Number: 103000021161 Date of previous issue: -
Country / Language: US / EN

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS® IV:

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 06/14/2019

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.