

EXOLIT OP 1240 Page 1

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

### **SECTION 1. IDENTIFICATION**

Identification of the

company:

Clariant Plastics & Coatings

(Deutschland) GmbH Frankfurt am Main, 65926

Telephone No.: +49 69 305 18000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: EXOLIT OP 1240

Material number: 199832

**CAS number:** 225789-38-8

Primary product use: Flame retardants

Chemical family: organic phosphorus salt

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

**GHS** label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Pure substance

Substance name : organic phosphorus salt

CAS-No. : 225789-38-8



EXOLIT OP 1240 Page 2

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

#### Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed, DO NOT induce vomiting.

Do not give anything to drink. Call a physician immediately.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : None known.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

gaseous extinguishing media

Specific hazards during

firefighting

In case of fires, hazardous combustion gases are formed:

Carbon monoxide (CO)
Carbon dioxide (CO2)

Phosphorus oxides (eg Phosphorus pentoxide)

Emits toxic fumes under fire conditions. This product presents

no unusual fire or explosion hazards while sealed in a

shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static

spark or flame initiation.

Further information : Exercise caution when fighting any chemical fire. Use NIOSH



**EXOLIT OP 1240** Page 3

Substance key: 000000111039 Revision Date: 02/29/2024 Version: 6 - 14 / USA Date of printing :08/22/2024

approved self-contained breathing apparatus and full

protective clothing.

Special protective equipment:

for firefighters

Self-contained breathing apparatus

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions. protective equipment and emergency procedures

Do not breathe dust.

Avoid contact with skin and eyes.

Wear personal protective equipment. Unprotected persons

must be kept away.

Wearing appropriate personal protective equipment, contain

spill and collect into a suitable container.

**Environmental precautions** 

Do not let product enter drains.

Retain and dispose of contaminated wash water.

Methods and materials for containment and cleaning up Pick up mechanically. Rinse away rest with water.

Avoid dust formation.

# **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Dust can form an explosive mixture in air.

Keep away sources of ignition.

Avoid dust formation.

Avoid dust accumulation in enclosed space.

In areas with dust explosion hazard: maximum surface temperature of 310 °C (according DIN EN 50281-2-1).

Avoid dust formation. Keep away from sources of ignition. Advice on safe handling

Lead off electrostatic charges.

Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Further information on storage conditions

Store in original container.

Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

Further information on

storage stability

The product must not be stored above 100 °C.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** A system of local and/or general exhaust is recommended

where employee exposures are at or above Occupational



EXOLIT OP 1240 Page 4

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

Exposure Limits (OEL).

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.

Hand protection

Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Protective measures : Do not breathe dust.

Avoid contact with skin. Avoid contact with eyes.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Clean skin thoroughly after work; apply skin cream.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : white

Odour : not specified

Odour Threshold : Not applicable

pH : approx. 5 (68 °F / 20 °C)

Concentration: 10 g/l Suspension in water

Decomposition temperature : >= 572 °F / 300 °C

Method: DTA

Boiling point/boiling range : Not applicable Decomposes below the boiling point.

Flash point : Not applicable

Flammability (solid, gas) : not determined

Self-ignition :  $> 500 \, ^{\circ}\text{F} / > 260 \, ^{\circ}\text{C}$ 



EXOLIT OP 1240 Page 5

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

Method: VDI 2263 (Grewer)

GLP: no

878 °F / 470 °C

Method: DIN EN 50281-2-1

Dust cloud ignition at a hot surface.

Method: Expert judgement

The substance or mixture is not classified as pyrophoric.

Burning number : 1

Method: VDI 2263-1 Does not catch fire

Vapour pressure : Not applicable

Density : 1.35 g/cm3 (73 °F / 23 °C)

Method: 92/69/EEC, A.3.

Bulk density : 400 - 600 kg/m3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : 1.6 g/l (68 °F / 20 °C)

GLP: no

Solubility in other solvents : not available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature :  $> 572 \, ^{\circ}\text{F} \, / > 300 \, ^{\circ}\text{C}$ 

Heating rate: 5 K/min

Decomposes before melting.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Expert judgement

Impact sensitivity : Not impact sensitive.

Dust explosion class : St1

Minimum ignition energy :  $> 100 \text{ mJ} (68 \degree \text{F} / 20 \degree \text{C})$ 

Method: Mike 3 apparatus



EXOLIT OP 1240 Page 6

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : See section 10.3. "Possibility of hazardous reactions"

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Dust can form an explosive mixture in air.

Stable

Conditions to avoid : Keep away from heat and sources of ignition.

Incompatible materials : none

Hazardous decomposition

products

No decomposition if used as directed.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Skin contact Eye contact Inhalation

## **Acute toxicity**

# **Product:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

## Skin corrosion/irritation

#### **Product:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

## Serious eye damage/eye irritation

#### Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405



EXOLIT OP 1240 Page 7

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

### Respiratory or skin sensitisation

**Product:** 

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mammalian cell gene mutation assay

Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Strain: NMRI

Application Route: Oral

Method: OECD Test Guideline 474

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects, In vivo tests did

not show mutagenic effects

Carcinogenicity

**Product:** 

Carcinogenicity - : No information available.

Assessment

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.



EXOLIT OP 1240 Page 8

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

## Reproductive toxicity

**Product:** 

Effects on fertility : Test Type: One generation study

Species: Rat, male and female

Strain: wistar

Application Route: oral (gavage) Dose: 100, 300, 1000 mg/kg bw/d

General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight General Toxicity F1: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 443

Effects on foetal

development

Test Type: reproductive and developmental toxicity study

Species: Rat Strain: wistar

Application Route: oral (gavage) Dose: 100, 300, 1000 mg/kg bw

General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body

weight

Embryo-foetal toxicity: NOAEL: >= 1,000 mg/kg body weight

Method: OECD Test Guideline 414

Reproductive toxicity -

Assessment

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

# STOT - single exposure

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

### STOT - repeated exposure

**Product:** 

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

# Repeated dose toxicity

**Product:** 

Species : Rat, male and female NOAEL : 1000 mg/kg bw/day Application Route : oral (gavage)

Exposure time : 28

Dose : 62,5, 250, 1000 mg/kg bw Method : OECD Test Guideline 407

## **Aspiration toxicity**

## **Product:**

no data available



EXOLIT OP 1240 Page 9

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

#### **Experience with human exposure**

**Product:** 

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Product:** 

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

End point: mortality Exposure time: 96 h Test Type: static test

Method: Regulation (EC) No. 440/2008, Annex, C.1

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

End point: mortality Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 180 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

Method: Regulation (EC) No. 440/2008, Annex, C.3

Toxicity to fish (Chronic

toxicity)

NOEC (Danio rerio (zebra fish)): 100 mg/l

Exposure time: 28 d Test Type: semi-static test

Method: OECD Test Guideline 215

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): ca. 10 mg/l

End point: Reproduction rate

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC (activated sludge): 483 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

Persistence and degradability

**Product:** 

Biodegradability : Inoculum: activated sludge

Result: Not readily biodegradable.

Biodegradation: 1 %



**EXOLIT OP 1240** Page 10

Substance key: 000000111039 Revision Date: 02/29/2024 Version: 6 - 14 / USA Date of printing :08/22/2024

Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

**Product:** 

Distribution among adsorption

Koc: 0.38, log Koc: -0.42 environmental compartments

Method: OECD Test Guideline 121

Other adverse effects

no data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

RCRA - Resource

Conservation and Recovery

**Authorization Act** 

Waste Code

This product, if discarded as sold, is not a Federal RCRA

hazardous waste.

: NONE

Waste from residues : Dispose of spilled or waste product, contaminated soil and

other contaminated materials in licensed landfill or treatment

facility in accordance with all local, state, and federal

regulations.

Contaminated packaging Packaging that cannot be cleaned should be disposed of as

product waste

**SECTION 14. TRANSPORT INFORMATION** 

DOT not restricted **IATA** not restricted **IMDG** not restricted

**SECTION 15. REGULATORY INFORMATION** 

**CERCLA Reportable Quantity** 

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



EXOLIT OP 1240 Page 11

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

# The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

#### **TSCA list**

TSCA - 5(a) Significant New Use Rule List of Chemicals: No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D): No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**


#### **Further information**



EXOLIT OP 1240 Page 12

Substance key: 000000111039	Revision Date: 02/29/2024
Version : 6 - 14 / USA	Date of printing :08/22/2024

#### NFPA 704:



#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United



EXOLIT OP 1240 Page 13

 Substance key: 000000111039
 Revision Date: 02/29/2024

 Version: 6 - 14 / USA
 Date of printing: 08/22/2024

Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

For additional information, contact Product Stewardship.

Revision Date : 02/29/2024

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN