

Licocene PP MA 6452 Gran

Page 1

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

SECTION 1. IDENTIFICATION

Identification of the

company:

Clariant Corporation

500 East Morehead Street Charlotte, NC, 28202

Telephone No.: +1 704 331 7000

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Licocene PP MA 6452 Gran

 Material number:
 224755

 CAS number:
 25722-45-6

Primary product use: Additive

Chemical family: Polymer of polypropylene and maleic anhydride

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

GHS label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

Other hazards

No additional hazards are known except those derived from the labelling.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Polymer of polypropylene and maleic anhydride

CAS-No. : 25722-45-6



Licocene PP MA 6452 Gran

Page 2

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

Components

This product does not contain any components that require disclosure according to OSHA Hazard Communication Standard 2012.

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : If molten polymer contacts the skin, cool rapidly with cold

water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of

reground pellets is unlikely.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed, DO NOT induce vomiting.

Do not give anything to drink. Call a physician immediately.

Most important symptoms

and effects, both acute and delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water mist

Foam Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

: Emits toxic fumes under fire conditions. This product presents

no unusual fire or explosion hazards while sealed in a

shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static

spark or flame initiation.



Licocene PP MA 6452 Gran

Page 3

Substance key: 000000275399 Revision Date: 06/24/2022 Version: 2-8/USA Date of printing:07/12/2022

Exercise caution when fighting any chemical fire. Use NIOSH Further information

approved self-contained breathing apparatus and full

protective clothing.

Special protective equipment:

for firefighters

Wear personal protective equipment.

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

Wearing appropriate personal protective equipment, contain spill, collect onto inert absorbent, and place in a suitable

container.

Prevent from entering into soil, ditches, sewers, waterways

and/or groundwater.

Environmental precautions

The product should not be allowed to enter drains, water

courses or the soil.

Methods and materials for containment and cleaning up Take up mechanically

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Take measures to prevent the build up of electrostatic charge.

Observe the general rules of industrial fire protection

Advice on safe handling Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.

Avoid inhalation, ingestion and contact with skin and eyes.

Wash thoroughly after handling.

Further information on storage conditions

Store in original container.

Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures Use adequate exhaust ventilation and/or dust collection to

keep dust levels below exposure limits.

Personal protective equipment

Respiratory protection Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be



Licocene PP MA 6452 Gran

Page 4

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

generated.

Hand protection

Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses or chemical splash goggles.

Skin and body protection : Wear suitable protective equipment.

Protective measures : When working with hot material, avoid contact with skin.

Observe the usual precautions for handling chemicals.

Hygiene measures : Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Use protective skin cream before handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules

Colour : yellow

Odour : not specified

pH : Not applicable

Softening point : approx. 291 °F / 144 °C

Method: ASTM D 3104

Melting point 273 °F / 134 °C

Method: DSC

Boiling point : not determined

Flash point : not tested.

Flammability (solid, gas) : The product is not flammable.

Method: EC/440/2008, A.10

GLP: no

Self-ignition : Method: Expert judgement

The substance or mixture is not classified as pyrophoric. The

substance or mixture is not classified as self heating.

Upper explosion limit / upper

flammability limit

Not applicable

Lower explosion limit / Lower : Not applicable



Licocene PP MA 6452 Gran

Page 5

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

flammability limit

Vapour pressure : < 0.1 hPa (68 °F / 20 °C)

Relative vapour density : Not applicable

Density : approx. 0.93 g/cm3 (73 °F / 23 °C)

Method: ISO 1183

Solubility(ies)

Water solubility : insoluble (68 °F / 20 °C)

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : not determined

Decomposition temperature $\,:\,$ 572 °F / 300 °C

Method: DTA

No decomposition if used as directed.

Viscosity

Viscosity, dynamic : approx. 1,100 mPa.s (338 °F / 170 °C)

Method: DIN 53019

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Method: Expert judgement

GLP: no

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Expert judgement

GLP: no

The product does not contain organic peroxide-groups which result from either the manufacturing process or from added

ingredients.

Surface tension : Not applicable

Metal corrosion rate : Not applicable

Particle size : < 1 mm

Method: Sieve analysis

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable



Licocene PP MA 6452 Gran

Page 6

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

Possibility of hazardous

reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions. The substance or mixture does not emit flammable gases in

contact with water.
Not corrosive to metals

Conditions to avoid : None known.

Incompatible materials : no data available

Hazardous decomposition

products

No hazardous decomposition products if stored and handled

as prescribed

The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy

higher than 300 J/g.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : Remarks: not tested.

Acute dermal toxicity : Remarks: not tested.

Skin corrosion/irritation

Product:

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Test Type: Buehler Test Exposure routes: Dermal



Licocene PP MA 6452 Gran

Page 7

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: not tested.

Germ cell mutagenicity -

Assessment

: No information available.

Carcinogenicity

Product:

Carcinogenicity - : No information available.

Assessment

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Product:

Reproductive toxicity -

Assessment

: No information available.

STOT - single exposure

Product:

Remarks: no data available

STOT - repeated exposure

Product:

Remarks: no data available

Repeated dose toxicity

Product:

Remarks: not tested.



Licocene PP MA 6452 Gran

Page 8

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

Aspiration toxicity

Product:

no data available

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

Further information

Product:

Remarks: The toxicological data given are determined by analogy

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: not tested.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: not tested.

Toxicity to algae/aquatic

plants

Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

Persistence and degradability

Product:

Biodegradability : Remarks: not tested.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

no data available

Other adverse effects

Product:

Environmental fate and

pathways

: Remarks: no data available



Licocene PP MA 6452 Gran

Page 9

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

Additional ecological

information

: Product is insoluble in water

Harmful effects to fish and bacteria: not harmful May be separated mechanically in waste water plants. The ecotoxicity of the product has not been tested. The information given is based on products of similar structure or

composition.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act

: none

Waste Code

Waste from residues : Small quantities may be treated in aerobic wastewater

hazardous waste.

treatment systems. Larger quantities may be incinerated or

This product, if discarded as sold, is not a Federal RCRA

landfilled after solidification in permitted systems.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act



Licocene PP MA 6452 Gran

Page 10

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311. Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:


TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -



Licocene PP MA 6452 Gran

Page 11

 Substance key: 000000275399
 Revision Date: 06/24/2022

 Version: 2 - 8 / USA
 Date of printing: 07/12/2022

Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx -Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For additional information, contact Product Stewardship.

Revision Date : 06/24/2022

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.



Licocene PP MA 6452 Gran

Page 12

Substance key: 000000275399	Revision Date: 06/24/2022
Version: 2 - 8 / USA	Date of printing :07/12/2022