

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : ADDITIN RC 9410
Product code : 000000000001150417

Manufacturer or supplier's details

Company : LANXESS Corporation
Product Safety & Regulatory Affairs
111 RIDC Park West Drive
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS
(412) 809-1000
lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or
(703) 527-3887 (Outside U.S.A) and mention CCN12916.
Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Additive for lubricants

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

Specific target organ toxicity : Category 2 (Liver, Gastrointestinal tract, Immune system)
- repeated exposure

GHS label elements

Hazard pictograms :

Signal Word : Warning

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Hazard Statements : May cause respiratory irritation.
Suspected of damaging the unborn child.
May cause damage to organs (Liver, Gastrointestinal tract, Immune system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe mist or vapors.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
IF exposed or concerned: Get medical advice/ attention.

Storage:
Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	>= 10 - < 20
Phosphonic acid, dibutyl ester	1809-19-4	>= 5 - < 10
Amines, coco alkyl	61788-46-3	>= 5 - < 10
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	>= 1 - < 5
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	>= 1 - < 5
Aliphatic dibasic acid, glycol ester	ACCN 113452	>= 1 - < 5
Distillates (petroleum), solvent-	64741-96-4	>= 1 - < 5

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

refined heavy naphthenic		
Tolytriazole	29385-43-1	>= 0.1 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

- If inhaled : Get medical attention immediately.
Remove victim to fresh air and keep at rest in a position comfortable for breathing.
If not breathing, if breathing is irregular or respiratory arrest occurs, provide artificial respiration, or oxygen by a trained professional, using a pocket type respirator.
- In case of skin contact : Wash off with soap and water.
Remove contaminated clothing and shoes.
Get medical attention if symptoms occur.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Get medical attention if symptoms appear.
- If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

- Symptoms : May cause respiratory tract irritation with symptoms of coughing, sore throat and runny nose.
Adverse effects from repeated exposure may include
Liver effects
Gastrointestinal tract damage
immune system effects
Effects on fetal development.
- Effects : May cause respiratory irritation.
Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : Treat symptomatically.
Serious effects may be delayed following exposure.
The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : In case of fire, use water spray (fog), foam or dry chemical.

SAFETY DATA SHEET

ADDITIN RC 9410



Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Vapors may form explosive mixtures with air.
In a fire or if heated, a pressure increase will occur and the container may burst.
Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Sulfur oxides
Oxides of phosphorus
Nitrogen oxides (NO_x)
- Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Evacuate personnel to safe areas.
Keep unnecessary and unprotected personnel from entering.
Do not touch or walk through spilled material.
Provide adequate ventilation.
Put on appropriate personal protection equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.
Move containers from spill area.
Wash spillages into an effluent treatment plant or proceed as follows.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Dispose of wastes in an approved waste disposal facility.
-

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Do not allow spilled material or wash water to enter sewers, surface waters, or groundwater systems.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid inhalation of vapor or mist.
Do not swallow.
Use only with adequate ventilation.
Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Conditions for safe storage : Do not expose to temperatures exceeding 50 °C/ 122 °F.
Store in accordance with local regulations.
Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
Keep containers sealed until ready for use.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
Do not store in unlabeled containers.
Use appropriate container to avoid environmental contamination.
Empty containers retain residue and can be dangerous.
- Recommended storage temperature : < 122 °F / < 50 °C
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
 Country / Language: US / EN

		late matter)		
		TWA (Mist)	5 mg/m3	OSHA Z-1
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA Z-1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

- Material : Chloroprene
- Break through time : 240 min
- Glove thickness : 0.65 mm

- Material : butyl-rubber
- Break through time : 120 min
- Glove thickness : 0.7 mm

Remarks : Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Physical state : liquid

Color : light brown

Odor : characteristic

Odor Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 302 °F / 150 °C
Method: closed cup

Evaporation rate : No data available

Flammability (liquids) : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.98 g/cm³ (68 °F / 20 °C)

Solubility(ies)

 Water solubility : insoluble

 Solubility in other solvents : No data available

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : > 302 °F / > 150 °C

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : 65 mm²/s (104 °F / 40 °C)

Explosive properties : No data available

Oxidizing properties : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Reducing agents
Oxidizing agents
Acids and bases

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Ingestion
Eye contact
Skin contact

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Acute toxicity

Not classified due to lack of data.

Product:

- Acute oral toxicity : Acute toxicity estimate: 2,568 mg/kg
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: 67.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Distillates (petroleum), hydrotreated light naphthenic:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: Yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product

Phosphonic acid, dibutyl ester:

- Acute oral toxicity : LD50 (Rat): 3,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 22 mg/l

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 5,000 mg/kg

Amines, coco alkyl:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Assessment: The component/mixture is moderately toxic after single ingestion.

Distillates (petroleum), hydrotreated light paraffinic:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: Yes
Remarks: Test results on an analogous product

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: Yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Test results on an analogous product

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: Yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Test results on an analogous product

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Acute oral toxicity : LD50 (Rat): > 300 mg/kg

Acute dermal toxicity : LD50: 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Distillates (petroleum), solvent-refined heavy naphthenic:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: Yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality
Test results on an analogous product

Tolytriazole:

Acute oral toxicity : LD50 (Rat, male and female): 720 mg/kg
Method: OECD Test Guideline 401

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

GLP: No

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.7 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Test results on an analogous product

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : Yes
Remarks : Test results on an analogous product

Phosphonic acid, dibutyl ester:

Species : Rabbit
Result : Irritating to skin.

Amines, coco alkyl:

Method : OECD Test Guideline 404
Result : Causes burns.

Distillates (petroleum), hydrotreated light paraffinic:

Species : Rabbit
Method : Draize Test
Result : No skin irritation
GLP : Yes
Remarks : Test results on an analogous product

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

SAFETY DATA SHEET

ADDITIN RC 9410



Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : Yes
Remarks : Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Species : reconstructed human epidermis (RhE)
Assessment : Irritating to skin.
Method : Regulation (EC) No. 440/2008, Annex, B.46
Result : Skin irritation

Distillates (petroleum), solvent-refined heavy naphthenic:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : Yes
Remarks : Test results on an analogous product

Tolytriazole:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : Yes
Remarks : Test results on an analogous product

Phosphonic acid, dibutyl ester:

Species : Rabbit
Result : Irritating to eyes.

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Amines, coco alkyl:

Result : Corrosive

Distillates (petroleum), hydrotreated light paraffinic:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : Yes
Remarks : Test results on an analogous product

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : Yes
Remarks : Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Species : Bovine cornea
Result : Irreversible effects on the eye
Assessment : Causes severe burns.
Method : Regulation (EC) No. 440/2008, Annex, B.47

Distillates (petroleum), solvent-refined heavy naphthenic:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
GLP : Yes
Remarks : Test results on an analogous product

Tolytriazole:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Magnusson-Kligmann-Test
Routes of exposure : Skin contact

SAFETY DATA SHEET

ADDITIN RC 9410



Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : Yes

Distillates (petroleum), hydrotreated light paraffinic:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : Yes
Remarks : Test results on an analogous product

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : Yes
Remarks : Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.

Distillates (petroleum), solvent-refined heavy naphthenic:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : Yes
Remarks : Test results on an analogous product

SAFETY DATA SHEET

ADDITIN RC 9410



Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Tolytriazole:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Genotoxicity in vitro : Test Type: Ames test
 : Test system: TA98
 : Metabolic activation: with and without metabolic activation
 : Method: OECD Test Guideline 471
 : Result: equivocal
 : GLP: No information available.
 : Remarks: Information given is based on data obtained from similar substances.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No
Remarks: Information given is based on data obtained from similar substances.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: equivocal
GLP: Yes
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test
 : Species: Mouse (male and female)
 : Application Route: Intraperitoneal
 : Method: OECD Test Guideline 474
 : Result: negative
 : GLP: No information available.
 : Remarks: Test results on an analogous product

Phosphonic acid, dibutyl ester:

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Genotoxicity in vitro : Test system: Bacteria
Method: OECD Test Guideline 471
Result: negative

Test system: mouse lymphoma cells
Result: negative

Distillates (petroleum), hydrotreated light paraffinic:

Genotoxicity in vitro : Test Type: Ames test
Test system: TA98
Metabolic activation: with metabolic activation
Method: OECD Test Guideline 471
Result: Conflicting results have been seen in different studies.
Remarks: In analogy to test results for similarly composed products.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No
Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: Yes
Remarks: Test results on an analogous product

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Genotoxicity in vitro : Test Type: Ames test
Test system: TA98
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: equivocal
GLP: No information available.
Remarks: Information given is based on data obtained from

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

similar substances.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No
Remarks: Information given is based on data obtained from similar substances.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: equivocal
GLP: Yes
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: TA1535
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Distillates (petroleum), solvent-refined heavy naphthenic:

Genotoxicity in vitro : Test Type: Ames test
Test system: TA98
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: equivocal
GLP: No information available.
Remarks: Information given is based on data obtained from similar substances.

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Method: OECD Test Guideline 473
Result: negative
GLP: No
Remarks: Information given is based on data obtained from similar substances.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: equivocal
GLP: Yes
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.
Remarks: Test results on an analogous product

Tolytriazole:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: Yes

Carcinogenicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Distillates (petroleum), hydrotreated light paraffinic:

Species : Mouse, female

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Application Route : Dermal
Exposure time : 78 weeks
Method : OECD Test Guideline 451
Result : negative
GLP : No information available.
Remarks : Test results on an analogous product

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Distillates (petroleum), solvent-refined heavy naphthenic:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 1000 milligram per kilogram
General Toxicity Parent: NOAEL: >= 1,000 mg/kg bw/day
Fertility: NOAEL: >= 1,000 mg/kg bw/day
Early Embryonic Development: NOAEL: >= 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: No effects on fertility and early embryonic development were detected.
GLP: Yes
Remarks: Test results on an analogous product

Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Distillates (petroleum), hydrotreated light paraffinic:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 1000 milligram per kilogram
General Toxicity Parent: NOAEL: \geq 1,000 mg/kg body weight
Fertility: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 421
Result: No effects on fertility and early embryonic development were detected.
GLP: Yes
Remarks: Test results on an analogous product

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Dermal
Dose: 125 - 500 - 2000 milligram per kilogram
General Toxicity Maternal: LOAEL: 125 mg/kg body weight
Teratogenicity: NOAEL: \geq 2,000 mg/kg body weight
Developmental Toxicity: NOAEL: \geq 2,000 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative
GLP: Yes
Remarks: Test results on an analogous product

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 1000 milligram per kilogram
General Toxicity Parent: NOAEL: \geq 1,000 mg/kg bw/day
Fertility: NOAEL: \geq 1,000 mg/kg bw/day
Early Embryonic Development: NOAEL: \geq 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: No effects on fertility and early embryonic development were detected.
GLP: Yes
Remarks: Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 300 mg/kg body weight

Effects on fetal development : Species: Rat
Application Route: Oral

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

General Toxicity Maternal: NOAEL: 300 mg/kg body weight

Distillates (petroleum), solvent-refined heavy naphthenic:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Oral
Dose: 1000 milligram per kilogram
General Toxicity Parent: NOAEL: >= 1,000 mg/kg bw/day
Fertility: NOAEL: >= 1,000 mg/kg bw/day
Early Embryonic Development: NOAEL: >= 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: No effects on fertility and early embryonic development were detected.
GLP: Yes
Remarks: Test results on an analogous product

Tolytriazole:

Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 30 - 90 - 100 milligram per kilogram
General Toxicity Maternal: NOAEL: 90 mg/kg bw/day
Developmental Toxicity: LOAEL: 30 mg/kg bw/day
Embryo-fetal toxicity.: LOAEL: 30 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

May cause respiratory irritation.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Assessment : May cause respiratory irritation.

Amines, coco alkyl:

Assessment : May cause respiratory irritation.

Distillates (petroleum), hydrotreated light paraffinic:

Assessment : May cause respiratory irritation.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Assessment : May cause respiratory irritation.

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Distillates (petroleum), solvent-refined heavy naphthenic:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs (Liver, Gastrointestinal tract, Immune system) through prolonged or repeated exposure.

Components:

Amines, coco alkyl:

Target Organs : Liver, Gastrointestinal tract, Immune system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : daily
Dose : 125 - 500 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.
Remarks : Test results on an analogous product

Distillates (petroleum), hydrotreated light paraffinic:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 125 - 500 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.
Remarks : Subchronic toxicity
Test results on an analogous product

Species : Rat, male and female
NOAEL : > 980 mg/m³
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 28 d
Dose : 50 - 220 - 980 mg/m³

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Method : OECD Test Guideline 412
GLP : No information available.
Remarks : Subacute toxicity
Test results on an analogous product

Species : Rabbit, male and female
NOAEL : 1,000 mg/kg
Application Route : Skin contact
Exposure time : 28 d
Dose : 200 - 1000 - 2000 mg/kg bw/d
Method : OECD Test Guideline 410
GLP : Yes
Remarks : Subacute toxicity
Test results on an analogous product

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : daily
Dose : 125 - 500 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.
Remarks : Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Species : Rat
NOAEL : 300 mg/kg
Application Route : Oral

Distillates (petroleum), solvent-refined heavy naphthenic:

Species : Rat, male
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : daily
Dose : 125 - 500 mg/kg bw/d
Method : OECD Test Guideline 408
GLP : No information available.
Remarks : Subchronic toxicity
Test results on an analogous product

Tolytriazole:

Species : Rat
NOAEL : 150 mg/kg

SAFETY DATA SHEET

ADDITIN RC 9410



Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Application Route : Oral
Exposure time : 28 d
Remarks : Subacute toxicity

Aspiration toxicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydrotreated light naphthenic:

May be fatal if swallowed and enters airways.

Amines, coco alkyl:

May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated light paraffinic:

May be fatal if swallowed and enters airways.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: Yes
Remarks: water extractable fraction

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
aquatic invertebrates Exposure time: 48 h
Analytical monitoring: Yes
Method: OECD Test Guideline 202

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

GLP: Yes
Remarks: water extractable fraction

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: water extractable fraction
Test results on an analogous product

NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l
End point: Reproduction
Exposure time: 21 d
Analytical monitoring: No information available.
Method: OECD Test Guideline 211
GLP: Yes
Remarks: water extractable fraction

Phosphonic acid, dibutyl ester:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 63.4 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): 4.1 mg/l
Exposure time: 21 Days
Method: OECD Test Guideline 211

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (microalgae)): 3 mg/l
Exposure time: 72 h

EC10 (Pseudokirchneriella subcapitata (microalgae)): 4.1 mg/l
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (microalgae)): 8.9 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4.1 mg/l
Exposure time: 21 Days

EC50 (Daphnia magna (Water flea)): 18 mg/l
Exposure time: 21 Days

Amines, coco alkyl:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.24 mg/l
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): > 0.01 - 0.1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (Desmodesmus subspicatus (green algae)): < 1 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): > 0.01 - 0.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Distillates (petroleum), hydrotreated light paraffinic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: Yes
Remarks: water extractable fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: No
Method: OECD Test Guideline 202
GLP: No
Remarks: water extractable fraction

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

plants mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No
Method: OECD Test Guideline 201
GLP: No
Remarks: water extractable fraction

NOEC (Pseudokirchneriella subcapitata (microalgae)): >= 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No
Method: OECD Test Guideline 201
GLP: No
Remarks: water extractable fraction

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l
End point: Reproduction
Exposure time: 21 d
Analytical monitoring: No
Method: OECD Test Guideline 211
GLP: Yes
Remarks: water extractable fraction

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: Yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: Yes
Method: OECD Test Guideline 202
GLP: Yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
GLP: No information available.

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Remarks: water extractable fraction
Test results on an analogous product

NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

End point: Growth rate

Exposure time: 72 h

Analytical monitoring: No information available.

Method: OECD Test Guideline 201

GLP: No information available.

Remarks: water extractable fraction

Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) :

NOELR (Daphnia magna (Water flea)): 10 mg/l

End point: Reproduction

Exposure time: 21 d

Analytical monitoring: No information available.

Method: OECD Test Guideline 211

GLP: Yes

Remarks: water extractable fraction

Test results on an analogous product

Aliphatic dibasic acid, glycol ester:

Toxicity to fish :

LC50 (Oncorhynchus mykiss (rainbow trout)): 26.3 mg/l

Exposure time: 96 h

Test Type: static test

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 17.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Lowest Observed Effect Concentration (Oncorhynchus mykiss (rainbow trout)): 39.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates :

EC50 (Daphnia magna (Water flea)): 84.91 mg/l

Exposure time: 48 h

Test Type: Immobilization

Method: OECD Test Guideline 203

NOEC (Daphnia magna (Water flea)): 50 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants :

EC50 (Pseudokirchneriella subcapitata (green algae)): > 59.6 mg/l

Exposure time: 72 h

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Test Type: Growth inhibition
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 59.6 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (adapted and activated sludge micro-organism): 1,000 mg/l
Exposure time: 3 h
Test Type: Cell multiplication inhibition test
Method: OECD Test Guideline 209

Distillates (petroleum), solvent-refined heavy naphthenic:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: Yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: Yes
Method: OECD Test Guideline 202
GLP: Yes
Remarks: water extractable fraction
Test results on an analogous product

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: water extractable fraction
Test results on an analogous product

NOELR (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: No information available.
Method: OECD Test Guideline 201
GLP: No information available.
Remarks: water extractable fraction

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l
End point: Reproduction
Exposure time: 21 d
Analytical monitoring: No information available.
Method: OECD Test Guideline 211
GLP: Yes
Remarks: water extractable fraction
Test results on an analogous product

Tolytriazole:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 55 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 55 mg/l
Exposure time: 48 h
Remarks: Fresh water

EC50 (Daphnia galeata (Water flea)): 8.58 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 62 mg/l
Exposure time: 72 h
Remarks: Fresh water

NOEC (Skeletonema costatum (marine diatom)): 30 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 18.4 mg/l
Exposure time: 21 Days

EC10 (Daphnia galeata (Water flea)): 0.4 mg/l
Exposure time: 21 Days
Method: OECD Test Guideline 211

Persistence and degradability

Components:

Distillates (petroleum), hydrotreated light naphthenic:

Biodegradability : Result: Not readily biodegradable.

Amines, coco alkyl:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

ADDITIN RC 9410



Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Biodegradation: 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Distillates (petroleum), hydrotreated light paraffinic:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 - 4 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: Yes

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Biodegradability : Result: Not readily biodegradable.

Aliphatic dibasic acid, glycol ester:

Biodegradability : Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: Yes

Distillates (petroleum), solvent-refined heavy naphthenic:

Biodegradability : Result: Not readily biodegradable.

Tolytriazole:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

Aliphatic dibasic acid, glycol ester:

Partition coefficient: n- : log Pow: 1.84 (77 °F / 25 °C)
octanol/water Method: OECD Test Guideline 117
GLP: Yes

Tolytriazole:

Bioaccumulation : Bioconcentration factor (BCF): 2.4

Partition coefficient: n- : log Pow: 1.08
octanol/water

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Mobility in soil

Components:

Tolytriazole:

Distribution among environmental compartments : Koc: 110

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR


UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(COCONUT FATTY AMINE)
Class : 9
Packing group : III

SAFETY DATA SHEET

ADDITIN RC 9410

Version Revision Date: SDS Number: Date of last issue: 10/04/2020
2.0 04/24/2024 203000015676 Country / Language: US / EN

Labels : 9



Packing instruction (cargo aircraft) : 964 : 450.00 L

Packing instruction (passenger aircraft) : 964 : 450.00 L

Environmentally hazardous : yes



IMDG-Code

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COCONUT FATTY AMINE)

Class : 9

Packing group : III

Labels : 9



EmS Code : F-A, S-F

Marine pollutant : yes



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (COCONUT FATTY AMINE)

Class : 9

Packing group : III

Labels : 9

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

ERG Code : 171
Marine pollutant : yes



Hazard and Handling Notes.

Environmentally hazardous substance.

Keep away from acids and oxidizing agents

Keep separated from foodstuffs

The U.S. DOT regulations in 49 CFR 172.102 permit this material to ship as an Environmentally Hazardous Substance, Class 9, using Special Provision 146.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet.

Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	10 - 20
Amines, coco alkyl	61788-46-3	5 - 10

SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

Phosphonic acid, dibutyl ester	1809-19-4	5 - 10
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	1 - 5
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	1 - 5
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4	1 - 5
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	> 1
Proprietary Peroxide	Trade Secret	< 0.1

Pennsylvania Right To Know

Proprietary sulfur hydrocarbon	Trade Secret	> 1
Fatty acids, C8-18 and C18-unsatd., polymers with adipic acid and pentaerythritol	261767-39-9	> 1
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	10 - 20
Amines, coco alkyl	61788-46-3	5 - 10
Phosphonic acid, dibutyl ester	1809-19-4	5 - 10
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	1 - 5
Benzenamine, N-phenyl-, styrenated	68442-68-2	> 1
Proprietary thiadiazole derivative	Trade Secret	> 1
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	1 - 5
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4	1 - 5
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	> 1
Proprietary Alcohol	Trade Secret	< 1
Proprietary Amine	Trade Secret	< 0.1
Proprietary Peroxide	Trade Secret	< 0.1

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


SAFETY DATA SHEET

ADDITIN RC 9410



Version 2.0 Revision Date: 04/24/2024 SDS Number: 203000015676 Date of last issue: 10/04/2020
Country / Language: US / EN

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA : 8-hour, time-weighted average
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

SAFETY DATA SHEET

ADDITIN RC 9410



Version	Revision Date:	SDS Number:	Date of last issue: 10/04/2020
2.0	04/24/2024	203000015676	Country / Language: US / EN

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/24/2024

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.