





## сотюх **КА-100**

## **TECHNICAL DATA SHEET**

A !! !!		
Applications	<ul> <li>Papers</li> <li>Rubber</li> <li>Paint/Coatings &amp; Inks</li> <li>Ceramics and etc.</li> </ul>	
<b>■</b> Properties	<ul> <li>COTIOX KA 100 Titanium Dioxide</li> <li>is an untreated Anatase TiO2 that is easily dispersed</li> <li>has good hiding power and tinting strength</li> </ul>	
	• imparts high brightness and a netutral tone	
<b>■ CLASSIFICATION</b>	Production anatase pigment produced by the sulphate process	
	Surface treatment	Organic substance
	• TiO2 content (KS M ISO 591)	98.0% min
	• pH	7.0 ~ 8.5
	<ul> <li>Moisture</li> </ul>	0.40% max
	• Residue (325Mesh)	0.015% max
	Particle Size	0.25~0.35µm
	• Density (KS M ISO 787-10)	3.8 g/ail
	• Colour index	Pigment White 6 (77891)
	• CAS No	13463-67-7
■ Safety precautions	Please see the Material Safety Data sheet before handling the material.	
	The manufacture of Cosmo products is within the scope of the	
	ISO 9001 certified Quality Management System.	
	The plant also has the ISO 14001 certified Environmental Manage	
	-ment System.	
<b>■ Package type</b>	Available in 25kg paper bag and 500kg/1,000kg poly bag	
■ Business contact	COSMO CHEMICAL CO., LTD	
	55, WONBONG-RO, ONSAN-EUP, ULJU-GUN, ULSAN, KOREA 45010	
	Tel: +82-2-2059-9111 Fax: +82-2-2058-9119	