

We bring comfort to your life.

SAFETY DATA SHEET

SECTION 1 - Identification		
1.1 Product Identifier		
Product Name	CARPOL [®] MX-425 Polyol	
Synonyms	Polyether Polyol Blend	
1.2 Relevant Identified Uses	of the Substance or Mixture and Uses Advised Against	
Recommended Use	Component of Polyurethane	
Restrictions on Use	Industrial Use Only	
1.3 Details of the Supplier of the Safety Data Sheet		
Manufacturer	Carpenter Co. 5016 Monument Ave. Richmond, Virginia 23230 (804) 233-0606	
1.4 Emergency Telephone		
Chemtrec	• (800) 424-9300 (24-hr number)	

SECTION 2 - Hazards Identification

2.1 Classification of the Substance or Mixture

Classification in accordance with 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and GHS (5th Edition):

Acute Toxicity Oral Category 4 – H302 Skin Irritation Category 2 – H315 Eye Irritation Category 1 – H318

2.2 GHS Label Elements

Hazard Pictogram

Signal Word

Hazard Statements



DANGER

H302 – Harmful if swallowed. H315 – Causes skin irritation. H318 – Causes serious eye damage

Precautionary Statements

Prevention	P280 – Wear eye protection and protective gloves P264 – Wash thoroughly after handling. P273 - Avoid release to the environment. P270 - Do not eat, drink or smoke when using this product.
Response	 P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a physician. P302+P352 + P332 + P313 - IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice. P362+P364 - Take off contaminated clothing and wash it before reuse. P301+P312+P330 - IF SWALLOWED: Rinse mouth. Call a physician if you feel unwell.
Storage/Disposal	P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Hazards Not Otherwise Classified

- May cause gastrointestinal discomfort.
- Refer to Section 16 Other Information for relevant EU CLP phrases.

SECTION 3 - Composition/Information on Ingredients

3.1 Substance

Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

3.2 Mixtures

Name	Identifier	% (weight)
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6- bis[[bis-(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol	CAS# 940912-28-7	80-100
Ethanol, 2,2'-iminobis-, polymer with 2-methyloxirane and oxirane	CAS# 34354-45-5	10-30

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

SECTION 4 - First Aid Measures

4.1 Description of First Aid Measures

By route of inhalation

• Remove victim to fresh air.

By route of dermal contact

• Remove contaminated clothing and shoes. Wash thoroughly with soap and water. Seek medical attention

if irritation develops.

By route of eye contact

• Flush with plenty of water for 30 minutes. Seek medical attention.

By route of ingestion

• If victim is conscious, give 1 to 2 glasses of water for dilution. Do not induce vomiting unless directed to do so by medical personnel.

4.2 Most Important Symptoms and Effects, Acute and Chronic

Refer to Section 11 Toxicological Information.

4.3 Indication of Immediate Medical Attention and Special Treatment If Needed

• Treat symptomatically and supportively.

SECTION 5 - Firefighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media

• Dry chemical, foam, carbon dioxide, water fog or fine spray.

Unsuitable Extinguishing Media • Do not use direct water spray. May spread fire.

5.2 Special Hazards Arising From the Substance or Mixture

• May produce oxides of carbon and nitrogen, and have traces of aldehydes, ketones, and organic acids on combustion.

5.3 Special Protective Actions for Firefighters

• Responding personnel must wear positive-pressure, self-contained breathing apparatus (SCBA) and protective firefighting clothing.

SECTION 6 - Accidental Release Measures

6.1. Personal Precautions, Protective Equipment, and Emergency Procedures

Non-Emergency Personnel	 Avoid any skin contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ensure adequate ventilation to remove vapors, fumes, dust etc. Ventilate enclosed areas.
For Emergency Responders	 Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area) Keep unauthorized personnel away. Stay upwind. Stop leak if you

can do it without risk.

6.2 Environmental Precautions

• Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

6.3 Methods and Materials for Containment and Clean Up

Methods	 Stop leak, dam spill, and transfer liquid into a suitable container. Collect residue with absorbent and transfer into a suitable container for proper disposal.
Materials	 For large spills, responding personnel must use supplied-air positive pressure breathing apparatus.

6.4 Reference to Other Sections

• Refer to Section 8 for exposure control and personal protective equipment information.

• Refer to Section 12 for ecological information.

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

- Keep containers tightly closed when not in use.
- Do not eat, drink, or smoke in working area.
- Avoid contact with skin and clothing.
- Avoid contact with eyes.
- Use good safety and industrial hygiene practices.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Storage

• Store materials in a cool, dry place. Do not transport with oxidizers.

Incompatibilities

•Oxidizing materials, acids, and Isocyanates.

SECTION 8: Exposure Controls/ Personal Protection

8.1 Control Parameters

Exposure Limits/Guidelines

	OSHA PEL(ppm)	ACGIH TLV (ppm)
	0.75 TWA	
Formaldehyde	2 STEL	0.3 Ceiling

8.2 Exposure Controls

Engineering Controls
 Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
 Eye/Face Protection
 Chemical goggles. Face shield with chemical goggles if there is a possibility of splashing.

 Respiratory Protection
 • None required under normal use. If product is heated or sprayed, appropriate respiratory protection may be needed.

 Skin Protection
 • Wear suitable working clothes and shoes.

 • Wear chemical resistant gloves appropriate for the intended use. Consult glove manufacturers for assistance in choosing appropriate gloves.

 Environmental Exposure Controls
 • No data available.

Additional Protection Measures

• Use near eyewash station and safety shower.

SECTION 9: Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	 Viscous liquid 	Odor	 Slight odor
Appearance /Color	Amber	Odor Threshold	 No data available
General Properties			
Boiling Point	No data available	Melting Point	No data available
Decomposition Temperature	No data available	рН	No data available
Density (at 25°C)	No data available	Water Solubility	• Low
Solvent Solubility	 No data available 	Viscosity (at 25°C)	No data available
Explosive Properties	• No data available	Specific Gravity/Relative Density	• 1.06 (H ₂ O=1)
Volatility			
Vapor Pressure	 No data available 	Vapor Density	 No data available
Evaporation Rate	No data available	VOC (Vol.)	No data available
Volatiles (Vol.)	No data available		
Flammability			
Flash Point	• >200°F (PMCC)	LEL	No data available
UEL	 No data available 	Flammability (solid, gas)	 No data available
Auto-ignition Temperature	No data available		
Environmental			
Octanol/Water Partition Coefficient	No data available		

9.2. Other Information

No additional information available

SECTION 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical Stability

Stable under normal temperatures and pressures.

10.3 Possibility of Hazardous Reactions

No data available.

10.4 Conditions to Avoid

Elevated temperatures.

10.5 Incompatible Materials

Oxidizing materials, strong acids, and isocyanates.

10.6 Hazardous Decomposition Products

No data available.

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

Acute Toxicity (based on similar materials)

Chemical	LD ₅₀ oral rat	LD ₅₀ dermal rabbit	LC ₅₀ inhalation rat
Amine Polyol	1,370 mg/kg	12,800 mg/kg	Not data available

Skin Corrosion/Irritation

• Skin Irritation Category 2: Causes skin irritation

Serious Eye Damage/Irritation

• Eye Irritation Category 1: Causes serious eye damage

Respiratory or Skin Sensitization

No data available

Germ Cell Mutagenicity

No data available

Carcinogenicity

Formaldehyde	NTP – Known to be a human carcinogen
	IARC – Carcinogenic to humans
	OSHA – Regulated as a carcinogen

Diethanolamine IARC – Possibly carcinogenic to humans

Reproductive Toxicity

No data available

Specific Target Organ Toxicity (single exposure)

No data available

Specific Target Organ Toxicity (repeated exposure)

No data available

Aspiration Hazard

- No data available
- **11.2 Potential Health Effects**

Inhalation	Acute Chronic	 Not expected to be a hazard due to low vapor pressure. None known.
Skin	Acute Chronic	Prolonged contact may cause severe irritation.None known.
Eye	Acute Chronic	 May cause severe irritation with corneal injury which may result in permanent impairment of vision. None known.
Ingestion	Acute Chronic	 Small amounts swallowed may cause gastrointestinal discomfort. None known.

SECTION 12: Ecological Information

12.1 Ecotoxicity

Toxic to aquatic organisms.

12.2 Persistence and Degradability

No data available

12.3 Bioaccumulative Potential

No data available

12.4 Mobility in Soil

No data available

12.5 Other Adverse Effects

No data available

SECTION 13: Disposal Considerations

13.1 Waste Disposal Method

Product Waste

- Do not dump into any sewers, on the ground, or into any body of water.
- All disposal methods must be in compliance with Federal, State/Provincial, and local regulations.

Packaging Waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport Information

U.S. DOT/IATA/IMDG

Not regulated as hazardous for shipment.

SECTION 15: Regulatory Information

15.1 Regulatory Status

CERCLA Hazardous Substances (40 CFR 302): None reportable.

SARA 311/312: Acute health hazard.

SARA 313:

Formaldehyde	CAS# 50-00-0
Diethanolamine	CAS# 111-42-2

15.2 US State Regulations

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer. For more information go to <u>www.P65Warning.ca.gov</u>

15.3 International Inventories*

United States: All components of this product are listed on the TSCA inventory. **Canada:** All components of this product are listed on, or exempt from the DSL. **Japan:** All components of this product are listed on the ENCS.

*=Although a chemical may be listed on a country's inventory, it may not indicate a hazard or regulatory control for use.

SECTION 16: Other Information

16.1 HMIS AND NFPA RATINGS

HMIS Classification Health: 3 Flammability: 1 Reactivity: 0

NFPA Ratings Health: 3 Flammability: 1

Instability: 0 Special: None

16.2 EU CLP Relevant Phrases

S24/25 - Avoid contact with skin and eyes.

S56 - Dispose of this material and its container to hazardous or special waste collection point. S29/35 - Do not empty into drains; dispose of this material and its container in a safe way. S3/9/49 - Keep only in the original container in a cool, well ventilated place.

16.3 Preparation By

I.H. Department

16.4 Preparation Date

September 4, 2013

16.5 Last Revision Date

March 5, 2021 - Section 15

16.6 Disclaimer/Statement of Liability

The data in this Safety Data Sheet is offered for your consideration, investigation and verification. The data is presented in good faith and was obtained from sources Carpenter believes to be reliable. Carpenter, however, makes no representation as to the completeness or accuracy. Carpenter makes no warranty, express or implied, with respect to the data contained herein. Carpenter cannot anticipate all conditions under which this data and the product may be used. The conditions of handling, storage, use, and disposal of the product are beyond Carpenter's control. Thus, we expressly disclaim responsibility or liability for any loss, damage or expense arising out of reliance on the information contained herein. You are advised to make your own determination as to safety, suitability and appropriate manner of handling, storage, use and disposal.