# **BAEROLUB FTA SMS - US**





### **SECTION 1. IDENTIFICATION**

#### **Product identifier**

Trade name : BAEROLUB FTA SMS - US

### Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Manufacture of plastics products

stance/Mixture Polymer additive

Lubricant and release agent

Recommended restrictions

on use

: None known.

## Details of the supplier of the safety data sheet

Company : Baerlocher Production USA LLC

5890 Highland Ridge Drive

Cincinnati, OH 45232

Telephone : Day 330-602-1528 or 330-602-1531

: Night 513-207-1620 or 513-604-2327

E-mail address : Hotline.PS@baerlocher.com Responsible/issuing person : Product Safety Department

### Emergency telephone number (0 - 24 h)

Tel.: 800-424-9300 USA or 703-527-3887

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Combustible dust

# **GHS** label elements

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

## Other hazards

Dust can form an explosive mixture in air.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Chemical nature : Fatty acid C16 - C18.

## **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air.

In case of skin contact : Wash off with soap and water.

# BAEROLUB FTA SMS - US



Version 1.2 Revision Date 05/04/2020

In case of eye contact

Rinse with plenty of water.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Get medical advice/ attention if you feel unwell.

Show this safety data sheet to the doctor in attendance.

Most important symptoms

and effects, both acute and delayed

Notes to physician

No information available.

Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Sand

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Smoke and fumes, toxic.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Avoid dust formation.

Remove all sources of ignition.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

Methods and materials for

containment and cleaning up

Use mechanical handling equipment.

Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE** 

Take precautionary measures against static discharges. Advice on safe handling

Keep away from sources of ignition - No smoking.

Avoid formation and buildup of dust.

Store at room temperature in the original container. Conditions for safe storage

Keep in a dry place.

2**/**11 40513

# **BAEROLUB FTA SMS - US**





## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
General limits for air contaminants (PNOC)	Not Assigned	air 8 h (total dust)	15 mg/m3	OSHA Z-3
		air 8 h (Res- pirable frac- tion)	5 mg/m3	OSHA Z-3
		air 8 h (in- halable dust)	10 mg/m3	ACGIH
		air 8 h (Res- pirable frac- tion)	3 mg/m3	ACGIH

**Engineering measures** : Local exhaust

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Half mask with a particle filter P2 (EN 143)

P1 filter respirator for inert particles

Hand protection

Material : protective gloves acc. to EN 374, e.g. neoprene

Eye protection : Safety glasses
Skin and body protection : Long sleeved clothing

Protective measures : Static dissipative shoes are recommended for use in envi-

ronments that may not have sufficient ventilation and engineering controls to prevent incidental releases of airborne concentrations of the combustible dust to present an explosion hazard from static electrical discharge from personnel.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.
Do not smoke.

When using do not eat or drink.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : flakes
Color : off-white
Odor : slight

Odor Threshold : No data available

pH : No data available Melting point/range : No data available

# BAEROLUB FTA SMS - US



Version 1.2 Revision Date 05/04/2020

Boiling point/boiling range : No data available

Flash point : > 180 °C(GESTIS database)

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : practically insoluble

Partition coefficient: n-

octanol/water

Auto-ignition temperature : No

: No data available

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable at normal ambient temperature and pressure.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous reac-

tions

Combustible material Risk of dust explosion.

Conditions to avoid : Avoid dust formation.

Keep away from heat and sources of ignition.

Incompatible materials : Not applicable

Hazardous decomposition

products

No decomposition if used as directed.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

#### **Product:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

40513 4/11

# BAEROLUB FTA SMS - US



Version 1.2 Revision Date 05/04/2020

Method: OECD Test Guideline 401

GLP: no

Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Read-across (Analogy)

LC50 (Rat): > 0.1621 mg/l Exposure time: 4 h Test atmosphere: vapour

Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 434

Remarks: Based on available data, the classification criteria

are not met.

#### Skin corrosion/irritation

## **Product:**

Species: Rabbit

Method: standardised international/national methodology

Result: not irritating

GLP: no

Remarks: Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

#### **Product:**

Species: Rabbit Result: not irritating

Method: standardised international/national methodology

GLP: no

Remarks: Based on available data, the classification criteria are not met.

## Respiratory or skin sensitisation

#### **Product:**

Remarks: Skin sensitisation

Remarks: Read-across (Analogy)

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

Remarks: Respiratory sensitisation Not classified due to lack of data.

40513 5/11

# **BAEROLUB FTA SMS - US**

Version 1.2 Revision Date 05/04/2020



# Germ cell mutagenicity

## **Product:**

Genotoxicity in vitro : Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Species: Bacteria

Method: OECD Test Guideline 471

Result: negative GLP: yes

: Remarks: Read-across (Analogy)

: Test Type: In vitro gene mutation study in mammalian cells

Species: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative GLP: yes

: Remarks: Read-across (Analogy)

: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Species: CHL

Method: OECD Test Guideline 473

Result: negative GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

## Carcinogenicity

#### **Product:**

Remarks: This product contains no known or suspected carcinogens listed by IARC, NTP or OSHA at or above reportable quantities.

## Reproductive toxicity

#### **Product:**

Effects on fertility

Remarks: Read-across (Analogy)

Test Type: Screening for reproductive/developmental toxicity

Species: Rat

Application Route: Oral NOAEL: 1,000 mg/kg,

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

# BAEROLUB FTA SMS - US



Version 1.2 Revision Date 05/04/2020

Effects on foetal develop-

ment

Remarks: Read-across (Analogy)

Species: Rat

Application Route: Oral

1,000 mg/kg

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria

are not met.

## STOT - single exposure

#### **Product:**

Remarks: Based on available data, the classification criteria are not met.

## Repeated dose toxicity

## **Product:**

Remarks: Read-across (Analogy)

Species: Rat

NOAEL: 1,000 mg/kg Application Route: Oral

Method: OECD Test Guideline 422

GLP: yes

Remarks: Based on available data, the classification criteria are not met.

## **Aspiration toxicity**

#### **Product:**

Based on available data, the classification criteria are not met.

# **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

#### **Product:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 203

GLP: no

LC50 (Leuciscus idus (Golden orfe)): > 5,000 mg/l

Exposure time: 96 h Method: Expert judgement

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 32 mg/l

Exposure time: 47 h

40513 7/11

# BAEROLUB FTA SMS - US



Version 1.2 Revision Date 05/04/2020

Test Type: static test

Method: standardised international/national methodology

GLP: yes

EC50 (Daphnia magna (Water flea)): > 4.8 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (Artemia salina): > 20 mg/l

Exposure time: 48 h

Toxicity to algae

Remarks: Read-across (Analogy)

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.9

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: Read-across (Analogy)

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.9

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic tox-

icity)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: study scientifically unjustified

Remarks: Read-across (Analogy)

NOEC (Daphnia magna (Water flea)): > 0.22 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Toxicity to bacteria : EC10 (Pseudomonas putida): 883 mg/l

Exposure time: 16 h Test Type: static test

Method: standardised international/national methodology

GLP: yes

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Based on available data, the classification criteria are not met.

# **BAEROLUB FTA SMS - US**



Version 1.2 Revision Date 05/04/2020

Chronic aquatic toxicity : Based on available data, the classification criteria are not met.

Persistence and degradability

**Product:** 

Biodegradability : Remarks: Read-across (Analogy)

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: Read-across (Analogy)

Mobility in soil

**Product:** 

Mobility : Method: QSAR

Remarks: Predicted distribution to environmental compart-

ments Sediment Soil

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

Endocrine disrupting poten-

tial

Additional ecological infor-

mation

Based on available data, the classification criteria are not met.

No information available.

Not expected to be acutely toxic to aquatic organisms based

on the available data.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Consult an expert on the disposal of recovered material. En-

sure disposal in compliance with government requirements

and ensure conformity to local disposal regulations.

Dispose in accordance with local, state and federal regula-

tions.

Contaminated packaging : Empty containers must be handled with care due to product

residue.

## **SECTION 14. TRANSPORT INFORMATION**

## **National Regulations**

DOT

Not regulated as a dangerous good

# **BAEROLUB FTA SMS - US**



Version 1.2

Revision Date 05/04/2020

#### International Regulations

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 313 : This product contains the following toxic chemicals subject to

the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40

CFR 372:

Components	CAS-No.	Wt.
not applicable	Not Assigned	

#### The components of this product are reported in the following inventories:

EINECS	listed
TSCA	listed
DSL	listed
AICS	listed
ENCS	listed
ECL	listed
PICCS	listed
CHINA	listed

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

# BAEROLUB FTA SMS - US



Version 1.2

Revision Date 05/04/2020

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

#### **Further information**

#### HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** 05/04/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

11/11 40513